

Publications of Department of Medicine in 2012

Gastroenterology

Refereed Papers Included in Science Citation Index:

1. ²Chan CC*. Portal-systemic collaterals and hepatic encephalopathy. *J Chin Med Assoc* 2012;75:1-2. (IF: 0.787)
2. ²Chan CC, Cheng LY, Lu J, Huang YH*, Chiou SH, Tsai PH, Huo TI, Lin HC, Lee FY. The role of interferon- γ inducible protein-10 in a mouse model of acute liver injury post induced pluripotent stem cells transplantation. *PLoS One* 2012;7:e50577. (IF: 4.092)
3. ^{2,4}Chang CC, Huang HC, Lee WS, Wang SS, Lee FY, Lin HC, Nong JY, Lee SD. Aliskiren reduces portal pressure in cirrhotic rats. *Liver Int* 2012;32:692-3. (IF: 3.824)
4. ^{2,4}Chang CC, Lee WS, Huang HC, Lee FY*, Wang SS, Lin HC, Nong JY, Lee SD. Aliskiren reduces portal pressure in portal hypertensive rats. *Eur J Clin Invest* 2012;42:526-33. (IF: 3.018)
5. ²Chang CJ, Hou MC*, Liao WC, Lee FY, Lin HC, Lee SD. Risk factors of early re-bleeding and mortality in patients with ruptured gastric varices and concomitant hepatocellular carcinoma. *J Gastroenterol* 2012;47:531-9. (IF: 4.160)
6. ²Chang FY*. Variations in the reported prevalence of gastroesophageal reflux disease in Taiwan. *J Chin Med Assoc* 2012;75:91-2. (IF: 0.787)
7. ^{2,5}Chang WT, Kao WY, Chau GY*, Su CW, Lei HJ, Wu JC, Hsia CY, Lui WY, King KL, Lee SD. Hepatic resection can provide long-term survival of patients with non-early-stage hepatocellular carcinoma: Extending the Indication for resection? *Surgery* 2012;152:809-20. (IF: 3.103)
8. ²Chen CC*. The efficacy of endoscopic ultrasound for the diagnosis of common bile duct stones as compared to CT, MRCP, and ERCP. *J Chin Med Assoc* 2012;75:301-2. (IF: 0.787)
9. ²Chen CY*, Lee WJ, Chong K, Lee SD, Liao YD. Impact of intracerebroventricular obestatin on plasma acyl ghrelin, des-acyl ghrelin and nesfatin-1 levels, and on gastric emptying in rats. *Mol Med Report* 2012;6:191-6. (IF: 0.418)
10. ²Chen CY*, Tsai CY, Lee WJ, Liaw WJ, Chiang CH, Ho ST, Lee SD. Intracerebroventricular O-n-octanoylated ghrelin and its splice variant-induced feeding is blocked by insulin, independent of obestatin or CRF receptor, in satiated rats. *Nutrition* 2012;28:812-20. (IF: 3.025)
11. ²Chen CY*, Inui A. What kind of polyunsaturated fatty acid should we eat to stay healthy? *Nutrition* 2012;28:849-50. (IF: 3.025)
12. ²Chen CY*, Tsai CY. Ghrelin and motilin in the gastrointestinal system. *Curr Pharm Des* 2012;18:4755-65. (IF: 3.870)
13. ²Chen PH, Chen WC, Hou MC*, Liu TT, Chang CJ, Liao WC, Su CW, Wang HM, Lin HC, Lee FY, Lee SD. Delayed endoscopy increases re-bleeding and mortality in patients with hematemesis and active esophageal variceal bleeding: A cohort study. *J Hepatol* 2012;57:1207-13. (IF: 9.264)
14. ^{2,5}Fujimiya M*, Ataka K, Asakawa A, Chen CY, Kato I, Inui A. Regulation of gastroduodenal motility: acyl ghrelin, des-acyl ghrelin and obestatin and hypothalamic peptides. *Digestion* 2012;85:90-4. (IF: 2.046)

15. ²Hsieh YC, Chang YY, Lee KC*. Colonic actinomycosis mimicking a fish bone-related granuloma. *Clin Gastroenterol Hepatol* 2012;10:e81-2. (IF: 5.627)
16. ²Hsieh YC, Chan CC, Lee KC*, Huang YT, Lee FY, Yang YY, Lin HC. Aliskiren reduces portal pressure and intrahepatic resistance in biliary cirrhotic rats. *J Chin Med Assoc* 2012;75:501-8. (IF: 0.787)
17. ²Hsieh YC, Chen CK, Su CW, Chan CC, Huo TI, Liu CJ, Fang WL, Lee KC*, Lin HC. Outcome after percutaneous cholecystostomy for acute cholecystitis: A single-center experience. *J Gastrointest Surg* 2012;16:1860-8. (IF: 2.826)
18. ²Hsin IF, Wang SS, Huang HC, Lee FY, Chan CY*, Chang CC, Hsu CY, Lin HC, Lee SD. Portosystemic collaterals are not prerequisites for the development of hepatic encephalopathy in cirrhotic rats. *J Chin Med Assoc* 2012;75:3-9. (IF: 0.787)
19. ²Hsu CY, Hsia CY, Huang YH, Su CW, Lin HC, Chiou YY, Lee RC, Lee FY, Huo TI*, Lee SD. Differential prognostic impact of renal insufficiency on patients with hepatocellular carcinoma: A propensity score analysis and staging strategy. *J Gastroenterol Hepatol* 2012;27:690-9. (IF: 2.865)
20. ²Hsu CY, Hsia CY, Huang YH, Su CW, Lin HC, Pai JT, Loong CC, Chiou YY, Lee RC, Lee FY, Huo TI*, Lee SD. Comparison of surgical resection and transarterial chemoembolization for hepatocellular carcinoma beyond the Milan criteria: a propensity score analysis. *Ann Surg Oncol* 2012;19:842-9. (IF: 4.166)
21. ²Hsu SJ, Hsin IF, Lin YL, Chen YC, Huang HC, Lee FY*, Lin HC, Chang CC, Lee SD. The influence of sorafenib on hepatic encephalopathy and the mechanistic survey in cirrhotic rats. *Eur J Clin Invest* 2012;42:1309-16. (IF: 3.018)
22. ²Huang HC, Chang CC, Wang SS, Chan CY, Lee FY*, Chuang CL, Hsin IF, Teng TH, Lin HC, Lee SD. Pravastatin for thioacetamide-induced hepatic failure and encephalopathy. *Eur J Clin Invest* 2012;42:139-45. (IF: 3.018)
23. ²Huang HC, Chang CC, Wang SS, Lee FY*, Teng TH, Lee JY, Lin HC, Chuang CL, Lee SD. The roles of angiotensin II receptors in the portosystemic collaterals of portal hypertensive and cirrhotic rats. *J Vasc Res* 2012;49:160-8. (IF: 2.651)
24. ²Huang HC, Wang SS, Hsin IF, Chang CC, Lee FY*, Lin HC, Chuang CL, Lee JY, Hsieh HG, Lee SD. Cannabinoid receptor 2 agonist ameliorates mesenteric angiogenesis and portosystemic collaterals in cirrhotic rats. *Hepatology* 2012;56:248-58. (IF: 11.665)
25. ²Huang HC*. Renin inhibition in portal hypertension: Novel indication beyond cardiovascular diseases? *J Chin Med Assoc* 2012;75:547-8. (IF: 0.787)
26. ²Huang HC, Haq O, Utsumi T, Sethasine S, Abraldes JG, Groszmann RJ, Iwakiri Y*. Intestinal and plasma VEGF levels in cirrhosis: The role of portal pressure. *J Cell Mol Med* 2012;16:1125-33. (IF: 4.125)
27. ²Huang KW, Luo JC*, Leu HB, Lin HC, Lee FY, Chan WL, Lin SJ, Chen JW, Chang FY. Chronic obstructive pulmonary disease: an independent risk factor for peptic ulcer bleeding: A nationwide population-based study. *Aliment Pharmacol Ther* 2012;35: 796-802. (IF: 3.769)
28. ²Huang KW, Luo JC*. Letter: Chronic obstructive pulmonary disease is a comorbidity for peptic ulcer bleeding - authors' reply. *Aliment Pharmacol Ther* 2012;36:991-2. (IF: 3.769)
29. ²Huang YH*, Lin HC, Lee SD. Management of chemotherapy-induced hepatitis B virus reactivation. *J Chin Med Assoc* 2012;75:359-62. (IF: 0.787)

30. ²Huang YS*. Recent global endeavors in the detection and prevention of drug-induced liver injury. *J Formos Med Assoc* 2012;111:237-8. (IF: 1.132)
31. ²Hung HH, Chang CJ, Hou MC*, Liao WC, Chan CC, Huang HC, Lin HC, Lee FY, Lee SD. Efficacy of non-selective β -blockers as adjunct to endoscopic prophylactic treatment for gastric variceal bleeding: A randomized controlled trial. *J Hepatol* 2012;56:1025-32. (IF: 9.264)
32. ²Kao WY, Chiou YY, Hung HH, Su CW*, Chou YH, Huo TI, Huang YH, Wu WC, Lin HC, Lee SD, Wu JC. Younger hepatocellular carcinoma patients have better prognosis after percutaneous radiofrequency ablation therapy. *J Clin Gastroenterol* 2012;46:62-70. (IF: 3.159)
33. ²Kao WY, Chiou YY, Hung HH, Su CW*, Chou YH, Wu JC, Huo TI, Huang YH, Wu WC, Lin HC, Lee SD. Serum alpha-fetoprotein response can predict prognosis in hepatocellular carcinoma patients undergoing radiofrequency ablation therapy. *Clin Radiol* 2012;67:429-36. (IF: 1.952)
34. ²Kao WY, Hwang CY, Chang YT, Su CW*, Hou MC, Lin HC, Lee FY, Lee SD, Wu JC. Cancer risk in patients with pyogenic liver abscess: A nationwide cohort study. *Aliment Pharmacol Ther* 2012;36:467-76. (IF: 3.769)
35. ²Kao WY, Su CW*. Letter: Pyogenic liver abscess is a red flag sign of hepatocellular carcinoma - authors' reply. *Aliment Pharmacol Ther* 2012;36:906-7. (IF: 3.769)
36. ²Kao WY, Wu WC, Chen PH, Chiou YY*. Duodenal variceal bleeding caused by chronic pancreatitis. *Gastrointest Endosc* 2012;75:922-3. (IF: 4.878)
37. ^{2,5}Kim YH, Muro K, Yasui H, Chen JS, Ryu MH, Park SH, Chu KM, Choo SP, Sanchez T, Delacruz C, Mukhopadhyay P, Lainas I, Li CP*. A phase II trial of ixabepilone in Asian patients with advanced gastric cancer previously treated with fluoropyrimidine- based chemotherapy. *Cancer Chemother Pharmacol* 2012;70:583-90. (IF: 2.833)
38. ²Lan HC, Chen TS*, Li AF, Chang FY, Lin HC. Additional corpus biopsy enhances the detection of *Helicobacter pylori* infection in a background of gastritis with atrophy. *BMC Gastroenterol* 2012;12:182. (IF:2.422)
39. ²Lan HC, Liang Y, Hsu HC, Shu JH, Su CW, Hung HH, Hou MC, Lin HC, Lee SD, Wang YJ*. *Citrus reticulata* peel improves patient tolerance of low-volume polyethylene glycol for colonoscopy preparation. *J Chin Med Assoc* 2012;75:442-8. (IF: 0.787)
40. ²Lan KH, Wang YW, Lee WP, Lan KL*, Tseng SH, Hung LR, Yen SH, Lin HC, Lee SD. Multiple effects of honokiol on the life cycle of hepatitis C virus. *Liver Int* 2012;32:989-97. (IF: 3.824)
41. ²Lee HF, Hsieh JC, Lu CL*, Yeh TC, Tu CH, Cheng CM, Niddam DM, Lin HC, Lee FY, Chang FY. Enhanced affect/cognition-related brain responses during visceral placebo analgesia in irritable bowel syndrome patients. *Pain* 2012;153:1301-10. (IF: 5.777)
42. ²Lee IC, Huo TI, Huang YH*, Chao Y, Li CP, Lee PC, Chiang JH, Su CW, Lan KH, Yang CM, Wu JC, Lin HC, Lee SD. Transarterial chemoembolization can prolong survival for patients with metastatic hepatocellular carcinoma: A propensity score matching analysis. *Hepatol Int* 2012;6:753-62. (IF:2.645)
43. ²Lee KC, Chan CC, Yang YY, Hsieh YC, Huang YH, Lin HC*. Aliskiren attenuates chronic carbon tetrachloride-induced liver injury in mice. *Eur J Clin Invest* 2012;42:1261-71. (IF: 3.018)

44. ^{2,5}Lee WP*, Lan KH, Li CP, Chao Y, Lin HC, Lee SD. Pro-apoptotic or anti-apoptotic property of X protein of hepatitis B virus is determined by phosphorylation at Ser31 by Akt. *Arch Biochem Biophys* 2012;528:156-62. (IF: 2.935)
45. ²Lee YH, Hsu CY, Hsia CY, Huang YH, Su CW, Lin HC, Chiou YY, Huo TI*. A prognostic model for patients with hepatocellular carcinoma within the Milan criteria undergoing non-transplant therapies, based on 1106 patients. *Aliment Pharmacol Ther* 2012;36:551-9. (IF: 3.769)
46. ²Lee YH, Hsu CY, Huo TI*. Commentary: Predicting survival in hepatocellular carcinoma patients - authors' reply. *Aliment Pharmacol Ther* 2012;36:681. (IF: 3.769)
47. ²Lee YH, Hsu CY, Hsia CY, Huang YH, Su CW, Lin HC, Loong CC, Chiou YY, Huo TI*. Defining the severity of liver dysfunction in patients with hepatocellular carcinoma by the model for end-stage liver disease-derived systems. *Dig Liver Dis* 2012;44:868-74. (IF: 3.054)
48. ²Lee YH, Hsu CY, Huang YH, Su CW, Lin HC, Lee RC, Chiou YY, Huo TI*, Lee SD. Selecting a prognostic renal surrogate for patients with hepatocellular carcinoma undergoing transarterial chemoembolization. *J Gastroenterol Hepatol* 2012;27:1581-8. (IF: 2.865)
49. ²Lin CL, Perng CL, Chao Y, Li CP, Hou MC, Tseng HS, Lin HC, Lee KC*. Application of stent placement or nasojejunal feeding tube placement in patients with malignant gastric outlet obstruction: A retrospective series of 38 cases. *J Chin Med Assoc* 2012;75:624-9. (IF: 0.787)
50. ²Lin SZ, Chen CC*, Lee KC, Tseng CW, Lin HY, Chen YC, Lin HC. DR-70 immunoassay for the surveillance of hepatocellular carcinoma. *J Gastroenterol Hepatol* 2012;27:547-52. (IF: 2.865)
51. ²Liu PY, Lu CL*, Wang CC, Lee IH, Hsieh JC, Chen CC, Lee HF, Lin HC, Chang FY, Lee SD. Spinal microglia initiate and maintain hyperalgesia in a rat model of chronic pancreatitis. *Gastroenterology* 2012;142:165-73. (IF: 11.675)
52. ²Lu CL*. Ulcerative colitis in Taiwan: A potentially rising burden. *J Chin Med Assoc* 2012;75:247-8. (IF: 0.787)
53. ²Luo JC*, Huo TI, Hou MC, Lin HY, Li CP, Lin HC, Chang FY, Lee FY. Clopidogrel delays gastric ulcer healing in rats. *Eur J Pharmacol* 2012;695:112-9. (IF: 2.516)
54. ²Luo JC*, Leu HB, Hou MC, Huang CC, Lin HC, Lee FY, Chang FY, Chan WL, Lin SJ, Chen JW. Cirrhotic patients at increased risk of peptic ulcer bleeding: A nationwide population-based cohort study. *Aliment Pharmacol Ther* 2012;36:542-50. (IF: 3.769)
55. ^{2,5}Miwa H, Ghoshal UC, Fock KM, Gonlachanvit S, Gwee KA, Ang TL, Chang FY, Hongo M, Hou X, Kachintorn U, Ke M, Lai KH, Lee KJ, Lu CL, Mahadeva S, Miura S, Park H, Rhee PL, Sugano K, Vilaichone RK, Wong BC, Bak YT*. Asian consensus report on functional dyspepsia. *J Gastroenterol Hepatol* 2012;27:626-641. (IF: 2.865)
56. ^{2,5}Shih WL, Chang HC, Liaw YF, Lin SM, Lee SD, Chen PJ, Liu CJ, Lin CL, Yu MW*. Influences of tobacco and alcohol use on hepatocellular carcinoma survival. *Int J Cancer* 2012;131:2612-21. (IF: 5.444)
57. ^{2,5}Su CH, Chu WC, Lan KH, Li CP, Chao Y, Lin HC, Lee SD, Tsai YC, Lee WP*. Gemcitabine causes telomere attrition by stabilizing TRF2. *Eur J Cancer* 2012;48:3465-74. (IF: 5.536)
58. ²Su CW*, Lei HJ, Chau GY, Hung HH, Wu JC, Hsia CY, Lui WY, Su YH, Wu CW, Lee SD. The effect of age on the long-term prognosis of patients with hepatocellular carcinoma

- after resection surgery: A propensity score matching analysis. *Arch Surg* 2012;147:137-44. (IF: 5.536)
59. ²Tseng CW*, Chou YC, Hsieh YH. An unusual cause of biliary obstruction after endoscopic sphincterotomy. *Gastroenterology* 2012;142:e1-2. (IF: 11.675)
 60. ²Tseng CW*, Hsieh YH, Chang CK, Lai NS, Hung TH, Wu SF, Tseng KC. HLA-B*15:02 is associated with anemia in patients with chronic hepatitis C treated with pegylated interferon-alpha and ribavirin. *Tissue Antigens* 2012;80:424-30. (IF: 2.588)
 61. ²Wu WC, Wu CY, Wang YJ, Hung HH, Yang HI, Kao WY, Su CW*, Wu JC, Chan WL, Lin HC, Lee FY, Lee SD. Updated thresholds for serum alanine aminotransferase level in a large-scale population study composed of 34 346 subjects. *Aliment Pharmacol Ther* 2012;36:560-8. (IF: 3.769)
 62. ²Wu WC, Chiou YY, Hung HH, Kao WY, Chou YH, Su CW*, Wu JC, Huo TI, Huang YH, Lee KC, Lin HC, Lee SD. Prognostic significance of computed tomography scan-derived splenic volume in hepatocellular carcinoma treated with radiofrequency ablation. *J Clin Gastroenterol* 2012;46:789-95. (IF: 3.159)
 63. ^{2,4}Yang YY, Lee TY, Huang YT, Chan CC, Yeh YC, Lee FY, Lee SD, Lin HC*. Asymmetric dimethylarginine (ADMA) determines the improvement of hepatic endothelial dysfunction by vitamin E in cirrhotic rats. *Liver Int* 2012;32:48-57. (IF: 3.824)
 64. ^{2,4}Yang YY*, Lin HC. The heart: Pathophysiology and clinical implications of cirrhotic cardiomyopathy. *J Chin Med Assoc* 2012;75:619-23. (IF: 0.787)
 65. ^{2,4}Yang YY*, Huang YT, Tsai TH, Hou MC, Lee FY, Lee SD, Lin HC. Kupffer cell depletion attenuates leptin-mediated methoxamine-stimulated portal perfusion pressure and thromboxane A2 release in a rodent model of NASH-cirrhosis. *Clin Sci (Lond)* 2012;123:669-80. (IF: 4.317)
 66. ^{2,4}Yang YY*, Huang YT, Lee TY, Chan CC, Yeh YC, Lee KC, Lin HC. Rho-kinase-dependent pathway mediates the hepatoprotective effects of sorafenib against ischemia/reperfusion liver injury in rats with nonalcoholic steatohepatitis. *Liver Transpl* 2012;18:1371-83. (IF: 3.386)
 67. ^{2,4}Yang YY, Tsai TH, Huang YT, Lee TY, Chan CC, Lee KC, Lin HC*. Hepatic endothelin-1 and endocannabinoids-dependent effects of hyperleptinemia in nonalcoholic steatohepatitis-cirrhotic rats. *Hepatology* 2012;55:1540-50. (IF: 11.665)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Cardiology

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Amerena J*, Chen SA, Sriratanasathavorn C, Cho JG, Huang D, Omar R, Tse HF, King A. Insights into management of atrial fibrillation in Asia pacific gained from baseline data from Registry on Cardiac rhythm disorders (RecordAF-Asia Pacific [AP]) Registry. *Am J Cardiol* 2012;109:378-82. (IF: 3.368)
2. ²Calkins H, Kuck KH, Cappato R, Brugada J, Camm AJ, Chen SA, Crijns HJ, Damiano RJ Jr, Davies DW, DiMarco J, Edgerton J, Ellenbogen K, Ezekowitz MD, Haines DE, Haissaguerre M, Hindricks G, Iesaka Y, Jackman W, Jalife J, Jais P, Kalman J, Keane D, Kim YH, Kirchhof P, Klein G, Kottkamp H, Kumagai K, Lindsay BD, Mansour M, Marchlinski FE, McCarthy PM, Mont JL, Morady F, Nademanee K, Nakagawa H, Natale A, Nattel S, Packer DL, Pappone C, Prystowsky E, Raviele A, Reddy V, Ruskin JN, Shemin RJ, Tsao HM, Wilber D. 2012 HRS/EHRA/ECAS expert consensus statement on catheter and surgical ablation of atrial fibrillation: recommendations for patient selection, procedural techniques, patient management and follow-up, definitions, endpoints, and research trial design. *J Interv Card Electrophysiol* 2012;33:171-257. (IF: 1.166)
3. ^{2,4}Chang CC, Huang HC, Lee WS, Wang SS, Lee FY, Lin HC, Nong JY, Lee SD*. Aliskiren reduces portal pressure in cirrhotic rats. *Liver Int* 2012;32:692-3. (IF: 3.824)
4. ^{2,4}Chang CC, Lee WS, Huang HC, Lee FY, Wang SS, Lin HC, Nong JY, Lee SD*. Aliskiren reduces portal pressure in portal hypertensive rats. *Eur J Clin Invest* 2012;42:526-33. (IF: 3.018)
5. ^{2,5}Chang CJ, Chen YC, Kao YH, Lin YK, Chen SA, Chen YJ*. Dabigatran and Thrombin Modulate Electrophysiological Characteristics of Pulmonary Vein and Left Atrium. *Circ Arrhythm Electrophysiol* 2012;5:1176-83. (IF: 6.462)
6. ^{2,5}Chang HY, Lo LW, Lin YJ, Chang SL, Hu YF, Feng AN, Yin WH, Li CH, Chao TF, Hartono B, Chung FP, Cheng CC, Lin WS, Tsao HM, Chen SA*. Long-term outcome of catheter ablation in patients with atrial fibrillation originating from the superior vena cava. *J Cardiovasc Electrophysiol* 2012;23:955-61. (IF: 3.064)
7. ²Chao TF, Ambrose K, Tsao HM, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Suenari K, Li CH, Hartono B, Chang HY, Wu TJ, Chen SA*. Relationship between the CHADS(2) score and risk of very late recurrences after catheter ablation of paroxysmal atrial fibrillation. *Heart Rhythm* 2012;9:1185-91. (IF:4.102)
8. ²Chao TF, Leu HB, Huang CC, Chen JW, Chan WL, Lin SJ, Chen SA*. Thiazolidinediones can prevent new onset atrial fibrillation in patients with non-insulin dependent diabetes. *Int J Cardiol* 2012;156:199-202. (IF: 7.078)
9. ²Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Chen TJ, Tsao HM, Chen SA*. Atrial Fibrillation and the risk of ischemic stroke: does it still matter in patients with a CHA2DS2-VASc score of 0 or 1? *Stroke* 2012;43:2551-5. (IF: 5.729)
10. ²Chao TF, Tsao HM, Ambrose K, Lin YJ, Lin WS, Chang SL, Lo LW, Hu YF, Tuan TC, Suenari K, Li CH, Hartono B, Chang HY, Chung FP, Hanafy DA, Lin WY, Chen SA*. Renal dysfunction and the risk of thromboembolic events in patients with atrial fibrillation after catheter ablation-The potential role beyond the CHA(2)DS(2)-VASc score. *Heart Rhythm* 2012;9:1755-60. (IF:4.102)

11. ²Chao TF, Tsao HM, Lin YJ, Chen SA*. Reply to the editor-the role of renal dysfunction in predicting thromboembolic events after catheter ablation of atrial fibrillation. *Heart Rhythm* 2012;9:e26. (IF:4.102)
12. ²Chao TF, Tsao HM*, Lin YJ, Tsai CF, Lin WS, Chang SL, Lo LW, Hu YF, Tuan TC, Suenari K, Li CH, Hartono B, Chang HY, Ambrose K, Wu TJ, Chen SA*. Clinical outcome of catheter ablation in patients with nonparoxysmal atrial fibrillation: results of 3-year follow-up. *Circ Arrhythm Electrophysiol* 2012;5:514-20. (IF: 6.462)
13. ²Chao TF, Wang KL, Chuang CF, Chen SA, Yu WC *. Atrium electromechanical interval in left ventricular diastolic dysfunction. *Eur J Clin Invest* 2012;42:117-22. (IF: 3.018)
14. ^{2,5}Chen JS, Chen YH, Huang PH, Tsai HY, Chen YL, Lin SJ, Chen JW*. Ginkgo biloba extract reduces high-glucose-induced endothelial adhesion by inhibiting the redox-dependent interleukin-6 pathways. *Cardiovasc Diabetol* 2012;11:49. (IF: 3.346)
15. ^{2,5}Chen LY, Yu WC, Huang SH, Lin ML, Chen TL*, Fung CP, Liu CY. Successful treatment of *Aerococcus viridans* endocarditis in a patient allergic to penicillin. *J Microbiol Immunol Infect* 2012; 45:158-60. (IF: 0.987)
16. ²Chen SA*. AF News. *J Cardiovasc Electrophysiol* 2012;23:1043-4. (IF:3.064)
17. ^{2,4}Chen SJ, Chao TF, Lin YJ, Lo LW, Hu YF, Tuan TC, Hsu TL, Yu WC, Leu HB, Chang SL*, Chen SA. Cool seasons are related to poor prognosis in patients with infective endocarditis. *Int J Biometeorol* 2012;56:973-81. (IF:2.254)
18. ²Chen ZY, Chiang CH, Huang CC, Chung CM, Chan WL, Huang PH, Lin SJ, Chen JW*, Leu HB*. The Association of Tooth Scaling and Decreased Cardiovascular Disease: A Nationwide Population-based Study. *Am J Med* 2012;125:568-75. (IF: 5.430)
19. ^{2,5}Cheng CM, Huang JL*, Wu TJ, Su CS, Pai HY, Liao MF, Ting CT, Chen SA. Comparison of quick optimization of interventricular delay between simple methods: intracardiac electrogram and surface electrocardiogram after cardiac resynchronization therapy. *Europace* 2012;14: 1317-23. (IF:1.980)
20. ^{2,5}Cheng CM, Huang JL*, Wu TJ, Su CS, Pai HY, Liao MF, Ting CT, Chen SA. Novel tips for engaging the coronary sinus guided by right ventricular lead. *Europace* 2012;14:1754-8. (IF: 1.980)
21. ^{2,3}Cheng HM, Guo FR, Hsu TF, Chuang SY, Yen HT, Lee FY, Yang YY, Chen TL, Lee WS, Chuang CL, Chen CH, Ho T*. Two Strategies to Intensify Evidence-based Medicine Education of Undergraduate Students: *Ann Acad Med Singapore* 2012;41:4-11. (IF: 1.25)
22. ^{2,3}Cheng HM, Sung SH, Shih YT, Chuang SY, Yu WC, Chen CH*. Measurement of Central Aortic Pulse Pressure: Noninvasive Brachial Cuff-Based Estimation by a Transfer Function Vs. a Novel Pulse Wave Analysis Method. *Am J Hypert* 2012;25:1162-9. (IF: 3.181)
23. ²Chiang CE*, Naditch-Brule L, Murin J, Goethals M, Inoue H, O'Neill J, Silva-Cardoso J, Zharinov O, Gamra H, Alam S, Ponikowski P, Lewalter T, Rosenqvist M, Steg PG. Distribution and risk profile of paroxysmal, persistent, and permanent atrial fibrillation in routine clinical practice: Insight from the real-life global survey evaluating patients with atrial fibrillation international registry. *Circ Arrhythm Electrophysiol* 2012;5:632-9 (IF: 6.462)
24. ²Chiang CE*, Wang KL. Unmet needs of diabetic patients. *J Chin Med Assoc* 2012;75:615-6. (IF: 0.787)

25. ²Chiang CE*, Wang KL. Zero calcium, zero events? *J Chin Med Assoc* 2012;75:49-50. (IF: 0.787)
26. ²Chiang CH, Huang CC, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Oral alendronate use and risk of cancer in postmenopausal women with osteoporosis: A nationwide study. *J Bone Miner Res* 2012;27:1951-8. (IF: 6.373)
27. ²Chiang CH, Huang CC, Chan WL, Huang PH, Chen YC, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Psoriasis and increased risk of ischemic stroke in Taiwan: a nationwide study. *J Dermatol* 2012;39:279-81. (IF: 1.493)
28. ²Chiang CH, Huang PH, Chung FP, Chen ZY, Leu HB, Huang CC, Wu TC, Chen JW, Lin SJ*. Decreased circulating endothelial progenitor cell levels and function in patients with nonalcoholic fatty liver disease. *PLoS One* 2012;7:e31799. (IF: 4.092)
29. ²Chiang CH, Leu HB, Huang PH, Chung FP, Huang CC, Wu TC, Chen JW, Lin SJ*. SYNTAX score is associated with circulating endothelial progenitor cells in patients with coronary artery disease. *Acta Cardiol Sin* 2012;28:216-24. (IF: 0.633)
30. ^{2,5}Chiou KR, Charng MJ*. Common mutations of familial hypercholesterolemia patients in Taiwan. Characteristics and implications of migrations from southeast China. *Gene* 2012;498:100-6. (IF: 2.341)
31. ²Chiu CC, Huang CC, Chan WL, Chung CM, Huang PH, Lin SJ, Chen JW*, Leu HB*. Increased risk of ischemic stroke in patients with systemic lupus erythematosus: A nationwide population-based study. *Intern Med* 2012;51:17-21. (IF: 0.936)
32. ^{2,5}Chiu TY, Chen CY, Chen SY, Soon CC, Chen JW*. Indicators associated with coronary atherosclerosis in metabolic syndrome. *Clin Chim Acta* 2012;413:226-31. (IF: 2.535)
33. ^{2,5}Chong E, Chang SL, Chen SA*. Pulmonary vein isolation in a patient with dextrocardia. *Europace* 2012;14:1725. (IF: 1.980)
34. ^{2,5}Chou KT, Huang CC, Chen YM, Su KC, Shiao GM, Lee YC, Chan WL, Leu HB*. Sleep apnea and risk of deep vein thrombosis: A non-randomized, pair-matched cohort study. *Am J Med* 2012;125:374-80. (IF: 5.430)
35. ^{2,5}Chou KT, Huang CC, Tsai DC, Chen YM, Perng DW, Shiao GM, Lee YC, Leu HB*. Sleep apnea and risk of retinal vein occlusion: a nationwide population-based study of Taiwanese. *Am J Ophthalmol* 2012;154:200-5. (IF: 4.223)
36. ^{2,5}Chou KT*, Leu HB. Sleep Apnea and Risk of Deep Venous Thrombosis: Looking for Potential Confounders. (Reply) *Am J Med* 2012;125: E17. (IF:5.43)
37. ^{2,5}Fan AP, Kosik RO, Mandell GA, Tran DT, Cheng HM, Chen CH, Su TP, Chiu AW*. Suicidal ideation in medical students: who is at risk? *Ann Acad Med Singapore* 2012;41:377-82. (IF: 1.25)
38. ^{2,5}Hartono B, Lo LW, Cheng CC, Lin YJ, Chang SL, Hu YF, Suenari K, Li HC, Chao TF, Liu SH, Niu YL, Chang HY, Ambrose K, Yu WC, Hsu TL, Chen SA*. A novel finding of the atrial substrate properties and long-term results of catheter ablation in chronic atrial fibrillation patients with left atrial spontaneous echo contrast. *J Cardiovasc Electrophysiol* 2012;23:239-46. (IF: 3.064)
39. ^{2,5}Hsu CP, Lin SJ, Chung MY*, Lu TM*. Asymmetric dimethylarginine predicts clinical outcomes in ischemic chronic heart failure. *Atherosclerosis* 2012;225:504-10. (IF: 3.794)
40. ²Hsu CY, Chen WS, Sung SH*. Warfarin-induced leukocytoclastic vasculitis: a case report and review of literature. *Intern Med* 2012;51:601-6. (IF: 0.936)

41. ^{2,5}Hsu HP, Jou YL, Wu TC, Chen YH, Huang SS, Lin YJ, Lo LW, Hu YF, Tuan TC, Chang SL*, Chen SA. Hyperglycemia Increases New-Onset Atrial Fibrillation in Patients with Acute ST-Elevation Myocardial Infarction. *Acta Cardiol Sin* 2012;28:279-85. (IF:0.633)
42. ^{2,4}Hsu PF, Wang YJ, Ding YZ, Liou TL, Wang YW, Chang YC, Chou P, Yu WC, Chen CH, Chan WL*. Adding Hyperuricemia to Traditional Cardiac Risk Factors Does Not Improve Ability to Predict Cardiac or Total Death in the Asymptomatic Taiwanese General Population. *Acta Cardiol Sin* 2012;28:225-35. (IF:0.633)
43. ²Hu YF, Yeh H*, Tsao HM, Tai CT, Lin YJ, Chang SL, Lo LW, Tuan TC, Suenari K, Li CH, Chao TF, Chen SA*. Electrophysiological correlation and prognostic impact of heat shock protein 27 in atrial fibrillation. *Circ Arrhythm Electrophysiol* 2012;5:334-40. (IF: 6.462)
44. ²Huang CC, Chan WL, Luo JC, Chen YC, Chen TJ, Chung CM, Huang PH, Lin SJ, Chen JW*, Leu HB*. Gastroesophageal reflux disease and atrial fibrillation: A nationwide population-based study. *PLoS One* 2012;7:e47575. (IF: 4.092)
45. ^{2,5}Huang CF, Chen YC*, Yeh HI, Chen SA. Mononucleated and binucleated cardiomyocytes in left atrium and pulmonary vein have different electrical activity and calcium dynamics. *Prog Biophys Mol Biol* 2012;108:64-73. (IF: 3.203)
46. ^{2,5}Huang CY, Lin FY, Shih CM, Au HK, Chang YJ, Nakagami H, Morishita R, Chang NC, Shyu KG*, Chen JW*. Moderate to high concentrations of high-density lipoprotein from healthy subjects paradoxically impair human endothelial progenitor cells and related angiogenesis by activating rho-associated kinase pathways. *Arterioscler Thromb Vasc Biol* 2012;32:2405-17. (IF: 6.368)
47. ^{2,5}Huang CY, Shih CM, Tsao NW, Lin YW, Huang PH, Wu SC, Lee AW, Kao YT, Chang NC, Nakagami H, Morishita R, Ou KL, Hou WC, Lin CY, Shyu KG, Lin FY*. Dipeptidyl peptidase-4 inhibitor improves neovascularization by increasing circulating endothelial progenitor cells. *Br J Pharmacol* 2012;167:1506-19. (IF: 4.409)
48. ^{2,5}Huang JL, Lin YJ, Lee PC, Chang HY, Hartono B, Lo LW, Chang SL, Hu YF, Suenari K, Li CH, Chao TF, Kibos A, Ting CT, Chen SA*. Right atrial substrate remodeling and atrioventricular node conduction properties in patients with paroxysmal atrial fibrillation. *Int J Cardiol* 2012;158:447-9. (IF: 7.078)
49. ^{2,4}Huang KW, Luo JC, Leu HB, Lin HC, Lee FY, Chan WL, Lin SJ, Chen JW, Chang FY*. Chronic obstructive pulmonary disease: an independent risk factor for peptic ulcer bleeding: a nationwide population-based study. *Aliment Pharmacol Ther* 2012;35:796-802. (IF: 3.769)
50. ²Huang PH, Chen JW*, Lin CP, Chen YH, Wang CH, Leu HB, Lin SJ*. Far infra-red therapy promotes ischemia-induced angiogenesis in diabetic mice and restores high glucose-suppressed endothelial progenitor cell functions. *Cardiovasc Diabetol* 2012;11:99. (IF: 3.346)
51. ²Huang PH, Lin CP, Wang CH, Chiang CH, Tsai HY, Chen JS, Lin FY, Leu HB, Wu TC, Chen JW*, Lin SJ*. Niacin improves ischemia-induced neovascularization in diabetic mice by enhancement of endothelial progenitor cell functions independent of changes in plasma lipids. *Angiogenesis* 2012; 15:377-89. (IF: 6.063)
52. ²Huang SS, Chen YH, Lu TM, Wu TC, Charng MJ, Chen JW, Pan JP, Lin SJ*. Effect of invasive strategy on different genders of Chinese patients with non-ST-elevation myocardial infarction. *Catheter Cardiovasc Interv* 2012;79:946-55. (IF:2.290)

53. ²Huang SS, Chen YH, Lu TM, Chen LC, Chen JW, Lin SJ*. Application of the Sequential Organ Failure Assessment score for predicting mortality in patients with acute myocardial infarction. *Resuscitation* 2012;83:591-5. (IF: 3.601)
54. ²Huang SS, Huang PH, Wu TC, Chen JW, Lin SJ*. Association of serum bilirubin with contrast-induced nephropathy and future cardiovascular events in patients undergoing coronary intervention. *PLoS One* 2012;7:e42594. (IF: 4.092)
55. ^{2,5}Jan SL, Fu YC, Hwang B, Lin SJ*. B-type natriuretic peptide in children with atrial or ventricular septal defect: A cardiac catheterization study. *Biomarkers* 2012;17:166-71. (IF: 2.215)
56. ²Jou YL, Lu TM, Chen YH, Sung SH, Wang KL, Huang SS, Lin WT, Chan WL, Lin SJ*. Comparison of the predictive value of EuroSCORE, SYNTAX score, and clinical SYNTAX score for outcomes of patients undergoing percutaneous coronary intervention for unprotected left main coronary artery disease. *Catheter Cardiovasc Interv* 2012;80:222-30. (IF: 2.290)
57. ^{2,5}Kibos A, Chang SL, Lee PC, Chen SA*. Catheter ablation of an intra-atrial reentrant tachycardia in a young adult fontan patient with complex palliated congenital heart disease. *Circ J* 2012;76:2494-5. (IF: 3.766)
58. ^{2,5}Kjeldsen SE, Messerli FH, Chiang CE* Meredith PA, Liu L. Are fixed-dose combination antihypertensives suitable as first-line therapy? *Curr Med Res Opin* 2012;28:1685-97. (IF: 2.380)
59. ^{2,5}Kuo TY, Kang MJ, Chen JW, Ho HY, Ting CT, Lin TH, Sheu SH, Tsai WC, Chen JH, Leu HB, Yin WH, Chiu TY, Chen CI, Lin SJ, Pan WH*. A two-stage matched case-control study on multiple hypertensive candidate genes in han chinese. *Am J Hypertens* 2012;25:804-11. (IF: 3.181)
60. ^{2,5}Lai YC, Hsu PF*. Torsades de Pointes in an Elderly Patient with "Broken Heart Syndrome". *Int J Gerontol* 2012;6: 37-9. (IF:0.184)
61. ²Lee CW, Huang SS, Huang PH*. Pulmonary arterial thrombosis in a patient with an atrial septal defect and eisenmenger syndrome. *Korean Circ J* 2012;42:772-5. (IF: 0.291)
62. ²Lee CW, Sung SH*, Yu WC. Coronary artery fistula with a huge aneurysm formation presenting as heart failure. *Korean Circ J* 2012;42:69-70. (IF: 0.291)
63. ^{2,5}Li CH, Lin YJ, Huang JL, Wu TJ, Cheng CC, Lin WS, Tuan TC, Chang SL, Lo LW, Hu YF, Chao TF, Chung FP, Tsai CF, Tsao HM, Chen SA*. Long-term follow-up in patients with arrhythmogenic right ventricular cardiomyopathy. *J Cardiovasc Electrophysiol* 2012;23:750-6. (IF: 3.064)
64. ^{2,5}Li YH, Yeh HI, Tsai CT, Liu PY, Lin TH, Wu TC, Hung KC, Hsieh YC, Mar GY, Fang CY, Chiu KM, Chen JH*. 2012 Guidelines of the Taiwan Society of Cardiology (TSOC) for the Management of ST-Segment Elevation Myocardial Infarction. *Acta Cardiol Sin* 2012;28:63-89. (IF:0.633)
65. ²Liao JN, Chen IM, Yang AH, Yu WC*. A primary cardiac sarcoma spreading along the pacing leads of a permanent pacemaker. *J Am Coll Cardiol* 2012;59:1487. (IF: 14.156)
66. ²Liao JN, Huang CH, Wu MH, Yu WC*. Pseudo-mitral regurgitation 20 years after mitral valve replacement: A subannular left ventricular pseudoaneurysm with rupture into the left atrium. *Eur Heart J* 2012;33:2497. (IF: 10.478)

67. ²Lin MM, Cheng HM*. Images in Cardiovascular Medicine: Tuberculous Aortitis. *Intern Med* 2012;51:1983-5. (IF:0.936)
68. ²Lin MM, Cheng HM, Sung SH, Liao CF, Chen YH, Huang PH, Chen CH. Estimation of central aortic systolic pressure from the second systolic peak of the peripheral upper limb pulse depends on central aortic pressure waveform morphology. *J Hypertens* 2012;30:581-6. (IF: 4.021)
69. ²Lin YJ, Chang SL, Lo LW, Hu YF, Suenari K, Li CH, Chao TF, Chung FP, Liao JN, Hartono B, Tso HW, Tsao HM, Huang JL, Kao T, Chen SA*. A Prospective, Randomized Comparison of Modified Pulmonary Vein Isolation Versus Conventional Pulmonary Vein Isolation in Patients with Paroxysmal Atrial Fibrillation. *J Cardiovasc Electrophysiol* 2012;23:1155-62. (IF: 3.064)
70. ²Lin YJ, Suenari K, Lo MT, Lin C, Hsieh WH, Chang SL, Lo LW, Hu YF, Cheng CC, Kihara Y, Chao TF, Hartono B, Wu TJ, Lin WS, Hsu KH, Kibos AS, Huang NE, Chen SA*. Novel assessment of temporal variation in fractionated electrograms using histogram analysis of local fractionation interval in patients with persistent atrial fibrillation. *Circ Arrhythm Electrophysiol* 2012;5:949-56. (IF: 6.462)
71. ^{2,5}Lin YK, Chen YC, Chen JH, Chen SA, Chen YJ*. Adipocytes modulate the electrophysiology of atrial myocytes: implications in obesity-induced atrial fibrillation. *Basic Res Cardiol* 2012; 107:293. (IF: 7.348)
72. ^{2,5}Lin YK, Lai MS, Chen YC*, Cheng CC, Huang JH, Chen SA, Chen YJ *, Lin CI. Hypoxia and reoxygenation modulate the arrhythmogenic activity of the pulmonary vein and atrium. *Clin Sci (Lond)* 2012;122:121-32. (IF: 4.317)
73. ^{2,4}Lin YP, Yang CY, Liao CC, Yu WC, Chi CW, Lin CH. Plasma protein characteristics of long-term hemodialysis survivors. *PLoS One* 2012;7:e40232. (IF: 4.092)
74. ²Liu IF, Huang CC, Chan WL, Huang PH, Chung CM, Lin SJ, Chen JW, Leu HB*. Effects of annual influenza vaccination on mortality and hospitalization in elderly patients with ischemic heart disease: A nationwide population-based study. *Prev Med* 2012;54:431-3. (IF: 3.216)
75. ^{2,5}Lu YY, Cheng CC, Chen YC, Chen SA, Chen YJ*. ATX-II-induced pulmonary vein arrhythmogenesis related to atrial fibrillation and long QT syndrome. *Eur J Clin Invest* 2012;42:823-31. (IF: 3.018)
76. ^{2,4}Luo JC, Leu HB, Hou MC, Huang CC, Lin HC, Lee FY, Chang FY, Chan WL, Lin SJ, Chen JW*. Cirrhotic patients at increased risk of peptic ulcer bleeding: a nationwide population-based cohort study. *Aliment Pharmacol Ther* 2012;36:542-50. (IF: 3.769)
77. ^{2,5}Niu YL, Chang SL, Lin YJ, Lo LW, Hu YF, Lee PC, Chen SA*. Atrial tachycardia originating from the atrial septum in a patient with dextrocardia and complex structural heart disease. *Pacing Clin Electrophysiol* 2012;35:e306-8. (IF: 1.351)
78. ^{2,5}Park JE, Chiang CE, Munawar M, Pham GK, Sukonthasarn A, Aquino AR, Khoo KL, Chan HW*. Lipid-lowering treatment in hypercholesterolaemic patients: The cepheus pan-asian survey. *Eur J Prev Cardiol* 2012;19:781-94. (IF: 2.634)
79. ²Raviele A*, Natale A, Calkins H, Camm JA, Cappato R, Chen SA, Connolly SJ, Damiano R, De Ponti R, Edgerton JR, Haissaguerre M, Hindricks G, Ho SY, Jalife J, Kirchhof P, Kottkamp H, Kuck KH, Marchlinski FE, Packer DL, Pappone C, Prystowsky E, Reddy VK, Themistoclakis S, Verma A, Wilber DJ, Willems S. Venice Chart International Consensus

Document on Atrial Fibrillation Ablation: 2011 Update. *J Cardiovasc Electrophysiol* 2012;238:890-923. (IF:3.064)

80. ^{2,5}Sikdar S, Chang SL, Lin YJ, Lo LW, Hu YF, Chen SA*. Unusual Right Atrial Flutter: What Is the Mechanism? *J Cardiovasc Electrophysiol* 2012;23:887-8. (IF: 3.064)
81. ^{2,5}Steg PG, Alam S, Chiang CE, Gamra H, Goethals M, Inoue H, Krapf L, Lewalter T, Merioua I, Murin J, Naditch-Brule L, Ponikowski P, Rosenqvist M, Silva-Cardoso J, Zharinov O, Brette S, Neill JO. Symptoms, functional status and quality of life in patients with controlled and uncontrolled atrial fibrillation: Data from the realiseaf cross-sectional international registry. *Heart* 2012;98:195-201. (IF: 4.223)
82. ^{2,5}Su CC, Yang JY, Leu HB, Chen Y, Wang PH*. Mitochondrial Akt-regulated mitochondrial apoptosis signaling in cardiac muscle cells. *Am J Physiol Heart Circ Physiol* 2012;302:H716-23. (IF: 3.708)
83. ^{2,5}Su YY, Shih CC, Chen LC, Shih CM, Lin SJ*. Characterization of oxide structures on stainless steel sternal wires by electrochemical reduction. *App Surf Sci* 2012; 258:2869-75. (IF: 2.103)
84. ^{2,5}Suenari K, Cheng CC, Chen YC, Lin YK, Nakan Yo, Kihara Y, Chen SA, Chen YJ*. Effects of ivabradine on the pulmonary vein electrical activity and modulation of pacemaker currents and calcium homeostasis. *J Cardiovasc Electrophysiol* 2012;23:200-6. (IF: 3.064)
85. ²Sung SH, Cheng HM, Chuang SY, Shih YT, Wang KL, Chen YH, Lin SJ, Yu WC, Chen CH*. Measurement of central systolic blood pressure by pulse volume plethysmography with a noninvasive blood pressure monitor. *Am J Hypertens* 2012;25:542-8. (IF: 3.181)
86. ²Sung SH, Yu WC, Cheng HM, Lee CW, Lin MM, Chuang SY, Chen CH*. Excessive wave reflections on admission predict post-discharge events in patients hospitalized due to acute heart failure. *Eur J Heart Fail* 2012;14:1348-55. (IF: 4.896)
87. ²Tai CT*, Lo LW, Lin YJ, Chen SA. Arrhythmogenic Difference between the Left and Right Atria in a Canine Ventricular Pacing-Induced Heart Failure Model of Atrial Fibrillation. *Pacing Clin Electrophysiol* 2012;35:188-95. (IF: 1.351)
88. ^{2,5}Tsai DC, Huang CC, Chen SJ, Chou P, Chung CM, Chan WL, Huang PH, Chen TJ, Lin SJ, Chen JW, Leu HB*. Central serous chorioretinopathy and risk of ischaemic stroke: A population-based cohort study. *Br J Ophthalmol* 2012;96:1484-8. (IF: 2.902)
89. ^{2,5}Tsai SH, Huang PH, Chang WC, Tsai HY, Lin CP, Leu HB, Chen JW, Lin SJ*. Zoledronate inhibits ischemia-induced neovascularization by impairing the mobilization and function of endothelial progenitor cells. *PLoS One* 2012;7:e41065 (IF: 4.092)
90. ^{2,5}Tsai WC, Wang JH, Lin YJ, Tsao HM, Chang SL, Lo LW, Hu YF, Chang CJ, Tang WH, Huang SY, Suenari K, Tuan TC, Chen SA*. Consistency of the automatic algorithm in detecting complex fractionated electrograms using an electroanatomical navigation system. *Pacing Clin Electrophysiol* 2012;35:980-9. (IF: 1.351)
91. ^{2,5}Tsao HM, Weerateerangkul P, Chen YC, Kao YH, Lin YK, Huang JH, Chen SA, Chen YJ*. Amyloid peptide regulates calcium homeostasis and arrhythmogenesis in pulmonary vein cardiomyocytes. *Eur J Clin Invest* 2012;42:589-98. (IF: 3.018)
92. ^{2,5}Tsao NW, Shih CM, Yeh JS, Kao YT, Hsieh MH, Ou KL, Chen JW, Shyu KG, Weng ZC, Chang NC, Lin FY, Huang CY. Extracorporeal membrane oxygenation-assisted primary percutaneous coronary intervention may improve survival of patients with acute myocardial

- infarction complicated by profound cardiogenic shock. *J Crit Care* 2012;27:530.e1-11. (IF: 2.134)
93. ^{2,5}Tso HW, Lin YJ, Tai CT, Chen SA, Kao T*. Characteristics of fibrillatory activities during spontaneous termination of paroxysmal atrial fibrillation: new insight from high-density right atrium frequency mapping. *Can J Cardiol* 2012;28:87-94. (IF: 3.358)
 94. ^{2,5}Wang CC, Chen JH, Yu WC*. 2012 guidelines of the taiwan society of cardiology (tsoc) for the diagnosis and treatment of heart failure. *Acta Cardiol Sin* 2012;28:161-91. (IF: 0.633)
 95. ^{2,5}Wang CH, Hsieh IC, Chen SJ, Wang JS, Cherng WJ, Chen CC, Lam IJ, Lin SJ*. VE-Cadherin(low) α -Smooth Muscle Actin(+) Component of Vascular Progenitor Cells Correlates With the Coronary Artery Gensini Score. *Circ J* 2012;76:477-84. (IF: 3.766)
 96. ^{2,5}Wang CH, Hsieh IC, Cherng WJ, Chen CC, Tung TH, Lee JF, Lin SJ, Wang PN*. Differentiation profile of peripheral blood-derived vascular progenitor cell predicts intimal hyperplasia after coronary stenting. *Heart Vessels* 2012;27:10-9. (IF: 2.047)
 97. ^{2,5}Wang CH, Lee YS, Lin SJ, Mei HF, Lin SY, Liu MH, Chen JR, Cherng WJ*. Surface markers of heterogeneous peripheral blood-derived smooth muscle progenitor cells. *Arterioscler Thromb Vasc Biol* 2012;32:1875-83. (IF: 6.368)
 98. ²Wang KL, Liu CJ, Chao TF, Huang CM, Wu CH, Chen SJ, Chen TJ, Lin SJ, Chiang CE*. Statins, Risk of Diabetes, and Implications on Outcomes in the General Population. *J Am Coll Cardiol* 2012;60:1231-8. (IF: 14.156)
 99. ²Wu TC, Chao CY, Lin SJ, Chen JW*. Low-dose dextromethorphan, a NADPH oxidase inhibitor, reduces blood pressure and enhances vascular protection in experimental hypertension. *PLoS One* 2012;7:e46067. (IF: 4.092)
 100. ^{2,5}Yang HC, Liang YJ, Chen JW, Chiang KM, Chung CM, Ho HY, Ting CT, Lin TH, Sheu SH, Tsai WC, Chen JH, Leu HB, Yin WH, Chiu TY, Chern CI, Lin SJ, Tomlinson B, Guo Y, Sham PC, Cherny SS, Lam TH, Thomas GN, Pan WH*. Identification of *igf1*, *slc4a4*, *wwox*, and *sfnbt1* as hypertension susceptibility genes in han chinese with a genome-wide gene-based association study. *PLoS One* 2012;7:e32907. (IF: 4.092)
 101. ^{2,4}Yao YH, Fu CH, Ho SJ, Tsai SH, Ng YY, Chuang CL, Lin CC, Chen JY*. Peritoneal Dialysis as Compared with Hemodialysis Is Associated with Higher Overhydration but Non-Inferior Blood Pressure Control and Heart Function. *Blood Purif* 2012;34:40-7. (IF:2.104)
 102. ^{2,5}Yin WH, Wei J, Huang WP, Chen JW, Young MS, Lin SJ*. Prognostic value of circulating adipokine levels and expressions of adipokines in the myocardium of patients with chronic heart failure. *Circ J* 2012;76:2139-47. (IF: 3.766)
 103. ²Yu WC, Lin YP, Chuang SY, Lin IF, Chen CH*. Cardiovascular determinants of prognosis in normotensive hemodialysis patients. *BMC Nephrol* 2012;13:115. (IF: 2.176)

1：表此篇文章以榮總之名義發表

2：表此篇文章以榮總及陽明之名義發表

3：表此篇文章為國外進修時之著作

4：表此篇文章之第一作者為本部其它科之醫師

5：表此篇文章之第一作者為本院其它部科或他院之醫師

*：表通訊作者

Endocrinology and Metabolism

Refereed Papers Included in Science Citation Index:

1. ⁵Chang YC, Chiu YF, Liu PH, Shih KC, Lin MW, Sheu WH, Quertermous T, Curb JD, Hsiung CA, Lee WJ, Lee PC, Chen YT, Chuang LM*. Replication of genome-wide association signals of type 2 diabetes in Han Chinese in a prospective cohort. *Clin Endocrinol* 2012;76:365-72. (IF: 3.168)
2. ²Chen HS*. Role of IGF-1 and glycaemic control in diabetic retinopathy: The authors reply. *Eur J Clin Invest* 2012; 42: 805-6. (IF: 3.018)
3. ²Chen HS*, Wu TE, Hsiao LC, Lin SH. Interaction between glycemic control and serum insulin-like growth factor 1 on the risk of retinopathy in type 2 diabetes. *Eur J Clin Invest* 2012; 42: 447-54. (IF: 3.018)
4. ^{2,4}Chen YH, Chen HS*, Tarng DC*. More impact of microalbuminuria on retinopathy than moderately reduced GFR among type 2 diabetic patients. *Diab Care* 2012; 35: 803-8. (IF: 8.087)
5. ^{2,4}Chou YS, Yang CF, Chen HS, Yang SH, Yu YB, Hong YC, Liu CY, Gau JP, Liu JH, Chen PM, Chiou TJ, Tzeng CH, Hsiao LT*. Pre-existing diabetes mellitus in patients with multiple myeloma. *Eur J Haematol* 2012;89:320-7. (IF: 2.614)
6. ⁵Chow FC, Chan SP, Hwu CM, Suwanwalaikorn S, Wu AYT, Gan SY, Zacarias MB. Challenges in achieving optimal glycemic control in type 2 diabetes patients with declining renal function: The southeast Asia perspective. *J Diabetes Invest* 2012;3: 481-9. (IF: 1.861)
7. ²Kuo CS, Tang KT, Lin JD, Yang AH, Lee CH, Lin HD*. Diffuse sclerosing variant of papillary thyroid carcinoma with multiple metastases and elevated serum carcinoembryonic antigen level. *Thyroid* 2012;22:1187-90. (IF: 4.792)
8. ²Kwok CF, Ho LT. Severe hypoglycemia predicts major adverse outcomes in diabetic patients undergoing glycemic control regimes. *J Diabet Invest* 2012;3: 34-5. (IF: 1.6)
9. ^{2,5}Lee IT, Chiu YF, Hwu CM, He CT, Chiang FT, Lin YC, Assimes T, Curb JD, Sheu WH. Central obesity is important but not essential component of the metabolic syndrome for predicting diabetes mellitus in a hypertensive family-based cohort. Results from the Stanford Asia-Pacific Program for Hypertension and Insulin Resistance (SAPPHIRE) Taiwan follow-up study. *Cardiovasc Diabetol* 2012;11:43. Published online 2012 April 26. (IF: 3.346)
10. ^{2,5}Lin YC, Lin YC, Lin HD, *Lin LY. Risk factors of renal failure and severe complications in patients with emphysematous pyelonephritis- A Single Center 15-Year Experience. *Am J Med Sci* 2012;343:186-91. (IF: 1.391)
11. ^{2,5}Lin YC, Yang CC, Chen YJ, Peng WC, Li CY, Hwu CM*. Utilization of statins and aspirin among patients with diabetes and hyperlipidemia: Taiwan, 1998–2006. *J Chin Med Assoc* 2012;75: 567-72. (IF: 0.787)
12. ^{1,5}Wang CY*, Lin CL, Huang TS, Chien MN, Hsieh SH, Huang YY, Shih KC, Tu ST, Chang CT, Huang CN, Chou CW, Wu TJ, Liu RT, Lam HC, Kwok CF, Fu CC, Sheu WH*. Inertia on hypoglycemia: Highlight from a Taiwan subgroup analysis of Real-Life Effectiveness and Care Patterns of Diabetes Management (RECAP-DM) study. *Diabetes Res Clin Pract* 2012;98:61-7. (IF: 2.754)

13. ^{2,5}Wang FF, Tang KT, Yen YS, Ho MT, Yang AH, Hwang CI, Lin HD, Won GS*. Plasma corticotrophin response to desmopressin in patients with Cushing's disease correlates with the expression of vasopressin receptor 2, but not with that of vasopressin receptor 1 or 3, in their pituitary tumours. *Clin Endocrinol* 2012;76:253–63. (IF: 3.168)
14. ^{2,5}Wu TE, Yang CC*, Chen HS*. Does atropine therapy increase intraocular pressure in myopic children? *Optom Vis Sci* 2012;89:E161-7. (IF: 2.108)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Infectious Diseases

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chen LY, Chen LK, Chang CW, Kuo SC, Li LF, Chan YJ, Wang FD*. Treatment of community-onset methicillin-resistant *Staphylococcus aureus* (MRSA) bacteremia: A hospital-based study. *Arch Gerontol Geriatr* 2012;55:152-6. (IF: 1.452)
2. ²Chen LY, Yu WC, Huang SH, Lin ML, Chen TL*, Fung CP, Liu CY. Successful treatment of *Aerococcus viridans* endocarditis in a patient allergic to penicillin. *J Microbiol Immunol Infect* 2012;45:158-60. (IF: 0.987)
3. ^{2,5}Chen YJ, Lee CM, Chen M, Chuang SY, Liu HF, Wong WW, Lin YH, Tsai HC, Wang JH and Chen YM*. Molecular Epidemiology of HIV-1 Infection in Taiwan from 2005 to 2008: Further spread of CRF07_BC and emergence of CRF07_BC/subtype B dual infection. *J Acquir Immune Defic Syndr* 2012;59:438-46. (IF: 4.425)
4. ^{2,5}Chen YY, Chen LY, Lin SY, Chou P, Liao SY, Wang FD*. Surveillance on secular trends of incidence and mortality for device-associated infection in the intensive care unit setting at a tertiary medical center in Taiwan, 2000-2008: A retrospective observational study. *BMC Infect Dis* 2012,12:209.(IF: 3.044)
5. ²Chiang MC, Kuo SC, Chen SJ, Yang SP, Lee YT, Chen TL*, Fung CP. Clinical characteristics and outcomes of bacteremia due to different genomic species of *Acinetobacter baumannii* complex in patients with solid tumors. *Infection* 2012;40:19-26. (IF: 2.411)
6. ²Hsu SF, Lin YT, Chen TL, Siu LK, Hsueh PR, Huang ST, Fung CP*. Antimicrobial resistance of *Moraxella catarrhalis* isolates in Taiwan. *J Microbiol Immunol Infect* 2012;45:134-40. (IF: 0.987)
7. ²Huang ST, Chiang MC, Kuo SC, Lee YT, Chiang TH, Yang SP, Ti-Yin, Chen TL*, Fung CP. Risk factors and clinical outcomes of patients with carbapenem-resistant *Acinetobacter baumannii* bacteremia. *J Microbiol Immunol Infect* 2012;45:356-62. (IF: 0.987)
8. ²Kuo SC, Chiang MC, Lee WS, Chen LY, Wu HS, Yu KW, Fung CP, Wang FD*. Comparison of microbiological and clinical characteristics based on SCCmec typing in patients with community-onset methicillin-resistant *Staphylococcus aureus* (MRSA) bacteraemia. *Int J Antimicrob Ag* 2012;39:22-26. (IF: 4.841)
9. ²Kuo SC, Lee YT, Yang SP, Chen CP, Chen TL*, Hsieh SL, Siu LK, Fung CP. Eradication of multidrug-resistant *Acinetobacter baumannii* from the respiratory tract with inhaled colistin methanesulfonate: A matched case-control study. *Clin Microbiol Infect* 2012;18:870-6. (IF: 4.54)
10. ^{2,4}Lai YC, Huang LJ, Chen TL, Yang YW, Hsiao LT, Teng HW, Fung CP, Chiou TJ, Tzeng CH, Liu CY*. Impact of Port-A-Cath device management in cancer patients with candidaemia. *J Hosp Infect* 2012;82:281-5. (IF: 3.393)
11. ^{2,5}Lee WS, Wang FD*, Shieh YH, Teng SO, Ou TY. Lemierre syndrome complicating multiple brain abscesses caused by extended-spectrum b-lactamase-producing *Klebsiella pneumoniae* cured by fosfomicin and meropenem combination therapy. *J Microbiol Immunol infect* 2012;45:72-74. (IF: 0.987)
12. ^{2,4}Lee YT, Fung CP, Wang FD, Chen CP, Chen TL*, Cho WL. Outbreak of imipenem-resistant *Acinetobacter calcoaceticus*-*Acinetobacter baumannii* complex harboring

different carbapenemase gene-associated genetic structures in an intensive care unit. *J Microbiol Immunol Infect* 2012;45:43-51. (IF: 0.987)

13. ²Lee YT, Kuo SC, Chiang MC, Yang SP, Chen CP, Chen TL*, Fung CP. Emergence of carbapenem-resistant non-baumannii species of *Acinetobacter* harboring a blaOXA-51-like gene that is intrinsic to *A. baumannii*. *Antimicrob Agents Chemother* 2012;56:1124-7. (IF: 4.841)
14. ^{2,5}Lee YT, Kuo SC, Yang SP, Lin YT, Tseng FC, Chen TL*, Fung CP. Impact of appropriate antimicrobial therapy on mortality associated with *Acinetobacter baumannii* bacteremia: Relation to severity of infection. *Clin Infect Dis* 2012;55:209-15. (IF: 9.154)
15. ²Lin YT, Fung CP*. Pyogenic liver abscess in the elderly: What we have learned? *J Chin Med Assoc* 2012;75:139-40. (IF: 0.787)
16. ²Lin YT[#], Liu CJ[#], Chen TJ, Fung CP*. Long-term mortality of patients with septic ocular or central nervous system complications from pyogenic liver abscess: A population-based study. *PLoS ONE* 2012;7(3):e33978. (# contributed equally) (IF: 4.092)
17. ²Lin YT, Tseng CP, Lin JC, Chen TL, Tseng CP, Yeh KM, Chang FY, Fung CP*. Seroepidemiology of *Klebsiella pneumoniae* colonizing the intestinal tract of healthy Chinese and overseas Chinese adults in Asian countries. *BMC Microbiol* 2012; 12:13 (IF: 3.044)
18. ²Liu YH, Kuo SC, Lee YT, Chang IC, Yang SP, Chen TL*, Fung CP. Amino acid substitutions of quinolone resistance determining regions in GyrA and ParC associated with quinolone resistance in *Acinetobacter baumannii* and *Acinetobacter* genomic species 13TU. *J Microbiol Immunol Infect* 2012;45:108-12. (IF: 0.987)
19. ^{2,5}Siu LK, Yeh KM, Lin JC, Fung CP, Chang FY*. *Klebsiella pneumoniae* liver abscess: A new invasive syndrome. *Lancet Infect Dis* 2012;12:881-7.(IF: 17.391)
20. ^{2,5}Wang YP, Liu CJ, Hu YW, Chen TJ, Lin YT*, Fung CP. Risk of cancer among patients with herpes zoster infection: A population-based study. *CMAJ* 2012;184:E804-9. (IF: 8.217)
21. ²Wu HS, Wang FD, Tseng CP, Wu TH, Lin YT*, Fung CP. Characteristics of healthcare-associated and community-acquired *Klebsiella pneumoniae* bacteremia in Taiwan. *J infect* 2012; 64:162-8. (IF: 4.126)
22. ^{2,5}Yeh FC, Yeh KM, Siu LK, Fung CP, Yang YS, Lin JC*, Chang FY. Increasing opsonizing and killing effect of serum from patients with recurrent K1 *Klebsiella pneumoniae* liver abscess. *J Microbiol Immunol Infect* 2012;45:141-6. (IF: 0.987)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Nephrology

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chang EP, Lin YS, Huang SC, Tarng DC, Huang TP*. High serum DcR3 levels are associated with the occurrence of peritonitis in patients receiving chronic peritoneal dialysis. *J Chin Med Assoc* 2012; 75:644-8. (IF: 0.787)
2. ^{2,5}Chang JW, Tsai HL, Chen CW, Yang HW, Yang AH, Yang LY, Wang PS, Ng YY, Lin TL, Lee OK*. Conditioned mesenchymal stem cells attenuate progression of chronic kidney disease through inhibition of epithelial-to-mesenchymal transition and immune modulation. *J Cell Mol Med* 2012; 16:2935-49. (IF: 4.125)
3. ²Chao PW, Ou SM, Chen YT, Lee YJ, Wang FM, Liu CJ, Yang WC, Chen TJ, Chen TW, Li SY*. Acute Appendicitis in Patients with End-Stage Renal Disease. *J Gastrointest Surg* 2012; 16:1940-6.(IF: 2.826)
4. ^{2,4}Chen WS, Liu CY, Lee HT, Tsai K, Lin YC, Tarng DC, Ho CH, Lin HY*. Effects of intravenous iron saccharate on improving severe anemia in rheumatoid arthritis patients. *Clin Rheumatol* 2012;31:469-77. (IF: 1.996)
5. ²Chen YH, Chen HS*, Tarng DC*. More impact of microalbuminuria on retinopathy than moderately reduced GFR among type 2 diabetic patients. *Diabetes Care* 2012;35:803-8. (IF: 8.087)
6. ^{2,5}Cheng HM, Guo FR, Hsu TF, Chuang SY, Yen HT, Lee FY, Yang YY, Chen TL, Lee WS, Chuang CL, Chen CH, Ho T*. Two Strategies to Intensify Evidence-based Medicine Education of Undergraduate Students. *Ann Acad Med Singapore* 2012;41:4-11. (IF: 1.25)
7. ²Chuang SH, Yang WC, Yang CY, Li SY*. Encapsulating peritoneal sclerosis and aortic calcification with near-total occlusion. *J Emerg Med* 2012;42:695-7. (IF: 1.306)
8. ^{2,4}Huang HC, Chang CC, Wang SS, Chan CY, Lee FY*, Chuang CL, Hsin IF, Teng TH, Lin HC, Lee SD. Pravastatin for thioacetamide-induced hepatic failure and encephalopathy. *Eur J Clin Invest* 2012;42:139-45. (IF: 3.018)
9. ^{2,4}Huang HC, Chang CC, Wang SS, Lee FY*, Teng TH, Lee JY, Lin HC, Chuang CL, Lee SD. The roles of angiotensin II receptors in the portosystemic collaterals of portal hypertensive and cirrhotic rats. *J Vasc Res* 2012;49:160-8. (IF: 2.651)
10. ^{2,4}Huang HC, Wang SS, Hsin IF, Chang CC, Lee FY*, Lin HC, Chuang CL, Lee JY, Hsieh HG, Lee SD. Cannabinoid receptor 2 agonist ameliorates mesenteric angiogenesis and portosystemic collaterals in cirrhotic rats. *Hepatology* 2012;56:248-58. (IF: 11.665)
11. ^{2,5}Hung SC, Hsu TW, Lin YP, Tarng DC*. Decoy Receptor 3, a Novel Inflammatory Marker, and Mortality in Hemodialysis Patients. *Clin J Am Soc Nephrol* 2012; 7:1257-65. (IF: 5.227)
12. ^{2,5}Kuo KL, Hung SC, Lin YP, Tang CF, Lee TS, Lin CP*, Tarng DC. Intravenous Ferric Chloride Hexahydrate Supplementation Induced Endothelial Dysfunction and Increased Cardiovascular Risk among Hemodialysis Patients. *PLoS One* 2012; 2012;7:e50295. (IF: 4.092)
13. ^{2,5}Lai JN, Wang OYH, Lin VHC, Liao CF, Tarng DC*, Chien EJ. The non-genomic rapid acidification in peripheral T cells by progesterone depends on intracellular calcium increase and not on Na⁺/H⁺-exchange inhibition. *Steroids* 2012; 77:1017-24. (IF: 2.829)

14. ²Li SY, Chen YT, Chen TJ, Tsai LW, Yang WC, Chen TW*. Mesenteric ischemia in patients with end-stage renal disease: a nationwide longitudinal study. *Am J Nephrol* 2012;35:491-7. (IF: 2.539)
15. ²Li SY*, Chen YT, Yang WC, Tarng DC, Lin CC, Yang CY, Liu WS. Effect of add-on direct renin inhibitor aliskiren in patients with non-diabetes related chronic kidney disease. *BMC Nephrol* 2012;13:89. (IF: 2.176)
16. ²Li SY, Chuang CL*. Rapid resolution of uremic tumoral calcinosis after parathyroidectomy. *Mayo Clin Proc* 2012;87:e97-8. (IF: 5.698)
17. ²Lin YC, Lin YC, Chen TW, Yang WC, Lin CC*. Abnormal thyroid function predicts mortality in patients receiving long-term peritoneal dialysis: A case-controlled longitudinal study. *J Chin Med Assoc* 2012;75:54-9. (IF: 0.787)
18. ²Lin YP*, Yang CY, Liao CC, Yu WC, Chi CW, Lin CH. Plasma Protein Characteristics of Long-Term Hemodialysis Survivors. *PLoS One* 2012;7:e40232. (IF: 4.092)
19. ²Lin YS, Tarng DC*. Abnormal thyroid function in peritoneal dialysis patients: Lots of smoke but no fire. *J Chin Med Assoc* 2012; 75:47-8.(IF: 0.787)
20. ^{2,4}Liu CJ, Chang YS, Teng CJ, Chen TJ, Ou SM, Tzeng CH, Wang SJ*. Risk of extrathyroidal cancer in patients with myasthenia gravis in Taiwan: a nationwide population-based study. *Eur J Neurol* 2012; 19:746-51.(IF: 3.692)
21. ²Liu WS, Li SY, Yang WC, Chen TW, Lin CC*. Dialysis Modality for Patients with Turner Syndrome and Renal Failure. *Perit Dial Int* 2012; 32:230-2.(IF: 2.097)
22. ²Liu WS, Chung YT, Yang CY, Lin CC, Tsai KH, Yang WC, Chen TW, Lai YT, Li SY, Liu TY*. Serum creatinine determined by Jaffe, enzymatic method, and isotope dilution-liquid chromatography-mass spectrometry in patients under hemodialysis. *J Clin Lab Anal* 2012;26:206-14. (IF: 1.384)
23. ²Ng YY*, Wu SC, Lin HD, Hu FH, Hou CC, Chou YY, Chiu SM, Sun YH, Cho SS, Yang WC. Prevalence of clinical and subclinical thyroid disease in a peritoneal dialysis population. *Perit Dial Int* 2012;32:86-93. (IF: 2.097)
24. ²Ou SM, Liu CJ, Teng CJ, Lin YT, Chang YS, Chiang SC, Tzeng CH, Chen TJ*. Impact of pulmonary and extrapulmonary tuberculosis infection in kidney transplantation: a nationwide population-based study in Taiwan. *Transpl Infect Dis* 2012;14:502-9. (IF: 2.216)
25. ^{2,5}Tai SK, Chang HC, Lan KL, Lee CT, Yang CY, Chen NJ, Chou TY, Tarng DC, Hsieh SL*. Decoy Receptor 3 Enhances Tumor Progression via Induction of Tumor-Associated Macrophages. *J Immunol* 2012;188:2464-71. (IF: 5.788)
26. ²Tsai MT, Yang WC, Lin CC*. Continuous Ambulatory Peritoneal Dialysis-Related Exit-Site Infections Caused by *Achromobacter denitrificans* and *A. xylosoxidans*. *Perit Dial Int* 2012;32:362-3. (IF: 2.097)
27. ²Tseng WC, Tarng DC*. Cocoon-Like Fibroadhesive Tuberculous Peritonitis in a Peritoneal Dialysis Patient. *Chin J Physiol* 2012;55:361-5. (IF: 0.558)
28. ^{2,5}Weng SC, Shu KH, Tang YJ, Sheu WHH, Tarng DC, Wu MJ, Chen YM, Chuang YW*. Progression of Cognitive Dysfunction in Elderly Chronic Kidney Disease Patients in a Veteran's Institution in Central Taiwan: A 3-Year Longitudinal Study. *Intern Med* 2012; 51:29-35. (IF: 0.936)

29. ^{2,5}Weng SC, Shu KH, Tarng DC, Wu MJ, Chen CH, Yu TM, Chuang YW, Huang ST, Cheng CH*. Gene Polymorphisms Are Associated With Posttransplantation Diabetes Mellitus Among Taiwanese Renal Transplant Recipients. *Transplant Proc* 2012; 44:667-71. (IF:1.005)
30. ^{2,5}Wu CH, Li KJ, Siao SC, Chen YH, Wu TH, Tsai CY, Yu CL*. The Binding Affinity and Molecular Basis of the Structure-Binding Relationship between Urinary Tamm-Horsfall Glycoprotein and Tumor Necrosis Factor-alpha. *Molecules* 2012; 17:11978-89. (IF: 2.386)
31. ²Wu YL, Chen LC, Sheu MH, Chen TH, Wu SC, Wu CL, Li SY, Yang WC, Ng YY*. Peritoneal-Uterine Communication: A Complication of Prolonged Embedding of a Peritoneal Catheter. *Perit Dial Int* 2012; 32:481-3.(IF: 2.097)
32. ²Yang CY, Shih CJ, Yang WC, Lin CC*. Aggressive immunosuppressant reduction and long-term rejection risk in renal transplant recipients with *Pneumocystis jiroveci* pneumonia. *Exp Clin Transplant* 2012;10:344-9. (IF: 0.813)
33. ²Yang CY, Wu ML, Chou YY, Li SY, Deng JF, Yang WC, Ng YY*. Essential trace element status and clinical outcomes in long-term dialysis patients: A two-year prospective observational cohort study. *Clin Nutr* 2012;31:630-6. (IF: 3.731)
34. ²Yang CY, Yang AH, Yang WC, Lin CC*. Risk factors for *Pneumocystis jiroveci* pneumonia in glomerulonephritis patients receiving immunosuppressants. *Intern Med* 2012;51:2869-75. (IF: 0.936)
35. ²Yang CY, Yang WC, Lin YP*. Postdialysis blood pressure rise predicts long-term outcomes in chronic hemodialysis patients: A four-year prospective observational cohort study. *BMC Nephrol* 2012;13:12. (IF: 2.176)
36. ²Yang SF, Yang WC, Lin CC. Infective endocarditis-related bilateral spontaneous pneumothorax in a haemodialysis patient. *Acta Clin Belg* 2012;67:51. (IF: 0.592)
37. ²Yao YH, Fu CH, Ho SJ, Tsai SH, Ng YY, Chuang CL, Lin CC, Chen JY*. Peritoneal Dialysis as Compared with Hemodialysis Is Associated with Higher Overhydration but Non-Inferior Blood Pressure Control and Heart Function. *Blood Purif* 2012;34:40-7. (IF: 2.104)

1： 表此篇文章以榮總之名義發表

2： 表此篇文章以榮總及陽明之名義發表

3： 表此篇文章為國外進修時之著作

4： 表此篇文章之第一作者為本部其它科之醫師

5： 表此篇文章之第一作者為本院其它部科或他院之醫師

*： 表通訊作者

Hematology and Oncology

Refereed Papers Included in Science Citation Index:

1. ^{2,5} Barrios CH*, Hernandez-Barajas D, Brown MP, Lee SH, Fein L, Liu JH, Hariharan S, Martell BA, Yuan J, Bello A, Wang Z, Mundayat R, Rha SY. Phase II trial of continuous once-daily dosing of sunitinib as first-line treatment in patients with metastatic renal cell carcinoma. *Cancer* 2012; 118: 1252-9. (IF: 4.771)
2. ^{2,5}Chao PW, Ou SM, Chen YT, Lee YJ, Wang FM, Liu CJ, Chen TJ, Chen TW, Li SY*. Acute appendicitis in patients with end-stage renal disease. *J Gastrointest Surg* 2012; 16:1940-6. (IF: 2.826)
3. ^{2,4}Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Tsao HM, Chen TJ, Chen SA* Atrial fibrillation and the risk of ischemic stroke - does it still matter in patients with a CHA₂DS₂-VASc score of 0 or 1? *Stroke* 2012;43:2551-5. (IF: 5.729) (共同第一作者)
4. ^{2,5}Chen CY, Ching LC, Liao YJ, Yu YB*, Tsou CY, Shyue SK, Chen YM, Lee TS. Deficiency of glycine N-methyltransferase aggravates atherosclerosis in apolipoprotein E-null mice. *Mol Med* 2012;18:744-52. (IF: 3.757)
5. ^{2,5}Chen KF*, Chen HL, Liu CY, Tai WT, Ichikawa K, Chen PJ, Cheng AL. Dovitinib sensitizes hepatocellular carcinoma cells to TRAIL and tigatuzumab, a novel anti-DR5 antibody, through SHP-1-dependent inhibition of STAT3. *Biochem Pharmacol* 2012; 83:769-77. (IF: 4.705)
6. ^{2,5}Chen KF*, Lin JP, Shiao CW, Tai WT, Liu CY, Yu HC, Chen PJ, Cheng AL. Inhibition of Bcl-2 improves effect of LCL161, a SMAC mimetic, in hepatocellular carcinoma cells. *Biochem Pharmacol* 2012 1;84:268-77. (IF: 4.705)
7. ^{2,5}Chen KF, Pao KC, Su JC, Chou YC, Liu CY, Chen HJ, Huang JW, Kim I, Shiao CW*. Development of erlotinib derivatives as CIP2A-ablating agents independent of EGFR activity. *Bioorg Med Chem* 2012;20:6144-53. (IF: 2.921)
8. ^{2,5}Chen KF, Su JC, Liu CY, Huang JW, Chen KC, Chen WL, Tai WT, Shiao CW*. A novel obatoclox derivative, SC-2001, induces apoptosis in hepatocellular carcinoma cells through SHP-1-dependent STAT3 inactivation. *Cancer Lett* 2012;321:27-35. (IF: 4.238)
9. ^{2,5}Chen KF, Tai WT, Hsu CY, Huang JW, Liu CY, Chen PJ, Kim I, Shiao CW*. Blockade of STAT3 activation by sorafenib derivatives through enhancing SHP-1 phosphatase activity. *Eur J Med Chem* 2012;55:220-7. (IF: 3.346)
10. ^{2,4}Chen MH, Hsiao LT, Chen MH, Tsai CY, Huang YH, Chou CT*. Clinical significance of chronic hepatitis B virus infection in patients with primary Sjögren's syndrome. *Clin Rheumatol* 2012;31:309-15. (IF: 1.996)
11. ^{2,4}Chen WS, Liu CY, Lee HT, Tsai K, Lin YC, Tarng DC, Ho CH, Lin HY*. Effects of intravenous iron saccharate on improving severe anemia in rheumatoid arthritis patients. *Clin Rheumatol* 2012;31:469-77. (IF: 1.996)
12. ^{2,4}Chen WS, Chang YS, Lin KC, Lai CC, Wang SH, Hsiao KH, Lee HT, Chen MH, Tsai CY, Chou CT*. Association of serum interleukin-17 and interleukin-23 levels with disease activity in Chinese patients with ankylosing spondylitis. *J Chin Med Assoc* 2012;75:303-8. (IF: 0.787)

13. ^{2,5}Chen YC, Fan JS, Hsu TF, Chen MH, Huang HH, Cheng KW, Yen DHT*, Huang MS, Lee CH, Chen LK, Yang CC*. Detection of patients presenting with adverse drug events in the emergency department. *Intern Med J* 2012;42:651-7. (IF: 1.541)
14. ^{2,5}Chen YW, Chen CY, Chiang SC, Lui MT, Kao SY, Yang MH*. Predictors and impact of microsurgical complications in patients with locally advanced oral squamous cell carcinoma. *Cancer Sci* 2012;103:1672-8. (IF: 3.325)
15. ^{2,5}Chen YW, Kao SY, Yang MH*. Analysis of p16(INK4A) expression of oral squamous cell carcinomas in Taiwan: Prognostic correlation without relevance to betel quid consumption. *J Surg Oncol* 2012; 106:149-54. (IF: 2.100)
16. ²Chou YS, Yang CF, Chen HS, Yang SH, Yu YB, Hong YC, Liu CY, Gau JP, Liu JH, Chen PM, Chiou TJ, Tzeng CH, Hsiao LT*. Pre-existing diabetes mellitus in patients with multiple myeloma. *Eur J Haematol* 2012;89:320-7. (IF: 2.614)
17. ²Chou YS, Liu CY, Chen WM, Chen TH, Chen PC, Wu HT, Chiou HJ, Shiau CY, Wu YC, Liu CL, Chao TC, Tzeng CH, Yen CC*. Follow-up after primary treatment of soft tissue sarcoma of extremities: Impact of frequency of follow-up imaging on disease-specific survival. *J Surg Oncol* 2012;106:155-61. (IF: 2.100)
18. ^{2,5}Chu CY, Chen CF, Rajendran RS, Shen CN, Chen TH, Yen CC, Chuang CK, Lin DS*, Hsiao CD*. Overexpression of Akt1 enhances adipogenesis and leads to lipoma formation in zebrafish. *PLoS One* 2012;7:e36474. (IF: 4.092)
19. ^{2,5}Chua DT*, Yiu HH, Seetalarom K, Ng AW, Kurnianda J, Shotelersuk K, Krishnan G, Hong RL, Yang MH, Wang CH, Sze WK, Ng WT. Phase II trial of capecitabine plus cisplatin as first-line therapy in patients with metastatic nasopharyngeal cancer. *Head Neck* 2012; 34: 1225-30. (IF: 2.403)
20. ^{2,5}Chung CY, Lin SF, Chen PM, Chang MC, Kao WY, Chao TY, Hsiao LT, Yen CC, Yang MH, Hwang WS, Lin TL, Chiou TJ, Chang CS. Thalidomide for the Treatment of Myelodysplastic Syndrome in Taiwan: Results of a Phase II Trial. *Anticancer Res* 2012;32:3415-9. (IF: 1.725)
21. ²Hsiao LT*, Yang CF, Yang SH, Gau JP, Yu YB, Hong YC, Liu CY, Liu JH, Chen PM, Chiou TJ, Tzeng CH. Chronic kidney disease stage 5 as the prognostic complement of International Staging System for multiple myeloma. *Eur J Haematol* 2012;88:159-66. (IF: 2.614)
22. ^{2,4}Hsieh YC, Chen CK, Su CW, Chan CC, Huo TI, Liu CJ, Fang WL, Lee KC*, Lin HC. Outcome after percutaneous cholecystostomy for acute cholecystitis: A single-center experience. *J Gastrointest Surg* 2012;16:1860-8. (IF: 2.826)
23. ^{2,5}Hsieh YY, Tzeng CH, Chen MH, Chen PM, Wang WS*. Epidermal growth factor receptor R521K polymorphism shows favorable outcomes in KRAS wild-type colorectal cancer patients treated with cetuximab-based chemotherapy. *Cancer Sci* 2012;103:791-6. (IF: 3.325)
24. ^{2,5}Huang WY, Lin CC, Jen YM, Lin KT, Yang MH, Chen CM, Chang YN, Sung FC, Kao CH*. Association between adult otitis media and nasopharyngeal cancer: A nationwide population-based cohort study. *Radiother Oncol* 2012;104:338-42. (IF: 5.58)
25. ²Hung MH, Hou KT, Liu CY*. Painful hypertrophic osteoarthropathy and metastatic bone lesions as the initial presentation of lung cancer. *J Orthop Sport Phys* 2012; 42: 659. (IF: 3.0)
26. ²Hung MH, Yu YB, Huang YC, Liu HT, Hong YC, Hsiao LT, Liu JH, Gau JP, Chiou TJ, Chen PM, Tzeng CH, Liu CY*. Patients with diffuse large B cell lymphoma in partial

response or stable disease after first-line R-CHOP: The prognostic value of the absolute lymphocyte count and impact of autologous stem cell transplantation. *Ann Hematol* 2012;91:1907-15. (IF: 2.615)

27. ^{2,5}Kantarjian HM, Thomas XG, Dmoszynska A, Wierzbowska A, Mazur G, Mayer J, Gau JP, Chou WC, Buckstein R, Cermak J, Kuo CY, Oriol A, Ravandi F, Faderl S, Delaunay J, Lysák D, Minden M, Arthur C. Randomized, open-label, phase III trial of decitabine versus patient choice, with physician advice, of either supportive care or low-dose cytarabine for the treatment of older patients with newly diagnosed acute myeloid leukemia. *J Clin Oncol* 2012;30:2670-7. (IF: 18.372)
28. ²Lai YC, Huang LJ, Chen TL, Yang YW, Hsiao LT, Teng HW, Fung CP, Chiou TJ, Tzeng CH, Liu CY*. Impact of Port-A-Cath device management in cancer patients with candidaemia. *J Hosp Infect* 2012;82:281-5. (IF: 3.393)
29. ^{2,5}Li CW, Xia W, Huo L, Lim SO, Wu Y, Hsu JL, Chao CH, Yamaguchi H, Yang NK, Ding Q, Wang Y, Lai YJ, Labaff AM, Wu TJ, Lin BR, Yang MH*, Hortobagyi GN, Hung MC. Epithelial-mesenchyme transition induced by TNF- α requires NF- κ B mediated transcriptional upregulation of Twist1. *Cancer Res* 2012; 72: 1290-300. (IF: 7.856)
30. ^{2,5}Li SH, Huang EY, Lu HI, Huang WT, Yen CC, Huang WC, Chen CH*. Phosphorylated mammalian target of rapamycin expression is associated with the response to chemoradiotherapy in patients with esophageal squamous cell carcinoma. *J Thorac Cardiovasc Surg* 2012;144:1352-9. (IF: 3.406)
31. ^{2,5}Lin HN, Liu CY, Pai JT, Chang FP, Yang CF, Yu YB, Hsiao LT, Chiou TJ, Liu JH, Gau JP, Tzeng CH, Chen PM, Hong YC*. How to predict the outcome in mature T and NK cell lymphoma by currently used prognostic models? *Blood Cancer J* 2012;2:e93.
32. ^{2,5}Lin JK, Lee LK, Chen WS, Lin TC, Jiang JK, Yang SH, Wang HS, Chang SC, Lan YT, Lin CC, Yen CC, Liu JH, Tzeng CH, Teng HW. Concurrent chemoradiotherapy followed by metastasectomy converts to survival benefit in stage IV rectum cancer. *J Gastrointest Surg* 2012;16:1888-96. (IF: 2.826)
33. ^{2,5}Lin YH, Chiou HJ*, Chen WM, Yen CC, Chou YH, Hung GY, Chang CY. Color doppler ultrasonography evaluation for chemotherapy treatment response of osteogenic sarcoma. *Ultrasound Med Biol* 2012;38:202-8. (IF: 2.293)
34. ²Lin YT[#], Liu CJ[#], Chen TJ, Fung CP*. Long-term mortality of patients with septic ocular or central nervous system complications from pyogenic liver abscess: A population-based study. *PLoS One* 2012;7:e33978. Epub 2012 Mar 27. (IF: 4.092) (#共同第一作者)
35. ²Liu CJ[#], Chang YS[#], Teng CJ, Chen TJ, Ou SM, Tzeng CH, Wang SJ*. Risk of extrathymic cancer in patients with myasthenia gravis in Taiwan: A nationwide population-based study. *Eur J Neurol* 2012;19:746-51. (IF: 3.692) (#共同第一作者)
36. ²Liu CJ, Hong YC*, Yang CF, Liu SH, Gau JP, Liu JH, Hsiao LT, Liu CY, Yu YB, Tzeng CH*. Clinicopathologic features and outcome of acute erythroid leukemia - based on the 2008 revised WHO classification. *Leuk Lymphoma* 2012;53:289-94. (IF: 2.58)
37. ²Liu YC, Change WL, Gau JP, Chao TC*. Primary bone lymphoma of the shoulder. *Br J Haematol* 2012;158: 677. (IF: 4.941)
38. ²Liu YC, Gau JP*, Hong YC, Yu YB, Hsiao LT, Liu JH, Chiou TJ, Chen PM, Tzeng CH. Large pericardial effusion as a life-threatening complication after hematopoietic stem cell

transplantation-association with chronic GVHD in late-onset adult patients. *Ann Hematol* 2012;91:1953-8. (IF: 2.615)

39. ²Lu HJ, Chen KW, Tzeng CH, Liu JH, Chiou TJ, Yen CC, Chao TC, Teng HW, Chen MH, Liu CY, Wang WS, Chang PM*, Yang MH. Evaluation of prognosis for carcinoma of unknown origin in elderly patients. *Oncology* 2012;83:24-30. (IF: 2.267)
40. ²Ou SM[#], Liu CJ[#], Teng CJ, Lin YT, Chang YS, Chiang SC, Tzeng CH, Chen TJ*. Impact of pulmonary and extrapulmonary tuberculosis infection in kidney transplantation: A nationwide population-based study in Taiwan. *Transplant Infectious Disease*. 2012;14:502-9. (IF: 2.216) (#共同第一作者)
41. ^{2,5}Su JC, Chen KF, Chen WL, Liu CY, Huang JW, Tai WT, Chen PJ, Kim I, Shiao CW*. Synthesis and biological activity of obatoclax derivatives as novel and potent SHP-1 agonists. *Eur J Med Chem* 2012; 56:127-133. (IF: 3.346)
42. ²Su KH[#], Yu YB[#], Hou HH, Zhao JF, Kou YR, Cheng LC, Shyue SK*, Lee TS. AMP-activated protein kinase mediates erythropoietin-induced activation of endothelial nitric oxide synthase. *J Cell Physiol* 2012;227:3053-62. (IF: 3.874) (#共同第一作者)
43. ^{2,5}Tai SK*, Li WY, Yang MH, Chang SY, Chu PY, Tsai TL, Wang YF, Chang PM. Treatment for T1-2 oral squamous cell carcinoma with or without perineural invasion: Neck dissection and postoperative adjuvant therapy. *Ann Surg Oncol* 2012;19: 1995-2002. (IF: 4.166)
44. ^{2,5}Tai WT, Cheng AL, Shiao CW, Liu CY, Ko CH, Lin MW, Chen PJ, Chen KF. Dovitinib, a multiple kinase inhibitor, induces apoptosis and overcomes sorafenib resistance in hepatocellular carcinoma through SHP-1-mediated inhibition of STAT3. *Mol Cancer Ther* 2012;11:452-63. (IF: 5.226)
45. ²Teng HW, Huang YC, Lin JK, Chen WS, Lin TC, Jiang JK, Yen CC, Li AF, Wang HW, Chang SC, Lan YT, Lin CC, Wang HS, Yang SH. BRAF mutation is a prognostic biomarker for colorectal liver metastasectomy. *J Surg Oncol* 2012;106:123-9. (IF: 2.100)
46. ²Teng HW, Yang SH, Lin JK, Chen WS, Lin TC, Jiang JK, Yen CC, Li AF, Chen PC, Lan YT, Lin CC, Hsu YN, Wang HW, Chen KF*. CIP2A is a predictor of poor prognosis in colon cancer. *J Gastrointest Surg* 2012;16:1037-47. (IF: 2.826)
47. ^{2,5}Tseng LM, Liu CY* (co-correspondence), Chang KC, Chu PY, Shiao CW, Chen KF* (co-correspondence). CIP2A is a target of bortezomib in human triple negative breast cancer cells. *Breast Cancer Res* 2012 Apr 26;14(2):R68. (IF: 5.245)
48. ^{2,4} Wang KL, Liu CJ, Chao TF, Huang CM, Wu CH, Chen SJ, Chen TJ, Lin SJ, Chiang CE*. Statins, Risk of Diabetes, and Implications on Outcomes in the General Population. *J Am Coll Cardiol* 2012;60:1231-8. (IF: 14.156)
49. ²Wang YP[#], Liu CJ[#], Hu YW, Chen TJ, Lin YT*, Fung CP. Risk of cancer among patients with herpes zoster infection: A population-based study. *CMAJ*. 2012 Oct 16;184(15):E804-9. (IF: 8.217) (#共同第一作者)
50. ^{2,5}Wu HT*, Chang CY, Chang H, Yen CC, Cheng H, Chen PC, Chiou HJ. Magnetic resonance imaging guided biopsy of musculoskeletal lesions. *J Chin Med Assoc* 2012;75:160-6. (IF: 0.787)
51. ^{2,5}Yang FY*, Teng MC, Lu M, Liang HF, Lee YR, Yen CC, Liang ML, Wong TT. Treating glioblastoma multiforme with selective high-dose liposomal doxorubicin chemotherapy induced by repeated focused ultrasound. *Int J Nanomedicine* 2012;7:965-74. (IF: 3.13)

52. ²Yang MH, Lin BR, Chang CH, Chen ST, Lin SK, Kuo MY, Jeng YM, Kuo ML, Chang CC*. Connective tissue growth factor modulates oral squamous cell carcinoma invasion by activating a miR-504/FOXP1 signalling. *Oncogene* 2012;31:2401-11. (IF: 6.373)
53. ²Yang SH, Teng HW, Hong YC, Liu CY, Yu YB, Yang CF, Gau JP, Liu JH, Chang TJ, Yen JJ, Chen PM, Chiou TJ, Tzeng CH, Hsiao LT*. International Staging System predicts prognosis of Chinese patients with multiple myeloma across different calendar periods with application of novel agents. *Ann Hematol* 2012;91:93-102. (IF: 2.615)
54. ^{2,5}Yang WH, Lan SY, Huang CH, Tai SK, Tzeng CH, Kao SY, Wu KJ, Hung MC, Yang MH*. RAC1 activation mediates Twist1-induced cancer cell migration. *Nat Cell Biol* 2012;14:366-374. (IF: 19.488)
55. ^{2,5}Yang YH, Lin JK, Chen WS, Lin TC, Yang SH, Jiang JK, Chang SC, Lan YT, Lin CC, Yen CC, Tzeng CH, Wang WS, Chiang HL, Teng CJ*, Teng HW*. Duloxetine improves oxaliplatin-induced neuropathy in patients with colorectal cancer: An open-label pilot study. *Support Care Cancer* 2012;20:1491-7. (IF: 2.597)
56. ^{2,5}Yeh CT[#], Wu AT[#], Chang PM[#], Chen KY[#], Yang CN, Yang SC, Ho CC, Chen CC, Kuo YL, Lee PY, Liu YW, Yen CC, Hsiao M, Lu PJ, Lai JM, Wang LS, Wu CH, Chiou JF, Yang PC, Huang CY*. Trifluoperazine, an Antipsychotic Agent, Inhibits Cancer Stem Cell Growth and Overcomes Drug Resistance of Lung Cancer. *Am J Respir Crit Care Med* 2012;186:1180-8. (IF: 11.08) (#共同第一作者)
57. ²Yen CC*, Yeh CN, Cheng CT, Jung SM, Huang SC, Chang TW, Jan YY, Tzeng CH, Chao TC, Chen YY, Yang CY, Ho CL, Fletcher JA*. Integrating bioinformatics and clinicopathological research of gastrointestinal stromal tumors: identification of aurora kinase A as a poor risk marker. *Ann Surg Oncol* 2012;19:3491-9. (IF: 4.166)
58. ²Yu YB, Gau JP, Liu CY, Yang MH, Chiang SC, Hsu HC, Hong YC, Hsiao LT, Liu JH, Chiou TJ, Chen PM, Lee TS, Chou LF, Tzeng CH, Chen TJ*. A nation-wide analysis of venous thromboembolism in 497,180 cancer patients with the development and validation of a risk-stratification scoring system. *Thromb Haemost* 2012;108:225-35. (IF: 5.044)
59. ²Yu YB[#], Liao YW[#], Su KH, Chang TM, Shyue SK, Kou YR, Lee TS*. Prior exercise training alleviates the lung inflammation induced by subsequent exposure to environmental cigarette smoke. *Acta Physiol (Oxf)* 2012;205: 532-40. (#共同第一作者) (IF: 3.090)

1： 表此篇文章以榮總之名義發表

2： 表此篇文章以榮總及陽明之名義發表

3： 表此篇文章為國外進修時之著作

4： 表此篇文章之第一作者為本部其它科之醫師

5： 表此篇文章之第一作者為本院其它部科或他院之醫師

*： 表通訊作者

Allergy, Immunology and Rheumatology

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chang BC, Wang JY, Huang BS, Lin HY, Lee WCC*. Dynamic impression insole in rheumatoid foot with metatarsal pain. *Clin biomech* 2012;27:196-201. (IF: 2.071)
2. ²Chang YS, Lai CC, Chen WS, Wang SH, Chou CT, Tsai CY*. Protein losing enteropathy and premature ovarian failure in a young woman with systemic lupus erythematosus. *Lupus* 2012;21:1237-9. (IF: 2.337)
3. ^{2,4}Chen CY*, Tsai CY, Lee WJ, Liaw WJ, Chiang CH, Ho ST, Lee SD. Intracerebroventricular O-n-octanoylated ghrelin and its splice variant-induced feeding is blocked by insulin, independent of obestatin or CRF receptor, in satiated rats. *Nutrition* 2012;28:812-20. (IF: 3.025)
4. ^{2,4}Chen CY*, Tsai CY. Ghrelin and motilin in the gastrointestinal system. *Curr Pharm Desig* 2012;18:4755-65. (IF: 3.870)
5. ^{2,5}Chen HA, Chen CH, Liao HT, Lin YJ, Chen PC, Chen WS, Chien CC, Chou CT*. Clinical, functional, and radiographic differences among juvenile-onset, adult-onset, and late-onset ankylosing spondylitis. *J Rheumatol* 2012;39:1013-8. (IF: 3.695)
6. ²Chen MH*, Chen WS, Tsai CY, Liao HT, Chen CH, Chou CT. Overexpression of decoy receptor 3 in synovial tissues of inflammatory arthritis. *Clin Exp Rheumatol* 2012;30:171-7. (IF: 2.148)
7. ²Chen MH, Hsiao LT, Chen MH, Tsai CY, Huang YH, Chou CT*. Clinical significance of chronic hepatitis B virus infection in patients with primary Sjögren's syndrome. *Clin Rheumatol* 2012;31:309-15. (IF: 1.996)
8. ²Chen WS, Chang YS, Lin KC, Lai CC, Wang SH, Hsiao KH, Lee HT, Chen MH, Tsai CY, Chou CT*. Association of serum interleukin-17 and interleukin-23 levels with disease activity in Chinese patients with ankylosing spondylitis. *J Chin Med Assoc* 2012;75:303-8. (IF = 0.787)
9. ²Chen WS, Liu CY, Lee HT, Tsai K, Lin YC, Tarng DC, Ho CH, Lin HY*. Effects of intravenous iron saccharate on improving severe anemia in rheumatoid arthritis patients. *Clin Rheumatol* 2012;31:469-77. (IF:1.996)
10. ^{2,5}Chiu HY, Huang PY, Jee SH, Hu CY, Chou CT, Chang YT*, Hwang CY, Tsai TF. HLA polymorphism among Chinese patients with chronic plaque psoriasis: subgroup analysis. *Br J Dermatol* 2012; 166: 288-97. (IF: 3.666)
11. Chou CT*. The high cost of anti-TNF α drugs for rheumatoid arthritis: Can a low-price product be developed in the future? *J Chin Med Assoc* 2012;75:47-48. (IF: 0.787)
12. Chou CT*. Why is biologic therapy useful in spondyloarthritis? -- Knowledge from synovial immunopathologic studies of spondyloarthritis. *IJRD* 2012;15:507-11. (IF 0.807)
13. ¹Gaffo AL, Schumacher HR, Saag KG, Taylor WJ, Dinnella J, Outman R, Chen L, Dalbeth N, Sivera F, Vazquez-Mellado J, Chou CT, Zeng XJ, Perez-Ruiz F, Kowalski SC, Goldenstein-Schainberg C, Chen L, Bardin T, Singh JA*. Developing a provisional definition of flare in patients with established gout. *Arthritis Rheum* 2012; 64: 1508-17. (IF: 7.866)

14. ^{2,5}Hong JY, Lai CC, Chang YS, Hsiao KH, Chou CT, Chen WS*. Intestinal vasculitis and renal infarction in a lupus patient with antiphospholipid syndrome. *J Clin Rheumatol* 2012;18:383. (IF: 1.996)
15. ^{2,4}Hsu CY, Chen WS, Sung SH*. Warfarin-induced leukocytoclastic vasculitis: a case report and review of literature. *Intern Med* 2012;51:601-6. (IF: 0.936)
16. ^{2,5}Kang SC, Hwang SJ*, Chang YS, Chou CT, Tsai CY*. Characteristics of comorbidities and costs among patients who died from systemic lupus erythematosus in Taiwan. *Arch Med Sci* 2012;8:690-6. (IF: 1.214)
17. ²Lai CC, Hsiao KH, Chang YS, Tsai CY, Chou CT*. Etanercept-associated right abducens nerve palsy in rheumatoid arthritis. *Int J Rheum Dis* 2012;14: e117-9. (IF: 0.807)
18. ^{2,5}Lee HT, Lin CS, Chen WS, Liao HT, Tsai CY*, Wei YH*. Leukocyte mitochondrial DNA alteration in systemic lupus erythematosus and its relevance to the susceptibility to lupus nephritis. *Int J Mol Sci* 2012;13:8853-68. (IF: 2.598)
19. ²Lee HT, Chang YS, Chen WS, Hsiao KH, Chen MH, Tsai CY*, Chou CT. Treatment of psoriasis with rituximab. *J Am Acad Dermatol* 2012;66:e184-5. (IF: 3.991)
20. ²Lee YT, Chang YS, Lai CC, Chen WS, Yang AH, Tsai CY*. Natural killer (NK)/T-cell lymphoma mimicking granulomatosis with polyangiitis. *Scand J Rheumatol* 2012;41:407-8. (IF: 2.472)
21. ^{2,5}Li KJ, Wu CH, Hsieh SC, Lu MC, Tsai CY, Yu CL*. Deranged bioenergetics and defective redox capacity in T lymphocytes and neutrophils is related to cellular dysfunction and increased oxidative stress in patients with active systemic lupus erythematosus. *Clin Develop Immunol* 2012;2012 (No.548516):1-12. (IF: 1.838)
22. ^{2,4}Lin SZ, Chen CC*, Lee KC, Tseng CW, Lin HY, Chen YC, Lin HC. DR-70 immunoassay for the surveillance of hepatocellular carcinoma. *J Gastroenterol Hepatol* 2012, 27:547-52. (IF: 2.865)
23. ²Liu CJ[#], Chang YS[#], Teng CJ, Chen TJ, Ou SM, Tzeng CH, Wang SJ*. Risk of extrathymic cancer in patients with myasthenia gravis in Taiwan: A nationwide population-based study. *Eur J Neurol* 2012;19:746-51. (IF: 3.692) (#共同第一作者)
24. ^{2,4}Luo JC*, Huo TI, Hou MC, Lin HY, Li CP, Lin HC, Chang FY, Lee FY. Clopidogrel delays gastric ulcer healing in rats. *Eur J Pharmacol* 2012;695:112-9. (IF: 2.516)
25. ^{2,4}Ou SM, Liu CJ, Teng CJ, Lin YT, Chang YS, Chiang SC, Tzeng CH, Chen TJ*. Impact of pulmonary and extrapulmonary tuberculosis infection in kidney transplantation: a nationwide population-based study in Taiwan. *Transpl Infect Dis* 2012;14:502-9. (IF: 2.216)
26. ^{2,5}Pongparadee C, Penserga E, Lee DJ, Chen SL, Gill RS, Hamid A, Kumthornthip W, Liu Y, Meliala L, Misbach HJ, Tan KH, Yeap SS, Yeo SN, Lin HY*. Current considerations for the management of musculoskeletal pain in Asian countries: A special focus on cyclooxygenase-2 inhibitors and non-steroid anti-inflammation drugs. *Int J Rheum Dis* 2012;15:341-7. (IF: 0.807)
27. ^{2,5}Wang JC, Lin YC, Yang TF, Lin HY*. Ataxic sensory neuronopathy in a patient with systemic lupus erythematosus. *Lupus* 2012;21: 905-9. (IF: 2.337)
28. ^{2,5}Wu CH, Li KJ, Siao SC, Chen YH, Wu TH, Tsai CY, Yu CL*. The binding affinity and the molecular basis of structure-binding relationship between urinary Tamm-Horsfall glycoprotein and tumor necrosis factor- α . *Molecules* 2012;17:11978-89. (IF: 2.386)

29. ^{2,5}Yang CC, Hsieh SC, Li KJ, Wu CH, Lu MC, Tsai CY, Yu CL*. Urinary neutrophil gelatinase-associated lipocalin is a potential biomarker for renal damage in patients with systemic lupus erythematosus. *J Biomed Biotechnol* 2012;2012 (No.759313):1-11. (IF: 2.436)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Clinical Toxicology

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chen CJ, Hung DZ, Hsu CH, Wu ML, Deng JF, Chang TY, Shih HC, Liu CC, Wang CY, Wen YS, Wu JK, Huang MS, Yang CC*. Drug abuse related accidents leading to emergency department visits in two medical centers. *J Chin Med Assoc* 2012;75:234-9. (IF: 0.787)
2. ^{2,5}Chen YC, Fan JS, Hsu TF, Huang HH, Cheng KW, Yen DHT*, Huang MS, Lee CH, Chen LK, Yang CC*. Detection of patients presenting with adverse drug events in the emergency department. *Intern Med J* 2012;42(6):651-657. (co-correspondent) (IF: 1.541)
3. ^{2,5}Hsieh CF, Huang SL, Chen CL, Chen WT, Chang HC, Wu ML, Yang CC*. Increased risk of chronic kidney disease among users of non-prescribed Chinese herbal medicine in Taiwan. *Prev Med* 2012;55:155-9. (IF: 3.216)
4. ^{2,5}Lin YC, Yang CC, Chen YJ, Peng WV, Li CY, Hwu CM*. Utilization of statins and aspirin among patients with diabetes and hyperlipidemia: Taiwan, 1998-2006. *J Chin Med Assoc* 2012;75:567-72. (IF: 0.787)
5. ²Mao YC, Wu ML, Hung DZ, Tsai WJ, Wang LM, Ger J, Deng JF, Yang CC*. Acute human glufosinate poisoning. *Clin Toxicol (Phila)* 2012;50:396-402. (IF: 2.221)
6. ^{2,5}Wu TE, Yang CC*, Chen HS*. Does atropine therapy increase intraocular pressure in myopic children? *Optom Vis Sci* 2012;89:E161-7. (IF: 2.108)
7. ²Wu YH, Wu ML, Lin CC, Chu WL, Yang CC, Deng JF*. Determination of caprolactam and 6-aminocaproic acid in human urine using hydrophilic interaction liquid chromatography-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 2012;885-886: 61-5. (IF: 2.888)
8. ²Yang CC*. Acute human toxicity of macrocyclic lactones. *Curr Pharm Biotechnol* 2012;13:999-1003. (IF: 2.805)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Health Care and Services

Refereed Papers Included in Science Citation Index:

1. ^{2,4}Chao TF, Leu HB, Huang CC, Chen JW, Chan WL, Lin SJ, Chen SA*. Thiazolidinediones can prevent new onset atrial fibrillation in patients with non-insulin dependent diabetes. *Int J Cardiol* 2012;156:199-202. (IF: 7.078)
2. ^{2,4}Chen SJ, Chao TF, Lin YJ, Lo LW, Hu YF, Tuan TC, Hsu TL, Yu WC, Leu HB, Chang SL*, Chen SA. Cool seasons are related to poor prognosis in patients with infective endocarditis. *Int J Biometeorol* 2012;56:973-81. (IF:2.254)
3. ^{2,4}Chen ZY, Chiang CH, Huang CC, Chung CM, Chan WL, Huang PH, Lin SJ, Chen JW*, Leu HB*. The Association of Tooth Scaling and Decreased Cardiovascular Disease: A Nationwide Population-based Study. *Am J Med* 2012;125:568-75. (IF: 5.430)
4. ^{2,4}Chiang CH, Huang CC, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Oral alendronate use and risk of cancer in postmenopausal women with osteoporosis: A nationwide study. *J Bone Miner Res* 2012;27:1951-8. (IF: 6.373)
5. ^{2,4}Chiang CH, Huang CC, Chan WL, Huang PH, Chen YC, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Psoriasis and increased risk of ischemic stroke in Taiwan: a nationwide study. *J Dermatol* 2012;39:279-81. (IF: 1.493)
6. ^{2,4}Chiang CH, Huang PH, Chung FP, Chen ZY, Leu HB, Huang CC, Wu TC, Chen JW, Lin SJ*. Decreased circulating endothelial progenitor cell levels and function in patients with nonalcoholic fatty liver disease. *PLoS One* 2012;7:e31799. (IF: 4.092)
7. ^{2,4}Chiang CH, Leu HB, Huang PH, Chung FP, Huang CC, Wu TC, Chen JW, Lin SJ*. SYNTAX score is associated with circulating endothelial progenitor cells in patients with coronary artery disease. *Acta Cardiol Sin* 2012;28:216-24. (IF: 0.633)
8. ^{2,4}Chiu CC, Huang CC, Chan WL, Chung CM, Huang PH, Lin SJ, Chen JW*, Leu HB*. Increased risk of ischemic stroke in patients with systemic lupus erythematosus: A nationwide population-based study. *Intern Med* 2012;51:17-21. (IF: 0.936)
9. ^{2,5}Chou KT, Huang CC, Chen YM, Su KC, Shiao GM, Lee YC, Chan WL, Leu HB*. Sleep apnea and risk of deep vein thrombosis: A non-randomized, pair-matched cohort study. *Am J Med* 2012;125:374-80. (IF: 5.430)
10. ^{2,5}Chou KT, Huang CC, Tsai DC, Chen YM, Perng DW, Shiao GM, Lee YC, Leu HB*. Sleep apnea and risk of retinal vein occlusion: a nationwide population-based study of Taiwanese. *Am J Ophthalmol* 2012;154:200-5. (IF: 4.223)
11. ²Hsu PF, Wang YJ, Ding YZ, Liou TL, Wang YW, Chang YC, Chou P, Yu WC, Chen CH, Chan WL*. Adding Hyperuricemia to Traditional Cardiac Risk Factors Does Not Improve Ability to Predict Cardiac or Total Death in the Asymptomatic Taiwanese General Population. *Acta Cardiol Sin* 2012;28:225-35. (IF:0.633)
12. ^{2,4}Huang CC, Chan WL, Luo JC, Chen YC, Chen TJ, Chung CM, Huang PH, Lin SJ, Chen JW*, Leu HB*. Gastroesophageal reflux disease and atrial fibrillation: A nationwide population-based study. *PLoS One* 2012;7:e47575. (IF: 4.092)
13. ^{2,4}Huang KW, Luo JC*, Leu HB, Lin HC, Lee FY, Chan WL, Lin SJ, Chen JW, Chang FY. Chronic obstructive pulmonary disease: an independent risk factor for peptic ulcer bleeding: A nationwide population-based study. *Aliment Pharmacol Ther* 2012;35: 796-802. (IF: 3.769)

14. ^{2,4}Huang PH, Chen JW*, Lin CP, Chen YH, Wang CH, Leu HB, Lin SJ*. Far infra-red therapy promotes ischemia-induced angiogenesis in diabetic mice and restores high glucose-suppressed endothelial progenitor cell functions. *Cardiovasc Diabetol* 2012;11:99. (IF: 3.346)
15. ^{2,4}Huang PH, Lin CP, Wang CH, Chiang CH, Tsai HY, Chen JS, Lin FY, Leu HB, Wu TC, Chen JW*, Lin SJ*. Niacin improves ischemia-induced neovascularization in diabetic mice by enhancement of endothelial progenitor cell functions independent of changes in plasma lipids. *Angiogenesis* 2012; 15:377-89. (IF: 6.063)
16. ²Huang SS, Chen YH, Lu TM, Wu TC, Charng MJ, Chen JW, Pan JP, Lin SJ*. Effect of invasive strategy on different genders of Chinese patients with non-ST-elevation myocardial infarction. *Catheter Cardiovasc Interv* 2012;79:946-55. (IF:2.290)
17. ²Huang SS, Chen YH, Lu TM, Chen LC, Chen JW, Lin SJ*. Application of the Sequential Organ Failure Assessment score for predicting mortality in patients with acute myocardial infarction. *Resuscitation* 2012;83:591-5. (IF: 3.601)
18. ²Huang SS, Huang PH, Wu TC, Chen JW, Lin SJ*. Association of serum bilirubin with contrast-induced nephropathy and future cardiovascular events in patients undergoing coronary intervention. *PLoS One* 2012;7:e42594. (IF: 4.092)
19. ^{2,5}Kuo TY, Kang MJ, Chen JW, Ho HY, Ting CT, Lin TH, Sheu SH, Tsai WC, Chen JH, Leu HB, Yin WH, Chiu TY, Chen CI, Lin SJ, Pan WH*. A two-stage matched case-control study on multiple hypertensive candidate genes in han chinese. *Am J Hypertens* 2012;25:804-11. (IF: 3.181)
20. ^{2,5}Lai YC, Hsu PF*. Torsades de Pointes in an Elderly Patient with "Broken Heart Syndrome". *Int J Gerontol* 2012;6: 37-9. (IF:0.184)
21. ^{2,4}Lan HC, Liang Y, Hsu HC, Shu JH, Su CW, Hung HH, Hou MC, Lin HC, Lee SD, Wang YJ*. Citrus reticulata peel improves patient tolerance of low-volume polyethylene glycol for colonoscopy preparation. *J Chin Med Assoc* 2012;75:442-8. (IF: 0.787)
22. ^{2,4}Liu IF, Huang CC, Chan WL, Huang PH, Chung CM, Lin SJ, Chen JW, Leu HB*. Effects of annual influenza vaccination on mortality and hospitalization in elderly patients with ischemic heart disease: A nationwide population-based study. *Prev Med* 2012;54:431-3. (IF: 3.216)
23. ^{2,4}Luo JC, Leu HB, Hou MC, Huang CC, Lin HC, Lee FY, Chang FY, Chan WL, Lin SJ, Chen JW*. Cirrhotic patients at increased risk of peptic ulcer bleeding: a nationwide population-based cohort study. *Aliment Pharmacol Ther* 2012;36:542-50. (IF: 3.769)
24. ^{2,5}Su CC, Yang JY, Leu HB, Chen Y, Wang PH*. Mitochondrial Akt-regulated mitochondrial apoptosis signaling in cardiac muscle cells. *Am J Physiol Heart Circ Physiol* 2012;302:H716-23. (IF: 3.708)
25. ^{2,5}Tsai DC, Huang CC, Chen SJ, Chou P, Chung CM, Chan WL, Huang PH, Chen TJ, Lin SJ, Chen JW, Leu HB*. Central serous chorioretinopathy and risk of ischaemic stroke: A population-based cohort study. *Br J Ophthalmol* 2012;96:1484-8. (IF: 2.902)
26. ^{2,5}Tsai SH, Huang PH, Chang WC, Tsai HY, Lin CP, Leu HB, Chen JW, Lin SJ*. Zoledronate inhibits ischemia-induced neovascularization by impairing the mobilization and function of endothelial progenitor cells. *PLoS One* 2012;7:e41065. (IF: 4.092)
27. ^{2,5}Yang HC, Liang YJ, Chen JW, Chiang KM, Chung CM, Ho HY, Ting CT, Lin TH, Sheu SH, Tsai WC, Chen JH, Leu HB, Yin WH, Chiu TY, Chern CI, Lin SJ, Tomlinson B, Guo Y,

Sham PC, Cherny SS, Lam TH, Thomas GN, Pan WH*. Identification of igf1, slc4a4, wwox, and sfmbt1 as hypertension susceptibility genes in han chinese with a genome-wide gene-based association study. PLoS One 2012;7:e32907. (IF: 4.092)

- 1: 表此篇文章以榮總之名義發表
 - 2: 表此篇文章以榮總及陽明之名義發表
 - 3: 表此篇文章為國外進修時之著作
 - 4: 表此篇文章之第一作者為本部其它科之醫師
 - 5: 表此篇文章之第一作者為本院其它部科或他院之醫師
- *: 表通訊作者

Transfusion Medicine

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chiu WC, Chiou TJ, Chiang AN*. Beta2-Glycoprotein I inhibits endothelial cell migration through the nuclear factor kB signalling pathway and endothelial nitric oxide synthase activation. *Biochem J* 2012;445:125-33. (IF: 4.897)
2. ^{2,4}Chou YS, Yang CF, Chen HS, Yang SH, Yu YB, Hong YC, Liu CY, Gau JP, Liu JH, Chen PM, Chiou TJ, Tzeng CH, Hsiao LT*. Pre-existing diabetes mellitus in patients with multiple myeloma. *Eur J Haematol* 2012;89:320-7. (IF: 2.614)
3. ^{2,5}Chung CY, Lin SF, Chen PM, Chang MC, Kao WY, Chao TY, Hsiao LT, Yen CC, Yang MH, Hwang WS, Lin TL, Chiou TJ, Chang CS. Thalidomide for the treatment of myelodysplastic syndrome in Taiwan: Results of a phase II trial. *Anticancer Res* 2012;32:3415-9. (IF: 1.725)
4. ^{2,4}Hsiao LT*, Yang CF, Yang SH, Gau JP, Yu YB, Hong YC, Liu CY, Liu JH, Chen PM, Chiou TJ, Tzeng CH. Chronic kidney disease stage 5 as the prognostic complement of International Staging System for multiple myeloma. *Eur J Haematol* 2012;88:159-66. (IF: 2.614)
5. ^{2,4}Hung MH, Yu YB, Huang YC, Liu HT, Hong YC, Hsiao LT, Liu JH, Gau JP, Chiou TJ, Chen PM, Tzeng CH, Liu CY*. Patients with diffuse large B cell lymphoma in partial response or stable disease after first-line R-CHOP: The prognostic value of the absolute lymphocyte count and impact of autologous stem cell transplantation. *Ann Hematol* 2012;91:1907-15. (IF: 2.615)
6. ^{2,4}Lai YC, Huang LJ, Chen TL, Yang YW, Hsiao LT, Teng HW, Fung CP, Chiou TJ, Tzeng CH, Liu CY*. Impact of Port-A-Cath device management in cancer patients with candidaemia. *J Hosp Infect* 2012;82:281-5. (IF: 3.393)
7. ^{2,5}Lee YC, Tzeng WF, Chiou TJ, Chu ST*. MicroRNA-138 Suppresses Neutrophil Gelatinase-Associated Lipocalin Expression and Inhibits Tumorigenicity. *PLoS One* 2012;7(12):e52979. (IF: 4.092)
8. ^{2,5}Lin HN, Liu CY, Pai JT, Chang FP, Yang CF, Yu YB, Hsiao LT, Chiou TJ, Liu JH, Gau JP, Tzeng CH, Chen PM, Hong YC*. How to predict the outcome in mature T and NK cell lymphoma by currently used prognostic models? *Blood Cancer J* 2012;2:e93.
9. ^{2,4}Liu YC, Gau JP*, Hong YC, Yu YB, Hsiao LT, Liu JH, Chiou TJ, Chen PM, Tzeng CH. Large pericardial effusion as a life-threatening complication after hematopoietic stem cell transplantation-association with chronic GVHD in late-onset adult patients. *Ann Hematol* 2012;91:1953-8. (IF: 2.615)
10. ^{2,4}Lu HJ, Chen KW, Tzeng CH, Liu JH, Chiou TJ, Yen CC, Chao TC, Teng HW, Chen MH, Liu CY, Wang WS, Chang PM*, Yang MH. Evaluation of prognosis for carcinoma of unknown origin in elderly patients. *Oncology* 2012;83:24-30. (IF: 2.267)
11. ^{2,4}Yang SH, Teng HW, Hong YC, Liu CY, Yu YB, Yang CF, Gau JP, Liu JH, Chang TJ, Yen JJ, Chen PM, Chiou TJ, Tzeng CH, Hsiao LT*. International Staging System predicts prognosis of Chinese patients with multiple myeloma across different calendar periods with application of novel agents. *Ann Hematol* 2012;91:93-102. (IF: 2.615)
12. ^{2,4}Yu YB, Gau JP, Liu CY, Yang MH, Chiang SC, Hsu HC, Hong YC, Hsiao LT, Liu JH, Chiou TJ, Chen PM, Lee TS, Chou LF, Tzeng CH, Chen TJ*. A nation-wide analysis of

venous thromboembolism in 497,180 cancer patients with the development and validation of a risk-stratification scoring system. *Thromb Haemost* 2012;108:225-35. (IF: 5.044)

- 1: 表此篇文章以榮總之名義發表
 - 2: 表此篇文章以榮總及陽明之名義發表
 - 3: 表此篇文章為國外進修時之著作
 - 4: 表此篇文章之第一作者為本部其它科之醫師
 - 5: 表此篇文章之第一作者為本院其它部科或他院之醫師
- *: 表通訊作者

General Medicine

Refereed Papers Included in Science Citation Index:

1. ²Chang CC, Huang HC, Lee WS, Wang SS, Lee FY, Lin HC, Nong JY, Lee SD. Aliskiren reduces portal pressure in cirrhotic rats. *Liver Int* 2012;32:692-3. (IF: 3.824)
2. ²Chang CC, Lee WS, Huang HC, Lee FY*, Wang SS*, Lin HC, Nong JY, Lee SD. Aliskiren reduces portal pressure in portal hypertensive rats. *Eur J Clin Invest* 2012;42:526-33. (IF: 3.018)
3. ^{1,5}Chen CF*, Han CL, Kan CP, Chen SG, Hung PW. Effect of surgical site infections with waterless and traditional hand scrubbing protocols on bacterial growth. *Am J Infect Control* 2012;40:E15-7. (IF: 2.396)
4. ^{2,3,4}Cheng HM, Guo FR, Hsu TF, Chuang SY, Yen HT, Lee FY, Yang YY, Chen TL, Lee WS, Chuang CL, Chen CH, Ho T*. Two strategies to intensify evidence-based medicine education of undergraduate students: A randomized controlled trial. *Ann Acad Med Singapore* 2012;41:4-11. (IF: 1.25)
5. ^{2,4}Hsieh YC, Chan CC, Lee KC, Huang YT, Lee FY, Yang YY, Lin HC*. Aliskiren reduces portal pressure and intrahepatic resistance in biliary cirrhotic rats. *J Chin Med Assoc* 2012;75:501-8. (IF: 0.787)
6. ^{2,4}Hsin IF, Wang SS, Huang HC, Lee FY, Chan CY*, Chang CC, Hsu CY, Lin HC, Lee SD. Portosystemic collaterals are not prerequisites for the development of hepatic encephalopathy in cirrhotic rats. *J Chin Med Assoc* 2012;75:3-9. (IF: 0.787)
7. ^{2,4}Hsu SJ, Hsin IF, Lin YL, Chen YC, Huang HC*, Lee FY*, Lin HC, Chang CC, Lee SD. The influence of sorafenib on hepatic encephalopathy and the mechanistic survey in cirrhotic rats. *Eur J Clin Invest* 2012;42:1309-16. (IF: 3.018)
8. ^{2,4}Huang HC, Chang CC, Wang SS, Chan CY, Lee FY*, Chuang CL, Hsin IF, Teng TH, Lin HC, Lee SD. Pravastatin for thioacetamide-induced hepatic failure and encephalopathy. *Eur J Clin Invest* 2012;42:139-45. (IF: 3.018)
9. ^{2,4}Huang HC, Chang CC, Wang SS, Lee FY*, Teng TH, Lee JY, Lin HC, Chuang CL, Lee SD. The roles of angiotensin II receptors in the portosystemic collaterals of portal hypertensive and cirrhotic rats. *J Vasc Res* 2012;49:160-8. (IF: 2.651)
10. ^{2,4}Huang HC, Wang SS, Hsin IF, Chang CC, Lee FY*, Lin HC*, Chuang CL, Lee JY, Hsieh HG, Lee SD. Cannabinoid receptor 2 agonist ameliorates mesenteric angiogenesis and portosystemic collaterals in cirrhotic rats. *Hepatology* 2012;56:248-58. (IF: 11.665)
11. ^{2,4}Lee KC, Chan CC, Yang YY, Heish YC, Huang YH, Lin HC*. Aliskiren attenuates chronic carbon tetrachloride-induced liver injury in mice. *Eur J Clin Invest* 2012;42: 1261-71. (IF: 3.018)
12. ^{2,4}Li SY, Chuang CL*. Rapid resolution of uremic tumoral calcinosis after parathyroidectomy. *Mayo Clin Proc* 2012; 87: e97-8. (IF: 5.698)
13. ^{1,5}Lin GM*, Chen YJ, Li YH, Jaiteh LES, Han CL. The Effect of Hypoxia-Hypercapnia on Neuropsychological Function in Adult Respiratory Distress Syndrome. *Am J Respir Crit Care Med* 2012;186:1307. (IF: 11.080)
14. ^{1,5}Lin GM*, Jaiteh LES, Han CL Letter by Lin et al. Regarding Article, "Does Body Mass Index Impact on the Relationship Between Systolic Blood Pressure and Cardiovascular

Disease? Meta-Analysis of 419 488 Individuals From the Asia Pacific Cohort Studies Collaboration". *Stroke* 2012;43: E105. (IF: 5.729)

15. ^{1,5}Lin GM*, Li YH, Han CL. Treatment With Clopidogrel After Myocardial Infarction. *JAMA* 2012;308:2456-7. (IF: 30.026)
16. ^{1,5}Lin GM, Li YH, Jaiteh LES, Han CL. Role of Yin and Yang in Diurnal Blood Pressure Variation for Cardiovascular Disease. *Hypertension* 2012;60: E27. (IF: 6.207)
17. ^{1,5}Lin GM*, Li YH, Jaiteh LES, Han CL. Pexelizumab fails to inhibit assembly of the terminal complement complex in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. Insight from a substudy of the Assessment of Pexelizumab in Acute Myocardial Infarction (APEX-AMI) trial. *Am Heart J* 2012;164:E19. (IF: 4.651)
18. ^{2,4}Lin SZ, Chen CC*, Lee KC, Tseng CW, Lin HY, Chen YC, Lin HC. DR-70 immunoassay for the surveillance of hepatocellular carcinoma. *J Gastroenterol Hepatol* 2012;27:547-52. (IF: 2.865)
19. ³Rajesh M, Bátkai S, Kechrid M, Mukhopadhyay P, Lee WS, Horváth B, Holovac E, Cinar R, Liaudet L, Mackie K, Haskó G, Pacher P. Cannabinoid 1 receptor promotes cardiac dysfunction, oxidative stress, inflammation, and fibrosis in diabetic cardiomyopathy. *Diabetes* 2012;61:716-27. (IF: 8.3)
20. ^{2,5}Shih CH, Tsai WH, Huang SW, Chu JS, Hsu SC, Hsu HC*. Effects of high concentration oxygen treatment on traumatic pneumothorax in adult rabbits. *Chin J Physiol* 2012;55:178-83. (IF: 0.558)
21. ^{2,5}Tsai WH, Shih CH, Chin HY, Lai SL, Li IT, Hsu SC, Kou YR, Hsu HC*. Annexin A1 mediates the anti-inflammatory effects during the granulocytic differentiation process in all-trans retinoic acid-treated acute promyelocytic leukemic cells. *J Cell Physiol* 2012; 227:3661-9. (IF: 3.874)
22. ^{2,5}Tsai WH, Shih CH, Wu HY, Chien HY, Chiang YC, Lai SL, Hsu SC, Kou YR, Hsu HC*. Role of lipoxin A4 in the cell-to-cell interaction between all-trans retinoic acid-treated acute promyelocytic leukemic cells and alveolar macrophages. *J Cell Physiol* 2012 227;1123-9. (IF: 3.874)
23. ^{2,4}Yao YH, Fu CH, Ho SJ, Tsai SH, Ng YY, Chuang CL, Lin CC, Chen JY*. Peritoneal dialysis as compared with hemodialysis is associated with higher overhydration but non-inferior blood pressure control and heart function. *Blood Purif* 2012;34:40-7. (IF: 2.104)
24. ²Yang YY, Huang YT, Lee TY, Chan CC, Yeh YC, Lee KC, Lin HC*. Rho-Kinase-Dependent Pathway Mediated the Hepatoprotective Effects of Sorafenib for Ischemia/Reperfusion Liver Injury of NASH Rats. *Liver Transplant* 2012;18:1371-83. (IF: 3.386).
25. ²Yang YY, Huang YT, Tsai TH, Hou MC, Lee FY, Lee SD, Lin HC*. Kupffer cell depletion attenuates leptin-mediated methoxamine-stimulated portal perfusion pressure and thromboxane A₂ release in a rodent model of NASH cirrhosis. *Clin Sci (Lond)* 2012;123: 669-80 (IF: 4.372).
26. ²Yang YY, Lee TY, Huang YT, Chan CC, Yeh YC, Lee FY, Lee SD, Lin HC*. Asymmetric dimethylarginine (ADMA) determines the improvement of hepatic endothelial dysfunction by vitamin E in cirrhotic rats. *Liver Int* 2012;32:48-57. (IF: 3.824).
27. ²Yang YY, Lin HC*. ADMA and Hepatic Endothelial Dysfunction in Cirrhosis-the DDAH Isoform is the key. *Liver Int* 2012;32:1187. (IF: 3.824).

28. ²Yang YY, Lin HC. The heart: Pathophysiology and clinical implications of cirrhotic cardiomyopathy. J Chin Med Assoc 2012; 75: 619-23. (IF: 0.787)
29. ²Yang YY, Tsai TH, Huang YT, Lee TY, Chan CC, Lee KC, Lin HC*. Hepatic Endothelin-1 and Endocannabinoids-Dependent Effects of Hyperleptinaemia in Nonalcoholic Steatohepatitis-Cirrhotic Rats. Hepatology 2012;55:1540-50. (IF: 11.665).
30. ²Yu YB, Gau JP, Liu CY, Yang MH, Chiang SC, Hsu HC, Hong YC, Hsiao LT, Liu JH, Chiou TJ, Chen PM, Lee TS, Chou LF, Tzeng CH, Chen TJ*. A nation-wide analysis of venous thromboembolism in 497,180 cancer patients with the development and validation of a risk-stratification scoring system. Thromb Haemost 2012;108:225-35. (IF: 5.044)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Intensive Care Unit

Refereed Papers Included in Science Citation Index:

1. ^{2,4}Wang KL, Liu CJ, Chao TF, Huang CM, Wu CH, Chen SJ, Chen TJ, Lin SJ, Chiang CE. Statins, risk of diabetes, and Implications on outcomes in the general population. *J Am Coll Cardiol* 2012;60:1231-8. (IF: 14.156)

- 1: 表此篇文章以榮總之名義發表
- 2: 表此篇文章以榮總及陽明之名義發表
- 3: 表此篇文章為國外進修時之著作
- 4: 表此篇文章之第一作者為本部其它科之醫師
- 5: 表此篇文章之第一作者為本院其它部科或他院之醫師
- *: 表通訊作者

Endoscopy Center for Diagnosis and Treatment

Refereed Papers Included in Science Citation Index:

1. ²Chang CJ, Hou MC*, Liao WC, Lee FY, Lin HC, Lee SD. Risk factors of early re-bleeding and mortality in patients with ruptured gastric varices and concomitant hepatocellular carcinoma. *J Gastroenterol* 2012;47:531-9. (IF: 4.160)
2. ²Chen PH, Chen WC, Hou MC*, Liu TT, Chang CJ, Liao WC, Su CW, Wang HM, Lin HC, Lee FY, Lee SD. Delayed endoscopy increases re-bleeding and mortality in patients with hematemesis and active esophageal variceal bleeding: A cohort study. *J Hepatol* 2012;57:1207-13. (IF: 9.264)
3. ²Hsin IF, Wang SS, Huang HC, Lee FY, Chan CY*, Chang CC, Hsu CY, Lin HC, Lee SD. Portosystemic collaterals are not prerequisites for the development of hepatic encephalopathy in cirrhotic rats. *J Chin Med Assoc* 2012;75:3-9. (IF: 0.787)
4. ^{2,4}Hsu SJ, Hsin IF, Lin YL, Chen YC, Huang HC, Lee FY*, Lin HC, Chang CC, Lee SD. The influence of sorafenib on hepatic encephalopathy and the mechanistic survey in cirrhotic rats. *Eur J Clin Invest* 2012;42:1309-16. (IF: 3.018)
5. ^{2,4}Huang HC, Chang CC, Wang SS, Chan CY, Lee FY*, Chuang CL, Hsin IF, Teng TH, Lin HC, Lee SD. Pravastatin for thioacetamide-induced hepatic failure and encephalopathy. *Eur J Clin Invest* 2012;42:139-45. (IF: 3.018)
6. ^{2,4}Huang HC, Wang SS, Hsin IF, Chang CC, Lee FY*, Lin HC, Chuang CL, Lee JY, Hsieh HG, Lee SD. Cannabinoid receptor 2 agonist ameliorates mesenteric angiogenesis and portosystemic collaterals in cirrhotic rats. *Hepatology* 2012;56:248-58. (IF: 11.665)
7. ²Hung HH, Chang CJ, Hou MC*, Liao WC, Chan CC, Huang HC, Lin HC, Lee FY, Lee SD. Efficacy of non-selective β -blockers as adjunct to endoscopic prophylactic treatment for gastric variceal bleeding: A randomized controlled trial. *J Hepatol* 2012;56:1025-32. (IF: 9.264)
8. ^{2,4}Kao WY, Wu WC, Chen PH, Chiou YY*. Duodenal variceal bleeding caused by chronic pancreatitis. *Gastrointest Endosc* 2012;75:922-3. (IF: 4.878)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者