

75. ^{2,5}Yang SF, Tseng HS, Huang HC, Hsin IF, Yao YH, Chen JY*. A patient with hemodialysis-related hyperammonemic encephalopathy: A delayed presentation of congenital arterioportal fistulas. *Clin Nephrol* 2013;79: 499-503. (IF: 1.288)
76. ^{2,5}Tseng KC, Tseng CW, Hsieh YH, Chang CK, Lai NS, Hung TH, Chang TT*. Effect of human leukocyte antigen class I and II alleles on hepatitis C viral load among chronic hepatitis C patients in Southern Taiwan. *Hum Immunol* 2013;74: 978-82. (IF: 2.298)
77. ²Wang YP, Lu CL*. Dysphagia in a young woman. *Lancet* 2013;382:426. (IF:39.060)
78. ⁵Wu CY, Hu HY, Chen L, Huang N, Chou YJ, Li CP*. Investigating the utilization of radiological services by physician patients: A population-based cohort study in Taiwan. *BMC Health Serv Res* 2013;13:284. (IF:1.773)
79. ⁵Wu CY, Hu HY, Li CP, Fang YT, Huang N, Chou YJ*. The association between functional disability and acute care utilization among the elderly in Taiwan. *Arch Gerontol Geriatr* 2013;57:177-83. (IF:1.704)
80. ²Wu WC, Chau GY, Su CW, Wu JC*. Wandering abdominal pain due to a floating gallbladder. *Dig Liver Dis* 2013;45:e13. (IF:3.162)
81. ²Wu WC, Chen YT, Hwang CY, Su CW, Li SY, Chen TJ, Liu CJ, Kao WY, Chao Y, Lin HC, Wu JC*. Second primary cancers in patients with hepatocellular carcinoma: A nationwide cohort study in Taiwan. *Liver Int* 2013;33:616-23. (IF:3.870)
82. ²Yang YY*, Hou MC, Lin MW, Chen PH, Liao WC, Chu CJ, Lin HC. Combined platelet count with sCD163 and genetic variants optimizes esophageal varices prediction in cirrhotic patients. *J Gastroenterol Hepatol* 2013;28:112-21. (IF:3.325)
83. ²Yang YY, Lee FY*, Hsu HC, Lee WS, Chuang CL, Chang CC, Huo TI, Huang YH, Huang CC, Huang CC. Validation of the behavior and concept based assessment of professionalism competence in postgraduate first-year residents. *J Chin Med Assoc* 2013;76:186-94. (IF:0.752)

1： 表此篇文章以榮總之名義發表

2： 表此篇文章以榮總及陽明之名義發表

3： 表此篇文章為國外進修時之著作

4： 表此篇文章之第一作者為本部其它科之醫師

5： 表此篇文章之第一作者為本院其它部科或他院之醫師

*： 表通訊作者

Cardiology

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chang CF, Lu TM, Yang WC, Lin SJ, Lin CC*, Chung MY. Gene polymorphisms of interleukin-10 and tumor necrosis factor-alpha are associated with contrast-induced nephropathy. *Am J Nephrol* 2013;37:110-7. (IF: 2.623)
2. ^{1,5}Chang CJ*, Chen YC, Kao YH, Lin YK, Chen SA, Chen YJ. Response to letter regarding article, "Dabigatran and thrombin modulate electrophysiological characteristics of pulmonary vein and left atrium" by Chang et al. *Circ-Arrhythmia Electrophysiol* 2013;6:E23. (IF: 5.947)
3. ^{1,5}Chang CJ, Chen YC, Lin YK, Huang JH, Chen SA, Chen YJ*. Rivaroxaban modulates electrical and mechanical characteristics of left atrium. *J Biomed Sci* 2013; 20:17. (IF: 2.458)
4. ^{2,5}Chang HY, Lin YJ, Lo LW, Chang SL, Hu YF, Li CH, Chao TF, Yin WH, Chen SA*. Sinus node dysfunction in atrial fibrillation patients: the evidence of regional atrial substrate remodelling. *Europace* 2013;15:205-11. (IF: 2.765)
5. ^{1,5}Chang HY, Lo LW, Feng AN, Chiang MC, Yin WH, Young MS, Chang CY, Chuang YC, Hartono B, Chen SA, Wei J*. Long-term follow-up of arrhythmia characteristics and clinical outcomes in heart transplant patients. *Transplant Proc* 2013;45:369-75. (IF: 0.952)
6. ^{2,5}Chang HY, Lo LW, Lin YJ, Chang SL, Hu YF, Li CH, Chao TF, Chung FP, Ha TL, Singhal R, Chong E, Yin WH, Tsao HM, Hsieh MH, Chen SA*. Long-term outcome of catheter ablation in patients with atrial fibrillation originating from nonpulmonary vein ectopy. *J Cardiovasc Electrophysiol* 2013;24:250-8. (IF: 3.475)
7. ^{1,5}Chang HY, Yin WH, Lo LW, Lin YJ, Chang SL, Hu YF, Feng AN, Chiang MC, Young MS, Chang CY, Chuang YC, Chong E, Chen SA, Wei J*. The utilization of twelve-lead electrocardiography for predicting sudden cardiac death after heart transplantation. *Int J Cardiol* 2013;168:2665-72. (IF: 5.509)
8. ²Chang SL, Chen YC, Hsu CP, Kao YH, Lin YK, Lai YJ, Yeh HI, Higa S, Chen SA*, Chen YJ. Heat shock protein inducer modifies arrhythmogenic substrate and inhibits atrial fibrillation in the failing heart. *Int J Cardiol* 2013;168:4019-26. (IF: 5.509)
9. ²Chang SL, Chen YC, Hsu CP, Kao YH, Lin YK, Lin YJ, Wu TJ, Chen SA*, Chen YJ. Electrophysiological characteristics of complex fractionated electrograms and high frequency activity in atrial fibrillation. *Int J Cardiol* 2013;168:2289-99. (IF: 5.509)
10. ²Chao TF*, Chen SA, Liu CJ. Response to letter regarding article, "Atrial fibrillation and the risk of ischemic stroke-does it still matter in patients with a CHA(2)DS(2)-VASc score of 0 or 1?". *Stroke* 2013;44:E39. (IF: 6.158)
11. ²Chao TF, Hung CL, Chen SJ, Wang KL, Chen TJ, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Chen SA*. The association between hyperuricemia, left atrial size and new-onset atrial fibrillation. *Int J Cardiol* 2013;168:4027-32. (IF: 5.509)
12. ²Chao TF, Hung CL, Tsao HM, Lin YJ, Yun CH, Lai YH, Chang SL, Lo LW, Hu YF, Tuan TC, Chang HY, Kuo JY, Yeh HI, Wu TJ, Hsieh MH, Yu WC*, Chen SA. Epicardial adipose tissue thickness and ablation outcome of atrial fibrillation. *PLoS One* 2013;8:e74926. (IF: 3.730)
13. ²Chao TF, Lin YJ, Tsao HM, Chang SL, Lo LW, Hu YF, Tuan TC, Li CH, Chang HY, Wu TJ, Yu WC, Chen SA*. Prolonged atrium electromechanical interval is associated with stroke in patients with atrial fibrillation after catheter ablation. *J Cardiovasc Electrophysiol* 2013;24:375-80. (IF: 3.475)

14. ²Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Chen TJ, Chen SA*. CHADS(2) score and risk of new-onset atrial fibrillation: A nationwide cohort study in Taiwan. *Int J Cardiol* 2013;168:1360-3. (IF: 5.509)
15. ²Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Chen TJ, Tsao HM, Chen SA*. The association between the use of non-steroidal anti-inflammatory drugs and atrial fibrillation: A nationwide case-control study. *Int J Cardiol* 2013;168:312-6. (IF: 5.509)
16. ²Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YF, Chang SL, Lo LW, Hu YF, Tuan TC, Chen TJ, Tsao HM, Chen SA. Hyperuricemia and the risk of ischemic stroke in patients with atrial fibrillation - Could it refine clinical risk stratification in AF? *Int J Cardiol.* 2014;170:344-9. (IF= 5.509)
17. ²Chao TF, Lo LW, Chen SA. AF News. *J Cardiovasc Electrophysiol* 2013;24:728-9. (IF=3.475)
18. ²Chao TF, Lu TM*, Lin YJ, Tsao HM, Chang SL, Lo LW, Hu YF, Tuan TC, Hsieh MH, Chen SA. Plasma asymmetric dimethylarginine and adverse events in patients with atrial fibrillation referred for coronary angiogram. *PLoS One* 2013 Aug 7;8:e71675. (IF: 3.730)
19. ^{2,5}Chen CC, Liou SW, Chen CC, Chen WC, Hu FR, Wang IJ*, Lin SJ. Coenzyme Q(10) rescues ethanol-induced corneal fibroblast apoptosis through the inhibition of caspase-2 activation. *J Biol Chem* 2013;288:11689-704. (IF: 4.651)
20. ²Chen SA*. AF NEWS. *J Cardiovasc Electrophysiol* 2013;24:728-9. (IF: 3.475)
21. ^{2,4}Chen SJ, Liu CJ, Chao TF, Wang KL, Chen TJ, Chou P, Wang FD, Lin SJ*, Chiang CE. Dental scaling and atrial fibrillation: A nationwide cohort study. *Int J Cardiol* 2013;168:2300-3. (IF: 5.509)
22. ^{2,4}Chen SJ, Liu CJ, Chao TF, Wang KL, Wang FD, Chen TJ, Chiang CE*. Dental scaling and risk reduction in infective endocarditis: A nationwide population-based case-control study. *Can J Cardiol* 2013;29:429-33. (IF: 3.122)
23. ^{2,5}Chen WT, Chen YC, Lu YY, Kao YH, Huang JH, Lin YK, Chen SA, Chen YJ*. Apamin modulates electrophysiological characteristics of the pulmonary vein and the Sinoatrial Node. *Eur J Clin Invest* 2013;43:957-63. (IF: 3.365)
24. ^{2,5}Chen WT, Lo LW, Lin YF, Chen SA. Sawtooth electrocardiographic pattern with blocked cavotricuspid isthmus. *Circ J* 2013;78:262-3. (IF=3.578)
25. ^{2,5}Chen YP, Chang KC, Tseng WK, Yin WH, Chen JW, Lee YT, Wu CC*. Increased rosuvastatin dose versus concomitant fenofibrate and rosuvastatin therapy to achieve lipid goal in patients with diabetes or atherosclerosis with metabolic syndrome. *Acta Cardiol Sin* 2013;29:421-8. (IF: 0.667)
26. ^{2,5}Cheng CC, Chang SJ, Chueh YN, Huang TS, Huang PH, Cheng SM, Tsai TN, Chen JW*, Wang HW. Distinct angiogenesis roles and surface markers of early and late endothelial progenitor cells revealed by functional group analyses. *BMC Genomics* 2013 Mar 15;14:182. (IF: 4.397)
27. ^{2,5}Cheng CC, Weerateerangkul P, Lu YY, Chen YC, Lin YK, Chen SA, Chen YJ*. Apelin regulates the electrophysiological characteristics of atrial myocytes. *Eur J Clin Invest* 2013;43:34-40. (IF: 3.365)
28. ^{2,5}Cheng CM, Huang JL*, Wu TJ, Hsieh YC, Wang KY, Chen SA. An overview of current cardiac resynchronization therapy. *Acta Cardiol Sin* 2013;29:496-504. (IF: 0.667)
29. ²Cheng HM, Chuang SY, Sung SH, Yu WC, Pearson A, Lakatta EG, Pang WH, Chen CH. Derivation and validation of diagnostic thresholds for central blood pressure measurements

- based on long-term cardiovascular risks. *J Am Coll Cardiol* 2013; 62:1780-7. (IF=14.086)
30. ²Cheng HM, Sung SH, Shih YT, Chuang SY, Yu WC, Chen CH*. Measurement accuracy of a stand-alone oscillometric central blood pressure monitor: A validation report for Microlife WatchBP Office Central. *Am J Hypertens* 2013;26:42-50. (IF: 3.665)
 31. ²Cheng HM, Tufanaru C, Pearson A, Chen CH. Automated blood pressure measurement in atrial fibrillation: a systematic review and meta-analysis. *J Hypertens* 2013; 31: 214-5. (IF=3.806)
 32. ^{2,5}Cheng YF, Leu HB, Su CC, Huang CC, Chiang CH, Huang PH, Chung CM, Lin SJ, Chen JW, Chan WL*. Association between panic disorder and risk of atrial fibrillation: A nationwide study. *Psychosom Med* 2013;75:30-5. (IF: 4.077)
 33. ²Chiang CE*, Goethals M, O'Neill JO, Naditch-Brule L, Brette S, Gamra H, Zharinov O, Steg PG. Inappropriate use of antiarrhythmic drugs in paroxysmal and persistent atrial fibrillation in a large contemporary international survey: insights from RealiseAF. *Europace* 2013;15:1733-40. (IF: 2.765)
 34. ²Chiang CE, Zhang S, Tse HF, Teo WS, Omar R, Sriratanasathavorn C. Atrial fibrillation management in asia: From the asian expert forum on atrial fibrillation. *Int J Cardiol* 2013;164:21-32. (IF=5.509)
 35. ²Chiang CH, Huang CC, Chan WL, Huang PH, Chen YC, Chen TJ, Lin SJ, Chen JW, Leu HB*. Herpes simplex virus infection and risk of atrial fibrillation: A nationwide study. *Int J Cardiol* 2013;164:201-4. (IF: 5.509)
 36. ²Chiang CH, Huang PH*, Leu HB, Hsu CY, Wang KF, Chen JW, Lin SJ. Decreased circulating endothelial progenitor cell levels in patients with heart failure with preserved ejection fraction. *Cardiology* 2013;126:191-201. (IF: 1.519)
 37. ²Chiang CH, Liu CJ, Chen PJ, Huang CC, Hsu CY, Chen ZY, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Hip fracture and risk of acute myocardial infarction: A nationwide study. *J Bone Miner Res* 2013;28:404-11. (IF: 6.128)
 38. ²Chiang CH, Liu CJ, Chen PJ, Leu HB, Hsu CY, Huang PH, Chen TJ, Lin SJ, Chen JW, Chan WL*. Primary Sjogren's syndrome and the risk of acute myocardial infarction: A nationwide study. *Acta Cardiol Sin* 2013;29:124-31. (IF: 0.667)
 39. ²Chiang CH, Liu CJ, Huang CC, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Systemic sclerosis and risk of ischaemic stroke: a nationwide cohort study. *RHEUMATOLOGY* 2013;52:161-5. (IF: 4.212)
 40. ^{2,5}Chiang KH, Chao TF, Lee WS, Lin YJ, Tuan TC*, Kong CW. How long should prophylactic antibiotics be prescribed for permanent pacemaker implantations? One day versus three days. *Acta Cardiol Sin* 2013;29:341-6. (IF: 0.667)
 41. ^{2,5}Ching LC, Zhao JF, Su KH, Shyue SK, Hsu CP, Lu TM, Lin SJ, Lee TS*. Activation of transient receptor potential vanilloid 1 decreases endothelial nitric oxide synthase phosphorylation at Thr497 by protein phosphatase 2B-dependent dephosphorylation of protein kinase C. *Acta Physiol* 2013;209:124-35. (IF: 4.382)
 42. ²Chiu CC, Huang CC, Chen YC, Chen TJ, Liang Y, Lin SJ, Chen JW, Leu HB, Chan WL*. Increased risk of gastrointestinal malignancy in patients with diabetes mellitus and correlations with anti-diabetes drugs: A nationwide population-based study in Taiwan. *Intern Med* 2013;52:939-46. (IF: 0.973)
 43. ^{2,5}Chou KT*, Leu HB. Deep venous thrombosis attributed to sleep apnea. Reply. *Am J Med* 2013;126:E21. (IF: 4.768)
 44. ^{2,5}Chou YC, Wang YK, Charng MJ, Ueng YF*. Determination of serum atonrastatin

- concentrations in lipid-controlling patients with and without myalgia syndrome. *J Food Drug Anal* 2013;21:147-53. (IF: 0.333)
45. ⁵Chuang SY, Hsu PF, Chang HY, Bai CH, Yeh WT, Pan HW. (2013, May). C-reactive protein predicts systolic blood pressure and pulse pressure but not diastolic blood pressure: The cardiovascular disease risk factors two-township study. *Am J Hypert* 2013;26:657-64. (IF=3.665)
 46. ²Chung FP, Chen SA*. Avoiding steam explosions during catheter ablation: "Stopping before popping". *J Cardiovasc Electrophysiol* 2013;24:1410-11. (IF: 3.475)
 47. ²Chung FP, Li HR, Chong E, Pan CH, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Chao TF, Liao JN, Lin WY, Shaw KP, Chen SA*. Seasonal variation in the frequency of sudden cardiac death and ventricular tachyarrhythmia in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy: The effect of meteorological factors. *Heart Rhythm* 2013;10:1859-66. (IF: 5.045)
 48. ^{1,5}D'Ascenzo F, Corleto A, Biondi-Zoccai G, Anselmino M, Ferraris F, di Biase L, Natale A, Hunter RJ, Schilling RJ, Miyazaki S, Tada H, Aonuma K, Lin YJ, Tao H, Ma C, Packer D, Hammill S, Gaita F. Which are the most reliable predictors of recurrence of atrial fibrillation after transcatheter ablation? A meta-analysis. *Int J Cardiol* 2013;167:1984-9. (IF: 5.509)
 49. ^{2,5}Hanafy DA, Chen YC, Chang SL, Lu YY, Lin YK, Kao YH, Chen SA, Chen YJ*. Different effects of dronedarone and amiodarone on pulmonary vein electrophysiology, mechanical properties and H₂O₂-induced arrhythmogenicity. *Eur J Pharmacol* 2013;702:103-8. (IF: 2.592)
 50. ^{2,5}Hsieh MH, Lin YJ, Wang HH, Lo LW, Chang SL, Yan YL, Chou TY, Chen SA, Yeh HI*. Functional characterization of atrial electrograms in a pacing-induced heart failure model of atrial fibrillation: Importance of regional atrial connexin40 remodeling. *J Cardiovasc Electrophysiol* 2013;24:573-82. (IF: 3.475)
 51. ²Hsu CY, Huang CC, Chan WL, Huang PH, Chiang CH, Chen TJ, Chung CM, Lin SJ, Chen JW*, Leu HB. Angiotensin-receptor blockers and risk of Alzheimer's disease in hypertension population - A nationwide cohort study. *Circ J* 2013;77:405-10. (IF: 3.578)
 52. ²Hsu CY, Huang PH*, Chiang CH, Leu HB, Huang CC, Chen JW, Lin SJ. Increased circulating endothelial apoptotic microparticle to endothelial progenitor cell ratio is associated with subsequent decline in glomerular filtration rate in hypertensive patients. *PLoS One* 2013 Jul 12;8:e68644. (IF: 3.730)
 53. ²Hsu PF, Chuang SY, Cheng HM, Sung SH, Ting CT, Lakatta EG, Yin FCP, Chou P, Chen CH*. Associations of serum uric acid levels with arterial wave reflections and central systolic blood pressure. *Int J Cardiol* 2013;168:2057-63. (IF: 5.509)
 54. ²Hsu PF, Chuang SY, Yu WC, Leu HB, Chan WL, Chen CH*. The impacts of serum uric acid on arterial hemodynamics and cardiovascular Risks. *Acta Cardiol Sin* 2013;29:142-50. (IF: 0.667)
 55. ²Hsu PF, Sung SH, Cheng HM, Yeh JS, Liu WL, Chan WL, Chen CH, Chou P, Chuang SY*. Association of clinical symptomatic hypoglycemia with cardiovascular events and total mortality in type 2 diabetes: A nationwide population-based study. *Diabetes Care* 2013;36:894-900. (IF: 7.735)
 56. ^{2,5}Hsu TW, Kuo KL, Hung SC, Huang PH, Chen JW, Tarng DC*. Progression of kidney disease in non-diabetic patients with coronary artery disease: Predictive role of circulating matrix Metalloproteinase-2,-3, and-9. *PLoS One* 2013 Jul 26;8:e70132. (IF: 3.730)
 57. ²Hu YF, Chen TC, Chau GY, Yang TL, Liu CJ, Chen MH, Chang PMH, Chen TJ, Hsiao M,

- Huang CYF*, Chen SA. Baseline hypertension: New insight into the potential predictors of survival in patients with hepatocellular carcinoma. *Int J Cardiol* 2013;168:2979-81. (IF: 5.509)
58. ²Hu YF, Lee KT, Wang HH, Ueng KC, Yeh HI, Chao TF, Liao JN, Lin YJ, Chang SL, Lo LW, Tuan TC, Li CH, Chung FP, Hsu CP, Chang HH, Huang CH, Chen SA*. The association between heme Oxygenase-1 gene promoter polymorphism and the outcomes of catheter ablation of atrial fibrillation. *PLoS One* 2013; 8:e56440. (IF: 3.730)
 59. ²Hu YF, Liu CJ, Chang PMH, Tsao HM, Lin YJ, Chang SL, Lo LW, Tuan TC, Li CH, Chao TF, Chung FP, Liao JN, Chen TJ, Chen SA*. Incident thromboembolism and heart failure associated with new-onset atrial fibrillation in cancer patients. *Int J Cardiol* 2013;165:355-7. (IF: 5.509)
 60. ²Hu YF, Lu TM, Wu CH, Lin YJ, Chang SL, Lo LW, Tuan TC, Chao TF, Chung FP, Liao JN, Tzeng CH, Chen SA*, Tsao HM. Differences in high on-treatment platelet reactivity between intra-coronary and peripheral blood after dual anti-platelet agents in patients with coronary artery disease. *Thromb Haemost* 2013;110:124-30. (IF: 6.094)
 61. ²Huang CC, Chan WL, Chen YC, Chen TJ, Chung CM, Huang PH, Lin SJ, Chen JW, Leu HB*. Herpes simplex virus infection and erectile dysfunction: A nationwide population-based study. *Andrology* 2013;1:240-4. (IF=2.532)
 62. ²Huang CC, Chan WL, Chen YC, Chen TJ, Chung CM, Huang PH, Lin SJ, Chen JW*, Leu HB. The beneficial effects of statins in patients undergoing hemodialysis. *Int J Cardiol* 2013;168:4155-9. (IF: 5.509)
 63. ²Huang CC, Chen JW*. Contemporary management of coronary artery disease and acute coronary syndrome in patients with chronic kidney disease and end-stage renal disease. *Acta Cardiol Sin* 2013;29:132-41. (IF: 0.667)
 64. ²Huang CC, Chung CM, Leu HB, Lin TH, Hung SI, Wu TC, Huang PH, Lin SJ, Pan WH, Chen JW*. Genetic variation in C-reactive protein in ethnic Chinese population in Taiwan. *Eur J Clin Invest* 2013;43:449-56. (IF: 3.365)
 65. ²Huang CC, Leu HB, Huang PH, Wu TC, Lin SJ, Chen JW*. Baseline serum aldosterone-to-renin ratio is associated with the add-on effect of Thiazide diuretics in non-diabetic essential hypertensives. *Acta Cardiol Sin* 2013;29:37-48. (IF: 0.667)
 66. ^{2,4}Huang KW, Leu HB, Wang YJ, Luo JC*, Lin HC, Lee FY, Chan WL, Lin JK, Chang FY. Patients with nonalcoholic fatty liver disease have higher risk of colorectal adenoma after negative baseline colonoscopy. *Colorectal Dis* 2013;15:830-5. (IF: 2.081)
 67. ^{2,4}Huang KW, Luo JC*, Leu HB, Huang CC, Hou MC, Chen TS, Lu CL, Lin HC, Lee FY, Chang FY. Risk factors for upper gastrointestinal bleeding in coronary artery disease patients receiving both aspirin and clopidogrel. *J Chin Med Assoc* 2013;76:9-14. (IF: 0.752)
 68. ²Huang PH, Chen CY, Lin CP, Wang CH, Tsai HY, Lo WY, Leu HB, Chen JW, Lin SJ, Chu PH. Deletion of FHL2 Gene Impaired Ischemia-Induced Blood Flow Recovery by Modulating Circulating Proangiogenic Cells. *Arterioscler Thromb Vasc Biol* 2013;33:709-17 (IF=6.338)
 69. ²Huang SS, Chan WL, Leu HB, Huang PH, Chen JW, Lin SJ*. Association between CHADS2 score and the preventive effect of statin therapy on new-onset atrial fibrillation in patients with acute myocardial infarction. *PLoS One* 2013 Aug 26;8:e74709. (IF=3.730)
 70. ²Huang SS, Huang PH, Leu HB, Wu TC, Lin SJ, Chen JW*. Association of central pulse pressure with contrast-induced nephropathy and clinical outcomes in patients undergoing coronary intervention. *J Hypertens* 2013;31:2187-94. (IF: 3.806)
 71. ²Huang SS, Leu HB, Lu TM, Wu TC, Chen YH*, Chen JW, Lin SJ, Chan WL. The impacts

- of in-hospital invasive strategy on long-term outcome in elderly patients with non-ST-elevation myocardial infarction. *Acta Cardiol Sin* 2013;29:115-23. (IF: 0.667)
72. ²Huang YC, Chang SL*, Lin YJ, Lo LW, Hu YF, Chao TF, Sheen WL, Chuang HL, Chen ML, Li HC, Lin FL, Liu CH, Chen SA. Clinical significance of novel cloud-based telemetry ECG in detecting arrhythmias, reducing hospitalizations and medical cost. *Int J Cardiol* 2013;168: 4270-2. (IF: 5.509)
 73. ²Huang YC, Lo LW, Lin YJ, Chen SA*. Incessant tachycardia after radiofrequency ablation of accessory pathway. *J Cardiovasc Electrophysiol* 2013;24:1306-7. (IF: 3.475)
 74. ^{2,5}Hung CL, Chao TF, Lai YH, Yen CH, Wang KL, Tsao HM, Lin YJ, Chang SL, Lo LW, Hu YF, Kuo JY, Yeh HI, Chen SA*. The relationship among atrium electromechanical interval, insulin resistance, and metabolic syndrome. *Can J Cardiol* 2013;29:1263-8. (IF: 3.122)
 75. ^{2,5}Hung CL, Hou CJY, Hu GC, Kuo JY, Hsu CY, Tsai CH, Yeh HI*, Bulwer BE, Hsieh YC. Myths and facts about heart failure with preserved ejection fraction: risk factors, longevity, potential pharmacological and exercise interventions. *Int J Gerontol* 2013;7:1-7. (IF: 0.235)
 76. ⁵Jan SL, Lin SJ, Fu YC, Lin MC, Chan SC, Hwang B. Plasma B-type natriuretic peptide study in children with severe enterovirus 71 infection: A pilot study. *Int J Infect Dis* 2013;17:e1166-71. (IF=2.357)
 77. ^{2,5}Kao YH, Chen YC, Chung CC, Lien GS, Chen SA, Kuo CC, Chen YJ*. Heart failure and angiotensin II modulate atrial Pitx2c promoter methylation. *Clin Exp Pharmacol Physiol* 2013;40:379-84. (IF: 2.160)
 78. ^{2,5}Kao YH, Liou JP, Chung CC, Lien GS, Kuo CC, Chen SA, Chen YJ*. Histone deacetylase inhibition improved cardiac functions with direct antifibrotic activity in heart failure. *Int J Cardiol* 2013;168:4178-83. (IF: 5.509)
 79. ^{2,5}Lau CP, Tachapong N, Wang CC, Wang JF, Abe H, Kong CW, Liew R, Shin DG, Padeletti L, Kim YH, Omar R, Jirarojanakorn K, Kim YN, Chen MC, Sriratanasathavorn C, Munawar M, Kam R, Chen JY, Cho YK, Li YG, Wu SL, Bailleul C, Tse HF*. Prospective randomized study to assess the efficacy of site and rate of atrial pacing on long-term progression of atrial fibrillation in sick sinus syndrome: Septal Pacing for Atrial Fibrillation Suppression Evaluation (SAFE) Study. *Circulation* 2013;128:687-93. (IF: 15.202)
 80. ²Lee CW, Chang HH, Yang AH, Yu WC*. A cystic lesion encasing the right coronary artery. *Intern Med* 2013;52:1997-8. (IF: 0.973)
 81. ²Lee CW, Cheng TM, Lin CP, Pan JP*. Plasma haptoglobin concentrations are elevated in patients with coronary artery disease. *PLoS One* 2013 Oct 9;8:e76817. (IF: 3.730)
 82. ²Lee CW, Chung FP, Wang KL, Wu CL, Lu TM. Iceberg in small pulmonary embolism. *Korean Circ J* 2013;43:211-2. (IF=0.37)
 83. ²Lee CW, Lai CH, Lu TM*. Double coronary artery thrombosis presenting as acute extensive anterior ST-segment elevation myocardial infarction. *J Chin Med Assoc* 2013;76:407-10. (IF: 0.752)
 84. ²Lee CW, Sung SH, Chen CK, Chen IM, Cheng HM, Yu WC, Shih CC, Chen CH*. Measures of carotid-femoral pulse wave velocity and augmentation index are not reliable in patients with abdominal aortic aneurysm. *J Hypertens* 2013;31:1853-60. (IF: 3.806)
 85. ^{2,5}Lee CY, Lai ST, Shih CC, Wu TC*. Short-term results of catheter-directed intrathrombus thrombolysis versus anticoagulation in acute proximal deep vein thrombosis. *J Chin Med Assoc* 2013;76:265-70. (IF: 0.752)
 86. ²Lee WS, Charng MJ*. Rotational atherectomy in the era of drug-eluting stents. *J Chin Med Assoc* 2013;76:180-1. (IF: 0.752)

87. ^{2,5}Liao HC, Huang YH, Chen YJ, Kao SM, Lin HY, Huang CK, Liu HC, Hsu TR, Lin SP, Yang CF, Fann CSJ, Chiu PC, Hsieh KS, Fu YC, Ke YY, Lin CY, Tsai FJ, Wang CH, Chao MC, Yu WC, Chiang CC*, Niu DM. Plasma globotriaosylsphingosine (lysoGb3) could be a biomarker for Fabry disease with a Chinese hotspot late-onset mutation (IVS4+919G > A). *Clin Chim Acta* 2013;426:114-20. (IF: 2.850)
88. ²Liao JN, Hu YF, Lin WS, Lin YJ, Chang SL, Lo LW, Duan TC, Chung FP, Li CH, Chao TF, Hartono B, Chen SA*. Gender difference in idiopathic right ventricular outflow tract-ventricular tachycardia. *Acta Cardiol Sin* 2013;29:304-10. (IF: 0.667)
89. ²Liao JN, Hu YF, Wu TJ, Fong AN, Lin WS, Lin YJ, Chang SL, Lo LW, Tuan TC, Chang HY, Li CH, Chao TF, Chung FP, Hanafy DA, Lin WY, Huang JL, Huang CC, Leu HB, Lee PC, Chiang CE, Chen SA*. Permanent pacemaker implantation for late atrioventricular block in patients receiving catheter ablation for atrioventricular nodal reentrant tachycardia. *Am J Cardiol* 2013;111:569-73. (IF: 3.209)
90. ^{2,4}Lin CC*, Chung MY, Yang WC, Lin SJ, Lee PC. Length polymorphisms of heme oxygenase-1 determine the effect of far-infrared therapy on the function of arteriovenous fistula in hemodialysis patients: A novel physiogenomic study. *Nephrol Dial Transplant* 2013;28:1284-93. (IF: 3.371)
91. ^{2,5}Lin CF, Chen JW*. Obesity paradox - The controversial role of body mass index and plasma adiponectin in coronary artery disease and acute coronary syndrome. *Acta Cardiol Sin* 2013;29:381-6. (IF: 0.667)
92. ^{2,5}Lin CP, Lin FY, Huang PH, Chen YL, Chen WC, Chen HY, Huang YC, Liao WL, Huang HC, Liu PL*, Chen YH. Endothelial progenitor cell dysfunction in cardiovascular diseases: Role of reactive oxygen species and inflammation. *Biomed Res Int* 2013;2013:845037. (IF=2.88)
93. ^{1,5}Lin TH, Tsai CD, Pan JP, Hou CJY, Hsia CH, Tsai JP, Lai WT*. Efficacy and tolerability between an olmesartan/amlodipine fixed-dose combination and an amlodipine double dose in mild to moderate hypertension. *Kaohsiung J Med Sci* 2013;29:265-70. (IF: 0.502)
94. ²Lin YJ, Chao TF, Tsao HM, Chang SL, Lo LW, Chiang CE, Hu YF, Hsu PF, Chuang SY, Li CH, Chung FP, Chen YY, Wu TJ, Hsieh MH*, Chen SA. Successful catheter ablation reduces the risk of cardiovascular events in atrial fibrillation patients with CHA(2)DS(2)-VASc risk score of 1 and higher. *Europace* 2013;15:676-84. (IF: 2.765)
95. ²Lin YJ, Lo MT, Lin C, Chang SL, Lo LW, Hu YF, Chao TF, Li CH, Chang YC, Hsieh WH, Chung FP, Tsao HM, Chang HY, Huang NE, Chen SA*. Nonlinear analysis of fibrillatory electrogram similarity to optimize the detection of complex fractionated electrograms during persistent atrial fibrillation. *J Cardiovasc Electrophysiol* 2013;24:280-9. (IF=3.475)
96. ²Lin YJ, Lo MT, Lin C, Chang SL, Lo LW, Hu YF, Hsieh WH, Chang HY, Lin WY, Chung FP, Liao JN, Chen YY, Hanafy D, Huang NE, Chen SA*. Prevalence, characteristics, mapping, and catheter ablation of potential rotors in nonparoxysmal atrial fibrillation. *Circ Arrhythm Electrophysiol* 2013;6:851-8. (IF=5.947)
97. ^{2,5}Lin YK, Chen YC, Chang SL, Lin YJ, Chen JH, Yeh YH, Chen SA, Chen YJ*. Heart failure epicardial fat increases atrial arrhythmogenesis. *Int J Cardiol* 2013;167:1979-83. (IF: 5.509)
98. ^{2,5}Lin YK, Chen YC, Huang JH, Lin YJ, Huang SS, Chen SA, Chen YJ*. Leptin modulates electrophysiological characteristics and isoproterenol-induced arrhythmogenesis in atrial myocytes. *J Biomed Sci* 2013;20:94. (IF=2.458)
99. ^{1,5}Lin YW, Huang CY, Chen YH, Shih CM, Tsao NW, Lin CY, Chang NC, Tsai CS, Tsai HY, Tsai JC, Huang PH, Li CY, Lin FY*. GroEL1, a heat shock protein 60 of *Chlamydia*

- pneumoniae, impairs neovascularization by decreasing endothelial progenitor cell function. *PLoS One* 2013;8:e84731. (IF: 3.730)
100. ²Liu IF, Leu HB. A rebuttal to "a new discussion for effects of annual influenza vaccination on mortality and hospitalization in elderly patients with ischemic heart disease: A nationwide population-based study". *Prev Med* 2013;57:69. (IF=3.496)
 101. ^{2,5}Liu PY, Lin LY, Lin HJ, Hsia CH, Hung YR, Yeh HI, Wu TC, Chen JY, Chien KL*, Chen JW. Pitavastatin and atorvastatin double-blind randomized comparative study among high-risk patients, including those with type 2 diabetes mellitus, in Taiwan (PAPAGO-T Study). *PLoS One* 2013 Oct 1;8:e76298. (IF: 3.73)
 102. ²Lo LW, Chao TF, Chen SA. AF News. *J Cardiovasc Electrophysiol* 2013;24:1066-7. (IF=3.475)
 103. ²Lo LW, Chen SA*. Catheter ablation of atrial fibrillation. *Chin Med J* 2013;126:2753-61. (IF: 0.901)
 104. ²Lo LW, Chiou CW, Lin YJ, Chang SL, Hu YF, Tsao HM, Chao TF, Li CH, Chang HY, Chung FP, Chen SA*. Differences in the atrial electrophysiological properties between vagal and sympathetic types of atrial fibrillation. *J Cardiovasc Electrophysiol* 2013;24:609-16. (IF: 3.475)
 105. ²Lo LW, Lu CL, Lin YJ, Chang SL, Hu YF, Tsao HM, Chao TF, Li CH, Chang HY, Chung FP, Chen SA*. Impairment of gastric myoelectricity after catheter ablation of atrial fibrillation. *Circ J* 2013;77:2014-23. (IF: 3.578)
 106. ²Lo LW, Scherlag BJ, Chang HY, Lin YJ, Chen SA*, Po SS. Paradoxical long-term proarrhythmic effects after ablating the "head station" ganglionated plexi of the vagal innervation to the heart. *Heart Rhythm* 2013;10:751-7. (IF: 5.045)
 107. ^{2,5}Lu YY, Chen YC, Kao YH, Chen SA, Chen YJ*. Extracellular matrix of collagen modulates arrhythmogenic activity of pulmonary veins through p38 MAPK activation. *J Mol Cell Cardiol* 2013; 59C:159-66. (IF=5.148)
 108. ^{2,4}Luo JC*, Leu HB, Hou MC, Huang KW, Lin HC, Lee FY, Chan WL, Lin SJ, Chen JW. Nonpeptic ulcer, nonvariceal gastrointestinal bleeding in hemodialysis patients. *Am J Med* 2013;126:264.e25-32. (IF: 4.768)
 109. ^{2,4}Peng YL, Leu HB, Luo JC*, Huang CC, Hou MC, Lin HC, Lee FY. Diabetes is an independent risk factor for peptic ulcer bleeding: A nationwide population-based cohort study. *J Gastroenterol Hepatol* 2013;28:1295-9. (IF: 3.325)
 110. ⁵Priori SG, Wilde AA, Horie M, Cho Y, Behr ER, Berul C, Blom N, Brugada J, Chiang CE, Huikuri H, Kannankeril P, Krahn A, Leenhardt A, Moss A, Schwartz PJ, Shimizu W, Tomaselli G, Tracy C. Hrs/ehra/aphrs expert consensus statement on the diagnosis and management of patients with inherited primary arrhythmia syndromesexpert consensus statement on inherited primary arrhythmia syndromes: Document endorsed by hrs, ehra, and aphrs in may 2013 and by accf, aha, paces, and aepe in june 2013. *Heart Rhythm* 2013;10:1932-63. (IF=5.045)
 111. ⁵Priori SG, Wilde AA, Horie M, Cho Y, Behr ER, Berul C, Blom N, Brugada J, Chiang CE, Huikuri H, Kannankeril P, Krahn A, Leenhardt A, Moss A, Schwartz PJ, Shimizu W, Tomaselli G, Tracy C, Ackerman M, Belhassen B, Estes NA, 3rd, Fatkin D, Kalman J, Kaufman E, Kirchhof P, Schulze-Bahr E, Wolpert C, Vohra J, Refaat M, Etheridge SP, Campbell RM, Martin ET, Quek SC. Executive summary: Hrs/ehra/aphrs expert consensus statement on the diagnosis and management of patients with inherited primary arrhythmia syndromes. *Europace* 2013;15:1389-406. (IF=2.765)

112. ^{2,5}Shih YT, Cheng HM, Sung SH, Hu WC, Chen CH*. Comparison of two generalized transfer functions for measuring central systolic blood pressure by an oscillometric blood pressure monitor. *J Hum Hypertens* 2013;27:204-10. (IF: 2.818)
113. ²Sung SH, Cheng HM, Wang KL, Yu WC, Chuang SY, Ting CT, Lakatta EG, Yin FCP, Chou P, Chen CH*. White coat hypertension is more risky than prehypertension important role of arterial wave reflections. *Hypertension* 2013;61:1346-53. (IF: 6.873)
114. ²Sung SH, Wu TC, Chen JS, Chen YH, Huang PH, Lin SJ, Shih CC, Chen JW*. Reduced number and impaired function of circulating endothelial progenitor cells in patients with abdominal aortic aneurysm. *Int J Cardiol* 2013;168:1070-7. (IF: 5.509)
115. ^{2,5}Tsai DC, Chen SJ, Huang CC, Chou P, Chung CM, Huang PH, Lin SJ, Chen JW, Chen TJ, Leu HB*, Chan WL. Epidemiology of idiopathic central serous chorioretinopathy in Taiwan, 2001-2006: A Population-based Study. *PLoS One* 2013; 8:e66858. (IF: 3.730)
116. ^{2,5}Tsai DC, Huang CC, Chen SJ, Chou P, Chung CM, Chan WL, Huang PH, Lin SJ, Chen JW, Leu HB*. Increased risk of erectile dysfunction among males with central serous chorioretinopathy - A retrospective cohort study. *Acta Ophthalmol* 2013;91:666-71. (IF: 2.345)
117. ^{2,5}Tsai HY, Huang PH, Lin FY, Chen JS, Lin SJ, Chen JW*. Ginkgo biloba extract reduces high-glucose-induced endothelial reactive oxygen species generation and cell adhesion molecule expression by enhancing HO-1 expression via Akt/eNOS and p38 MAP kinase pathways. *Eur J Pharm Sci* 2013;48:803-11. (IF: 2.987)
118. ^{2,5}Tsai SH, Huang PH*, Peng YJ, Chang WC, Tsai HY, Leu HB, Chen JW, Lin SJ. Zoledronate attenuates angiotensin II-induced abdominal aortic aneurysm through inactivation of Rho/ROCK-dependent JNK and NF- κ B pathway. *Cardiovasc Res* 2013;100:501-10. (IF: 5.940)
119. ^{2,5}Tsai WC, Chen YC, Kao YH, Lu YY, Chen SA, Chen YJ*. Distinctive sodium and calcium regulation associated with sex differences in atrial electrophysiology of rabbits. *Int J Cardiol* 2013;168:4658-66. (IF: 5.509)
120. ^{2,5}Tsai WC, Yang LY, Chen YC, Kao YH, Lin YK, Chen SA, Cheng CF, Chen YJ*. Ablation of the androgen receptor gene modulates atrial electrophysiology and arrhythmogenesis with calcium protein dysregulation. *Endocrinology* 2013;154:2833-42. (IF: 4.717)
121. ⁵Tse HF, Wang YJ, Ahmed Ai-Abdullah M, Pizarro-Borrromeo AB, Chiang CE, Krittayaphong R, Singh B, Vora A, Wang CX, Zubaid M, Clemens A, Lim P, Hu D. Stroke prevention in atrial fibrillation-an asian stroke perspective. *Heart Rhythm* 2013;10:1082-8. (IF=5.045)
122. ^{2,5}Wang CH*, Huang PH, Chen JW, Lin SJ, Lee MF, Yang NI, Cherng WL. Clinical application of endothelial progenitor cell: Are we ready? *Acta Cardiol Sin* 2013;29:479-87. (IF: 0.667)
123. ²Wang KF, Huang PH*, Chiang CH, Hsu CY, Leu HB, Chen JW, Lin SJ. Usefulness of plasma matrix metalloproteinase-9 level in predicting future coronary revascularization in patients after acute myocardial infarction. *Coronary Artery Dis* 2013;24:23-8. (IF: 1.107)
124. ²Wang KL, Chiang CE*. A new animal model to study sudden cardiac death. *J Chin Med Assoc* 2013;76:479-80. (IF: 0.752)
125. ²Wang KL, Chiang CE*. Left atrium phasic volume assessment: Its application in stroke patients. *J Chin Med Assoc* 2013;76:535-6. (IF: 0.752)
126. ²Wang KL, Chiang CE*. Optimal international normalized ratio for atrial fibrillation in Asians and Japanese - Do we really know? -. *Circ J* 2013;77:2242-3. (IF: 3.578)
127. ²Wang KL, Liu CJ, Chao TF, Huang CM, Wu CH, Chen TJ, Chiang CE*. Long-term use of

- angiotensin II receptor blockers and risk of cancer: A population-based cohort analysis. *Int J Cardiol* 2013;167:2162-6. (IF: 5.509)
128. ²Wang KL, Liu CJ, Chiang CE. Reply To Statins, risk of diabetes, and implications on outcomes in the general population'. *J Am Coll Cardiol* 2013;61:989-90. (IF=14.086)
129. ^{2,5}Wang TM, Hsieh SC, Chen JW, Chiang AN*. Docosahexaenoic acid and eicosapentaenoic acid reduce C-reactive protein expression and STAT3 activation in IL-6-treated HepG2 cells. *Mol Cell Biochem* 2013;377:97-106. (IF: 2.329)
130. ²Wu CH, Hu YF, Chou CY, Lin YJ, Chang SL, Lo LW, Tuan TC, Li CH, Chao TF, Chung FP, Liao JN, Chen SA*. Transforming growth factor-beta(1) level and outcome after catheter ablation for nonparoxysmal atrial fibrillation. *Heart Rhythm* 2013;10:10-5. (IF: 5.045)
131. ^{1,5}Wu VC, Young GH, Huang PH, Lo SC, Wang KC, Sun CY, Liang CJ, Huang TM, Chen JH, Chang FC, Chen YL, Kuo YS, Chen JB, Chen JW, Chen YM*, Ko WJ, Wu KD. In acute kidney injury, indoxyl sulfate impairs human endothelial progenitor cells: Modulation by statin. *Angiogenesis* 2013;16:609-24. (IF: 3.972)
132. ²Yang KP, Yu WC, Lu TM*. Acute pericarditis after percutaneous coronary intervention mimicking inferolateral ST-elevation myocardial infarction. *J Invas Cardiol* 2013;25:E27-9. (IF: 1.569)
133. ²Yang TL, Wu TC, Huang CC, Huang PH, Chung CM, Lin SJ, Chen JW, Chan WL, Chiang CH, Leu HB. The association of Tamoxifen use and reduced cardiovascular events among Asian females with breast cancer. *Circ J* 2013; 78:135-40. (IF=3.578)
134. ^{2,5}Yang YY, Lee FY, Hsu HC, Lee WS, Chuang CL, Chang CC, Huo TI, Huang YH, Huang CC, Huang CC. Validation of the behavior and concept based assessment of professionalism competence in postgraduate first-year residents. *J Chin Med Assoc* 2013;76:186-94. (IF=0.752)
135. ^{2,5}Yeh JS, Cheng HM, Hsu PF, Sung SH, Liu WL, Fang HL, Chuang SY*. Hysterectomy in young women associates with higher risk of stroke: A nationwide cohort study. *Int J Cardiol* 2013;168:2616-21. (IF: 5.509)
136. ^{2,5}Yeh JS, Kao YT, Lin FY, Shih CM, Tsao NW, Chan CS, Hsieh MH, Shyu KG, Chen JW, Chang NC, Huang CY*. Combined Framingham Risk Score and Coronary Artery Calcium Score predict subclinical coronary plaque assessed by coronary computed tomography angiogram in asymptomatic Taiwanese population. *Acta Cardiol Sin* 2013;29:429-35. (IF: 0.667)
137. ^{2,5}Yuan MK, Tsai DC, Chang SC, Yuan MC, Chang SJ, Chen HW, Leu HB*. The risk of cataract associated with repeated head and neck CT studies: A nationwide population-based study. *Am J Roentgenol* 2013;201:626-30. (IF: 2.897)
138. ^{2,5}Yuan YT, Chen YH, Chen PL, Tsai HC, Chen IM, Weng ZC, Shih CC, Chang HH*. One-year results of transcatheter aortic valve implantation as an alternative treatment for severe aortic stenosis in high-risk patients. *J Chin Med Assoc* 2013;76:698-702. (IF: 0.752)
139. ^{2,5}Zhao JF, Ching LC, Kou YR, Lin SJ, Wei J, Shyue SK*, Lee TS. Activation of TRPV1 prevents oxLDL-induced lipid accumulation and TNF-alpha-induced inflammation in macrophages: Role of liver X receptor alpha. *Mediat Inflamm* 2013;2013:925171. (IF=3.882)

1：表此篇文章以榮總之名義發表

2：表此篇文章以榮總及陽明之名義發表

3：表此篇文章為國外進修時之著作

4：表此篇文章之第一作者為本部其它科之醫師

5：表此篇文章之第一作者為本院其它部科或他院之醫師

*：表通訊作者

Endocrinology and Metabolism

Refereed Papers Included in Science Citation Index:

1. ²Huang CJ, Lei TH, Chang WL, Tu TY, Shiao AS, Chiu CY, Jap TS*. A Novel mutation in the SLC26A4 gene in a Chinese family with Pendred syndrome. *Int J Pediatr Otorhinolaryngol* 2013;77:1495-9.
2. ²Huang CJ, Wang TH, Lo YH, Hou KT, Won JG, Jap TS, Kuo CS*. Adrenocortical carcinoma initially presenting with hypokalemia and hypertension mimicking hyperaldosteronism: A case report. *BMC Res Notes* 2013 Oct 8;6:405.
3. ^{2,5}Liu PY, Lin LY, Lin HJ, Hsia CH, Hung YR, Yeh HI, Wu TC, Chen JY, Chien KL*, Chen JW*. Pitavastatin and Atorvastatin double-blind randomized comparative study among high-risk patients, including those with Type 2 diabetes mellitus, in Taiwan (PAPAGO-T Study). *PLoS One* 2013 Oct 1;8:e76298.
4. ⁵Lu CH, Wu TJ, Shih KC, Ni E, Reed V, Yu M, Sheu WH, Chuang LM*. Safety and efficacy of twice-daily exenatide in Taiwanese patients with inadequately controlled type 2 diabetes mellitus. *J Formos Med Assoc* 2013;112:144-50.
5. ^{2,4}Ng YY*, Lin HD, Wu SC, Yang CY, Yang WC, Liou HH, Hu FH, Hou CC, Tseng SS, Ku NY, Hsiao NY, Wu WC, Tu HM, Lien TJ, Lee CC, Tsang KK, Cheng CS, Hu J, Lin RP. Impact of thyroid dysfunction on erythropoietin dosage in hemodialysis patients. *Thyroid* 2013; 23: 552-61. (IF: 3.544)
6. ^{2,5}Seow KM, Lin YH, Wang PH, Hwang JL, Ho LT, Juan CC*. Aquaglyceroporin-7 overexpression in women with the polycystic ovary syndrome. *Gynecol Obstet Invest* 2013; 75: 126-31. (IF: 1.103)
7. ^{2,5}Seow KM, Lee JL, Doong ML, Huang SW, Hwang JL, Huang WJ, Chang FY, Ho LT, Juan CC*. Human chorionic gonadotropin regulates gastric emptying in ovariectomized rats. *J Endocrinol* 2013 ; 216(3): 307-314. (IF: 4.058)
8. ¹Shih KC, Hsieh SH, Kwok CF*, Hwu CM, Hsieh PS, Ho LT*. Effect of growth hormone on dawn phenomenon in patients with type 2 diabetes. *Growth Factors* 2013;31:66-73. (IF=2.195)
9. ^{2,5}Sun PC*, Kuo CD, Chi LY, Lin HD, Wei SH, Chen CS. Microcirculatory vasomotor changes are associated with severity of peripheral neuropathy in patients with type 2 diabetes. *Diabetes Vasc Dis Res* 2013 ; 10: 270-6. (IF: 2.594)
10. ^{1,5}Wang JS, Huang CN, Hung YJ, Kwok CF, Sun JH, Pei D, Yang CY, Chen CC, Lin CL, Sheu WH*. Acarbose plus metformin fixed-dose combination outperforms acarbose monotherapy for type 2 diabetes. *Diabetes Res Clin Pr* 2013;102:16-24. (IF=2.741)
11. ^{2,5}Wu Y*, Waite LL, Jackson AU, Sheu WHH, Absher SBD, Absher D, Arnett DK, Boerwinkle E, Bonnycastle LL, Carty CL, Cheng I, Cochran B, Croteau-Chonka DC, Dumitrescu L, Eaton CB, Franceschini N, Guo XQ, Henderson BE, Hindorf LA, Kim E, Kinnunen L, Komulainen P, Lee WJ, Le Marchand L, Lin Y, Lindstrom J, Lingaas-Holmen O, Mitchell SL, Narisu N, Robinson JG, Schumacher F, Stancáková A, Sundvall J, Sung YJ, Swift AJ, Wang WC, Wilkens L, Wilsgaard T, Young AM, Adair LS, Ballantyne CM, Buzkova P, Chakravarti A, Collins FS, Duggan D, Feranil AB, Ho LT, Hung YJ, Hunt SC, Hveem K, Juang MJ, Kesaniemi AY, Kuusisto J, Laakso M, Lakka TA, Lee IT, Leppert MF, Matisse TC, Moilanen L, Njolstad I, Peters U, Quertermous T, Rauramaa R, Rotter JI, Saramies J, Tuomilehto J, Uusitupa M, Wang TD, Boehnke M, Haiman CA, Chen YDI, Kooperberg C, Assimes TL, Crawford DC, Hsiung CA, North KE, Mohlke KL. Trans-Ethnic Fine-Mapping of lipid loci identifies population-specific signals and allelic heterogeneity that increases the trait

variance explained. PLoS Genet 2013 Mar; 9:e1003379. (IF: 8.517)

- 1: 表此篇文章以榮總之名義發表
- 2: 表此篇文章以榮總及陽明之名義發表
- 3: 表此篇文章為國外進修時之著作
- 4: 表此篇文章之第一作者為本部其它科之醫師
- 5: 表此篇文章之第一作者為本院其它部科或他院之醫師
- *: 表通訊作者

Infectious Diseases

Refereed Papers Included in Science Citation Index:

1. ^{2,4}Chao TF, Hung CL, Chen SJ, Wang KL, Chen TJ, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Chen SA*. The association between hyperuricemia, left atrial size and new-onset atrial fibrillation. *Int J Cardiol* 2013; 168: 4027-32. (IF: 5.509)
2. ^{2,4}Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Chen TJ, Chen SA*. CHADS(2) score and risk of new-onset atrial fibrillation: A nationwide cohort study in Taiwan. *Int J Cardiol* 2013 ; 168: 1360-3. (IF: 5.509)
3. ^{2,4}Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Chen TJ, Tsao HM, Chen SA*. The association between the use of non-steroidal anti-inflammatory drugs and atrial fibrillation: A nationwide case-control study. *Int J Cardiol* 2013; 168: 312-6. (IF: 5.509)
4. ^{1,5}Chen CC, Yen MY, Wong WW, Li LH, Huang YL, Chen KW, Li SY*. Tracing subsequent dissemination of a cluster of gonococcal infections caused by an ST1407-related clone harbouring mosaic penA alleles in Taiwan. *J Antimicrob Chemother* 2013; 68: 1567-1. (IF: 5.338)
5. ^{2,5}Chen LY, Kuo SC, Wu HS, Yang SP, Chan YJ, Chen LK, Wang FD*. Associated clinical characteristics of patients with candidemia among different *Candida* species. *J Microbiol Immunol Infect* 2013; 46: 463-8. (IF: 1.631)
6. ²Chen SJ, Liu CJ, Chao TF, Wang KL, Chen TJ, Chou P, Wang FD, Lin SJ*, Chiang CE. Dental scaling and atrial fibrillation: A nationwide cohort study. *Int J Cardiol* 2013; 168: 2300-3. (IF: 5.509)
7. ²Chen SJ, Liu CJ, Chao TF, Wang KL, Wang FD, Chen TJ, Chiang CE*. Dental scaling and risk reduction in infective endocarditis: A nationwide population-based case-control study. *Can J Cardiol* 2013; 29: 429-33. (IF: 3.122)
8. ^{2,5}Chen YY, Chi MM, Chen YC, Chan YJ, Chou SS, Wang FD*. Using a criteria-based reminder to reduce use of indwelling urinary catheters and decrease urinary tract infections. *Am J Crit Care* 2013; 22: 105-14. (IF: 1.413)
9. ^{2,5}Cheng A, Fung CP, Liu CC, Lin YT, Tsai HY, Chang SC, Chou AH, Chang JY, Jiang RH, Hsieh YC, Su IJ, Chong PC, Hsieh SM*. A Phase I, randomized, open-label study to evaluate the safety and immunogenicity of an enterovirus 71 vaccine. *Vaccine* 2013; 31:2471-6. (IF: 3.492)
10. ^{2,5}Chi CY, Chu CC, Liu JP, Lin CH, Ho MW, Lo WJ, Lin PC, Chen HJ, Chou CH, Feng JY, Fung CP, Sher YP, Li CY, Wang JH, Ku CL*. Anti-IFN- γ autoantibodies in adults with disseminated nontuberculous mycobacterial infections are associated with HLA-DRB1*16:02 and HLA-DQB1*05:02 and the reactivation of latent varicella-zoster virus infection. *Blood* 2013;121:1357-66. (IF: 9.06)
11. ^{1,5}Chiu SK, Wu TL, Chuang YC, Lin JC, Fung CP, Lu PL, Wang JT, Wang LS, Siu LK, Yeh KM*. National surveillance study on carbapenem non-susceptible *klebsiella pneumoniae* in taiwan: The emergence and rapid dissemination of kpc-2 carbapenemase. *PLoS One* 2013 Jul;8:e69428. (IF: 3.73)
12. ^{1,5}Chou AH, Liu CC, Chang JY, Jiang RN, Hsieh YC, Tsao A, Wu CL, Huang JL, Fung CP, Hsieh SM, Wang YF, Wang JR, Hu MH, Chiang JR, Su IJ, Chong PCS*. Formalin-inactivated EV71 vaccine candidate induced cross-neutralizing antibody against subgenotypes B1, B4, B5 and C4A in adult volunteers. *PLoS One* 2013 Nov;8:e79783. (IF: 3.73)

13. ^{1,5}Chuang YC, Lee MF, Tan CK, Ko WC, Wang FD, Yu WL*. Can the rmpA gene predict metastatic meningitis among patients with primary *Klebsiella pneumoniae* liver abscess?. *J Infect* 2013; 67: 166-8. (IF: 4.073)
14. ^{2,5}Hsieh MS, Chen CK, Wong WW, Huang CS*. Rapid-growth pneumatocele mimics massive pneumothorax in a HIV-positive patient. *Thorax* 2013; 68: 307-8. (IF: 8.376)
15. ^{2,5}Huang TW, Chen TL, Chen YT, Lauderdale TL, Liao TL, Lee YT, Chen CP, Liu YM, Lin AC, Chang YH, Wu KM, Kirby R, Lai JF, Tan MC, Siu LK, Chang CM, Fung CP, Tsai SF*. Copy number change of the NDM-1 sequence in a multidrug-resistant *Klebsiella pneumoniae* clinical isolate. *PLoS One* 2013 Apr;8:e62774. (IF: 3.73)
16. ^{1,5}Jean SS, Hsueh PR*, Lee WS, Yu KW, Liao CH, Chang FY, Ko WC, Wu JJ, Chen YH, Chen YS, Liu JW, Lu MC, Liu CY, Lam C, Chen RJ. Carbapenem susceptibilities and non-susceptibility concordance to different carbapenems amongst clinically important Gram-negative bacteria isolated from intensive care units in Taiwan: Results from the Surveillance of Multicentre Antimicrobial Resistance in Taiwan (SMART) in 2009. *Int J Antimicrob Agents* 2013; 41: 457-62. (IF: 4.415)
17. ^{2,5}Kuo SC, Chen YT, Li SY, Lee YT, Yang AC, Chen TL*, Liu CJ, Chen TJ, Su IJ, Fung CP. Incidence and outcome of newly-diagnosed tuberculosis in schizophrenics: a 12-year, nationwide, retrospective longitudinal study. *BMC Infect Dis* 2013 Jul 29;13:351. (IF: 3.025)
18. ^{2,5}Kuo SC, Hu YW, Liu CJ, Lee YT, Chen YT, Chen TL*, Chen TJ, Fung CP. Association between tuberculosis infections and non-pulmonary malignancies: A nationwide population-based study. *Br J Cancer* 2013; 109: 229-34. (IF: 5.082)
19. ^{2,5}Kuo SC, Lee YT, Yang SP, Chiang MC, Lin YT, Tseng FC, Chen TL*, Fung CP. Evaluation of the effect of appropriate antimicrobial therapy on mortality associated with *Acinetobacter nosocomialis* bacteraemia. *Clin Microbiol Infect* 2013; 19:634-9. (IF: 4.578)
20. ²Kuo SC†, Yang SP†, Lee TY, Chuang HC, Chen CP, Chang CL, Chen TL*, Lu PL, Hsue PR, Fung CP. Dissemination of imipenem-resistant *Acinetobacter baumannii* with new plasmid-borne blaOXA-72 in Taiwan. *BMC Infectious Diseases* 2013; 13:319. (IF: 3.03). †Cofirst author.
21. ²Lee MH, Chen TL, Lee YT, Huang L, Kuo SC*, Yu KW, Hsueh PR, Dou HY, Su IJ, Fung CP. Dissemination of multidrug-resistant *Acinetobacter baumannii* carrying BlaOxA-23 from hospitals in central Taiwan. *J Microbiol Immunol Infect* 2013;46:419-24. (IF: 1.631)
22. ^{2,5}Lee YT, Kuo SC, Yang SP, Lin YT, Chiang DH, Tseng FC, Chen TL*, Fung CP. Bacteremic nosocomial pneumonia caused by *Acinetobacter baumannii* and *Acinetobacter nosocomialis*: A single or two distinct clinical entities? *Clin Microbiol Infect* 2013;19:640-5. (IF: 4.58)
23. ²Lin YT, Liu CJ, Yeh YC, Chen TJ, Fung CP*. Ampicillin and amoxicillin use and the risk of *Klebsiella pneumoniae* liver abscess in Taiwan. *J Infect Dis* 2013; 208: 211-7. (IF: 5.848)
24. ²Lin YT*, Wang FD, Wu PF, Fung CP. *Klebsiella pneumoniae* liver abscess in diabetic patients: association of glycemic control with the clinical characteristics. *BMC Infect Dis* 2013; 13:56. (IF: 3.025)
25. ^{1,5}Ma L, Siu LK, Lin JC, Wu TL, Fung CP, Wang JT, Lu PL*, Chuang YC. Updated molecular epidemiology of carbapenem-non-susceptible *Escherichia coli* in Taiwan: first identification of KPC-2 or NDM-1-producing E-coli in Taiwan. *BMC Infect Dis* 2013 Dec 20;13:599. (IF: 3.025)
26. ^{1,5}Tsai HY, Chen YH, Liao CH, Lu PL, Huang CH, Lu CT, Chuang YC, Tsao SM, Chen YS,

- Liu YC, Chen WY, Jang TN, Lin HC, Chen CM, Shi ZY, Pan SC, Yang JL, Kung HC, Liu CE, Cheng YJ, Liu JW, Sun W, Wang LS, Ko WC, Yu KW, Chiang PC, Lee MH, Lee CM, Hsu GJ, Hsueh PR*. Trends in the antimicrobial susceptibilities and serotypes of *Streptococcus pneumoniae*: Results from the Tigecycline In Vitro Surveillance in Taiwan (TIST) study, 2006-2010. *Int J Antimicrob Agents* 2013; 42: 312-6. (IF: 4.415)
27. ^{2,5}Tsai YK, Liou CH, Fung CP, Lin JC*, Siu LK. Single or in combination antimicrobial resistance mechanisms of *Klebsiella pneumoniae* contribute to varied susceptibility to different carbapenems. *PLoS One* 2013 Nov 12;8:e79640. (IF: 3.73)
28. ²Tseng CP, Wu HS, Wu TH, Lin YT*, Fung CP. Clinical characteristics and outcome of patients with community-onset *Klebsiella pneumoniae* bacteremia requiring intensive care. *J Microbiol Immunol Infect* 2013; 46:217-23. (IF: 1.631)
29. ^{2,5}Wang JT, Wu HS, Weng CM, Hsu LY, Wang FD*. Prognosis of patients with methicillin-resistant *Staphylococcus aureus* bloodstream infection treated with teicoplanin: A retrospective cohort study investigating effect of teicoplanin minimum inhibitory concentrations. *BMC Infect Dis* 2013 Apr 19;13:182. (IF: 3.025)
30. ²Wu HS, Kuo SC, Chen LY, Chiang MC, Lin YT, Wang FD*, Fung CP. Comparison between patients under hemodialysis with community-onset bacteremia caused by community-associated and healthcare-associated methicillin-resistant *Staphylococcus aureus* strains. *J Microbiol Immunol Infect* 2013; 46:96-103. (IF:1.631)
31. ^{2,5}Wu YS, Lin NC, Chen IM, Chang SC, Wang FD, Huang YC, Wu TH, Loong CC*. Extracorporeal membrane oxygenation as treatment for acute respiratory failure and subsequent pneumothorax caused by *Pneumocystis jirovecii* pneumonia in a kidney transplant recipient. *Transpl Infect Dis* 2013;15: E5-8. (IF: 1.984)
32. ^{1,5}Yang CH, Chan PC, Liao ST, Cheng SH, Wong WW, Huang LM, Hsueh PR, Chiou HY*. Strategy to better select HIV-infected individuals for latent TB treatment in BCG-vaccinated population. *PLoS One* 2013 Aug 27;8:e73069. (IF: 3.73)
33. ²Yang SP, Chen YY, Hsu HS, Wang FD, Chen LY, Fung CP*. A risk factor analysis of healthcare-associated fungal infections in an intensive care unit: A retrospective cohort study. *BMC Infect Dis* 2013 Jan 9;13:10. (IF: 3.025)
34. ^{2,5}Yang YS, Lee YT, Huang TW, Sun JR, Kuo SC, Yang CH, Chen TL*, Lin JC, Fung CP, Chang FY. *Acinetobacter baumannii* nosocomial pneumonia: Is the outcome more favorable in non-ventilated than ventilated patients? *BMC Infect Dis* 2013 Mar 19;13:142. (IF: 3.025)
35. ^{2,5}Yen MY, Lee WS, Hu PH, Kuo BIT, Woung LC, Chiu AWH, Liu WL, Hsueh PR*. Implementation of community influenza centers and vaccination campaign in protecting healthcare workers and control of pandemic (H1N1) 2009 in Taipei City, Taiwan. *J Infect* 2013; 67: 242-4. (IF: 4.073)

1： 表此篇文章以榮總之名義發表

2： 表此篇文章以榮總及陽明之名義發表

3： 表此篇文章為國外進修時之著作

4： 表此篇文章之第一作者為本部其它科之醫師

5： 表此篇文章之第一作者為本院其它部科或他院之醫師

*： 表通訊作者

Nephrology

Refereed Papers Included in Science Citation Index:

1. ^{2,4}Chang CC, Chuang CL, Lee FY*, Wang SS*, Lin HC, Huang HC, Teng TH, Hsu SJ, Hsieh HG, Lee SD. Sorafenib treatment improves hepatopulmonary syndrome in rats with biliary cirrhosis. *Clin Sci (Lond)* 2013;124:457-66. (IF: 4.859)
2. ^{2,4}Chang CC, Chuang CL, Lee WS, Wang SS, Lee FY*, Lin HC, Huang HC, Lee SD. Selective cyclooxygenase-1 inhibition improves collateral vascular reactivity in biliary cirrhotic rats. *J Chin Med Assoc* 2013;76:557-63. (IF: 0.752)
3. ^{2,5}Chang CF, Lin CC. Current concepts of contrast-induced nephropathy: A brief review. *J Chin Med Assoc* 2013;76:673-81. (IF: 0.752)
4. ^{2,5}Chang CF, Lu TM, Yang WC, Lin SJ, Lin CC*, Chung MY. Gene Polymorphisms of Interleukin-10 and Tumor Necrosis Factor-alpha Are Associated with Contrast-Induced Nephropathy. *Am J Nephrol* 2013;37:110-7. (IF: 2.623)
5. ^{2,4}Chang YS, Liu CJ, Wu TH, Chaou CH, Lin KC, Ou SM, Chen TJ, Chen WS, Chou CT, Tsai CY*. Survival analysis in systemic lupus erythematosus patients on maintenance dialysis: A nationwide population-based study in Taiwan. *Rheumatology* 2013;52:166-72. (IF: 4.212)
6. ^{2,5}Chen YH, Hung SC, Tarng DC*. Length Polymorphism in Heme Oxygenase-1 and Cardiovascular Events and Mortality in Hemodialysis Patients. *Clin J Am Soc Nephrol* 2013;8:1756-63. (IF: 5.068)
7. ²Chen YT, Ou SM, Chao PW, Li SY, Chen TJ, Tsai LW, Chen TW. Acute cholecystitis in end-stage renal disease patients: a nation-wide longitudinal study. *Dig Liver Dis* 2013;45:142-6. (IF: 3.162)
8. ²Chen YT*, Yang WC, Chen TW, Lin CC. *Trichosporon mucoides* peritonitis in a continuous ambulatory peritoneal dialysis patient. *Perit Dial Int* 2013;33:341-2. (IF: 2.214)
9. ^{2,5}Chien SC, Li SY, Chen YT, Tsai LW, Chen TJ, Chen TW, Lin YC. Folic acid supplementation in end-stage renal disease patients reduces total mortality rate. *J Nephrol* 2013;26:1097-104. (IF: 2.015)
10. ²Chuang CL, Huang HC, Chang CC, Lee FY*, Wu JC, Lee SD. Chronological changes in renal vascular reactivity in portal hypertensive rats. *Eur J Clin Invest* 2013;43:267-76. (IF:3.365)
11. ^{2,4}Hsu SJ, Wang SS, Hsin IF, Huang HC*, Lee FY, Lee JY, Lin HC, Chuang CL, Lee SD. Effects of simvastatin on the portal-systemic collateral vascular response to endothelin-1 and shunting degree in portal hypertensive rats. *Scand J Gastroenterol* 2013;48:831-8. (IF:2.156)
12. ^{2,5}Hsu TW, Kuo KL, Hung SC, Huang PH, Chen JW, Tarng DC*. Progression of kidney disease in non-diabetic patients with coronary artery disease: Predictive role of circulating matrix metalloproteinase-2,-3, and-9. *PLoS One* 2013;8:e70132. (IF: 3.73)
13. ^{2,5}Huang HL, Yang WY, Pu HF, Tsai TH, Lin CH, Chen NJ, Tarng DC*. Krppel-like factor 5 associates with melamine-cyanurate crystal-induced nephritis in rats. *Nephrol Dial Transplant* 2013;28: 2477-83. (IF: 3.371)
14. ^{2,5}Hung SC, Lin YP, Huang HL, Pu HF, Tarng DC*. Aldosterone and mortality in hemodialysis patients: Role of volume overload. *PLoS One* 2013;8:e57511. (IF: 3.73)
15. ^{2,5}Jian DY, Chao YW, Ting CH, Huang SW, Chang CF, Juan CC*, Chen JY. Losartan ameliorates renal injury, hypertension, and adipocytokine imbalance in 5/6 nephrectomized rats. *Eur J Pharmacol* 2013;709: 85-92. (IF: 2.592)

16. ^{2,5}Kuo SC, Chen YT, Li SY, Lee YT, Yang AC, Chen TL*, Liu CJ, Chen TJ, Su IJ, Fung CP. Incidence and outcome of newly-diagnosed tuberculosis in schizophrenics: a 12-year, nationwide, retrospective longitudinal study. *BMC Infect Dis* 2013; 13:351. (IF: 3.025)
17. ^{2,5}Kuo SC, Hu YW, Liu CJ, Lee YT, Chen YT, Chen TL*, Chen TJ, Fung CP. Association between tuberculosis infections and non-pulmonary malignancies: a nationwide population-based study. *Br J Cancer* 2013;109:229-34. (IF: 5.082)
18. ^{2,5}Lee JY, Huo TI, Wang SS, Huang HC*, Lee FY*, Lin HC, Chuang CL, Lee SD. Diabetes diminishes the portal-systemic collateral vascular response to vasopressin via vasopressin receptor and G α proteins regulations in cirrhotic rats. *PLoS One* 2013 Jul 9;8:e67703. (IF: 3.730)
19. ⁵Lee PH, Vathsala A, Han DJ, Chan TM, Wong HS, Woodcock C*, Kurstjens N; Asia Pacific MyPROMS Study Investigators. Collaborators (15): Sivaraman P, Chu SH, Hsieh HH, Hsu KH, Lee PC, Lee PH, Lian JD, Yang WC, Morad Z, Tan SY, Han DJ, Park KI, Chan TM, Siu YP, Tsang WK. Conversion to enteric-coated mycophenolate sodium from mycophenolate mofetil in stable renal transplant patients: Results of an Asia-Pacific study. *Nephrology (Carlton)* 2013;18:57-62. (IF: 1.688)
20. ²Lee PW, Chien CC, Yang WC, Wang JJ, Lin CC*. Epidemiology and mortality in dialysis patients with and without polycystic kidney disease: a national study in Taiwan. *J Nephrol* 2013;26: 755-62. (IF: 2.015)
21. ^{2,5}Lee WL, Cheng MH, Tarng DC, Yang WC, Lee FK, Wang PH*. The benefits of estrogen or selective estrogen receptor modulator on kidney and its related disease-chronic kidney disease-mineral and bone disorder: Osteoporosis. *J Chin Med Assoc* 2013;76: 365-371. (IF: 0.752)
22. ^{2,5}Liang JF, Chen YT, Fuh JL, Li SY, Liu CJ, Chen TJ, Tang CH, Wang SJ*. Cluster headache is associated with an increased risk of depression: A nationwide population-based cohort study. *Cephalalgia* 2013;33:182-9. (IF: 3.485)
23. ²Lin CC*, Yang WC, Chen MC, Liu WS, Yang CY, Lee PC. Effect of far infrared therapy on arteriovenous fistula maturation: An open-label randomized controlled trial. *Am J Kidney Dis* 2013;62:304-11. (IF: 5.294)
24. ²Lin CC*, Chung MY, Yang WC, Lin SJ, Lee PC. Length polymorphisms of heme oxygenase-1 determine the effect of far-infrared therapy on the function of arteriovenous fistula in hemodialysis patients: A novel physicogenomic study. *Nephrol Dial Transplant* 2013;28:1284-93. (IF: 3.371)
25. ²Lin YP*. Albuminuria in hypertension. *Hypertens Res* 2013;36:762-4. (IF: 2.791)
26. ²Ng YY*, Hung YN, Wu SC, Ko PJ, Hwang SM. Progression in comorbidity before hemodialysis initiation is a valuable predictor of survival in incident patients. *Nephrol Dial Transplant* 2013;28: 1005-12. (IF: 3.371)
27. ²Ng YY*, Lin HD, Wu SC, Yang CY, Yang WC, Liou HH, Hu FH, Hou CC, Tseng SS, Ku NY, Hsiao NY, Wu WC, Tu HM, Lien TJ, Lee CC, Tsang KK, Cheng CS, Hu J, Lin RP. Impact of thyroid dysfunction on erythropoietin dosage in hemodialysis patients. *Thyroid* 2013; 2013;23:552-61. (IF: 3.544)
28. ²Ou SM, Chen YT, Chao PW, Lee YJ, Liu CJ, Yeh CM, Chen TJ, Chen TW, Yang WC, Li SY*. Nonsteroidal anti-inflammatory drug use is associated with cancer risk reduction in chronic dialysis patients. *Kidney Int* 2013;84:198-205. (IF: 7.916)
29. ²Ou SM, Liu CJ, Chang YS, Hu YW, Chao PW, Chen TJ, Tzeng CH, Wang SJ*. Tuberculosis in myasthenia gravis. *Int J Tuberc Lung Dis* 2013;17:79-84. (IF: 2.61)

30. ²Ou SM*, Lee SY, Chen JY, Cheng HW, Wei TH, Yu KW, Lin WM, King KL, Yang WC, Ng YY. First identification of gordonia sputi in a continuous ambulatory peritoneal dialysis patient with peritonitis. *Perit Dial Int* 2013;33:107-8. (IF: 2.214)
31. ²Ou SM, Lee YJ, Hu YW, Liu CJ, Chen TJ, Fuh JL, Wang SJ*. Does Alzheimer's disease protect against cancers? A nationwide population-based study. *Neuroepidemiology* 2013;40:42-9. (IF: 2.37)
32. ^{2,5}Scholbach T*, Wang HK, Yang AH, Loong CC, Wu TH. Correlation of histopathologic and dynamic tissue perfusion measurement findings in transplanted kidneys. *BMC Nephrol* 2013;14:143. (IF: 1.644)
33. ^{2,5}Shen CC, Hu YW, Hu LY, Hung MH, Su TP, Huang MW, Tsai CF, Ou SM, Yen SH, Tzeng CH, Chiou TJ, Chen TJ, Liu CJ*. The risk of cancer in patients with generalized anxiety disorder: A nationwide population-based study. *PLoS One* 2013;8:e57399. (IF: 3.73)
34. ²Shih CJ, Tarng DC, Yang WC, Yang CY*. Parathyroidectomy reduces intradialytic hypotension in hemodialysis patients with secondary hyperparathyroidism. *Kidney Blood Pressure Res* 2013;37:323-31. (IF: 1.596)
35. ^{2,5}Su VYF, Hu YW, Chou KT, Ou SM, Lee YC, Lin EYH, Chen TJ, Tzeng CH, Liu CJ*. Amiodarone and the risk of cancer a nationwide population-based study. *Cancer* 2013;119:1699-705. (IF: 5.201)
36. ²Tsai MJ*, Yang WC, Chen TW, Lin CC. Infective endocarditis giving rise to peritonitis in a patient on peritoneal dialysis. *Perit Dial Int* 2013;33:462-3. (IF: 2.214)
37. ²Tsai MT*, Yeh JT, Yang WC, Wu TH. CAPD-related peritonitis caused by *Morganella morganii*. *Perit Dial Int* 2013;33: 104-5. (IF: 2.214)
38. ^{2,5}Tseng CM, Chen YT, Ou SM, Hsiao YH, Li SY, Wang SJ, Yang AC, Chen TJ, Perng DW*. The effect of cold temperature on increased exacerbation of chronic obstructive pulmonary disease: A nationwide study. *PLoS One* 2013;8:e57066. (IF: 3.73)
39. ^{2,5}Tseng WC, Yang WC, Yang AH, Hsieh SL, Tarng DC*. Expression of TNFRSF6B in kidneys is a novel predictor for progression of chronic kidney disease. *Mod Pathol* 2013;26:984-94. (IF: 5.253)
40. ^{2,4}Wu WC, Chen YT, Hwang CY, Su CW, Li SY, Chen TJ, Liu CJ, Kao WY, Chao Y, Lin HC, Wu JC*. Second primary cancers in patients with hepatocellular carcinoma: A nationwide cohort study in Taiwan. *Liver Int* 2013;33:616-23. (IF: 3.87)
41. ²Yang CY, Chau YP, Lee HT, Kuo HY, Lee OK, Yang AH*. Cannabinoid receptors as therapeutic targets for dialysis-induced peritoneal fibrosis. *Am J Nephrol* 2013;37: 50-8. (IF: 2.623)
42. ²Yang SF, Tseng HS, Huang HC, Hsin IF, Yao YH, Chen JY*. A patient with hemodialysis-related hyperammonemic encephalopathy: a delayed presentation of congenital arterioportal fistulas. *Clin Nephrol* 2013;79: 499-503. (IF: 1.288)
43. ^{2,4}Yang YY, Lee FY*, Hsu HC, Lee WS, Chuang CL, Chang CC, Huo TI, Huang YH, Huang CC, Huang CC. Validation of the behavior and concept based assessment of professionalism competence in postgraduate first-year residents. *J Chin Med Assoc* 2013;76:186-94. (IF:0.752)
44. ^{2,5}Weng SC, Shu KH, Tarng DC, Tang YJ, Cheng CH, Chen CH, Yu TM, Chuang YW, Huang ST, Sheu WHH, Wu MJ*. In-Hospital Mortality Risk Estimation in Patients with Acute Nonvariceal Upper Gastrointestinal Bleeding Undergoing Hemodialysis: A Retrospective Cohort Study. *Ren Fail* 2013;35:243-8. (IF: 0.941)
45. ^{2,5}Weng SC, Tarng DC*. Contrast-induced acute kidney injury in frail older people: What do

we learn from the dilemma? J Chin Med Assoc 2013;76:239-40. (IF: 0.752)

46. ^{2,5}Wu YS, Lin NC, Chen IM, Chang SC, Wang FD, Huang YC, Wu TH, Loong CC*. Extracorporeal membrane oxygenation as treatment for acute respiratory failure and subsequent pneumothorax caused by *Pneumocystis jirovecii* pneumonia in a kidney transplant recipient. *Transpl Infect Dis* 2013;15:E5-8. (IF: 1.984)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Hematology

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chang CC, Hsu WH, Wang CC, Chou CH, Kuo MYP, Lin BR, Chen ST, Tai SK, Kuo ML, Yang MH*. Connective tissue growth factor activates pluripotency genes and mesenchymal-epithelial transition in head and neck cancer cells. *Cancer Res* 2013;73:4147-57. (IF: 8.650)
2. ^{2,5}Chang CC, Yang MH, Lin BR, Chen ST, Pan SH, Hsiao M, Lai TC, Lin SK, Jeng YM, Chu CY, Chen RH, Yang PC, Chin YE, Kuo ML*. CCN2 inhibits lung cancer metastasis through promoting DAPK-dependent anoikis and inducing EGFR degradation. *Cell Death Differ* 2013;20:443-55. (IF: 8.371)
3. ²Chang PMH*, Yeh YC, Chen TC, Wu YC, Lu PJ, Cheng HC, Lu HJ, Chen MH, Chou TY, Huang CYF. High expression of CHRNA1 is associated with reduced survival in early stage lung adenocarcinoma after complete resection. *Ann Surg Oncol* 2013;20:3648-54. (IF: 4.120)
4. ^{2,4}Chang YS, Liu CJ, Chen WS, Lai CC, Wang SH, Chen TJ, Tzeng CH, Tsai CY, Wang SJ*. Increased risk of subarachnoid hemorrhage in patients with systemic lupus erythematosus: A nationwide population-based study. *Arthritis Care Res (Hoboken)* 2013;65:601-6. (IF: 3.731)
5. ^{2,4}Chang YS, Liu CJ, Wu TH, Chaou CH, Lin KC, Ou SM, Chen TJ, Chen WS, Chou CT, Tsai CY*. Survival analysis in systemic lupus erythematosus patients on maintenance dialysis: A nationwide population-based study in Taiwan. *Rheumatology (Oxford)* 2013;52:166-72. (IF: 4.212)
6. ²Chao TC, Chen DR, Chao TY, Chen SC, Yeh DC, Wang HC, Huang WT, Rau KM, Chang KJ, Yang TL, Lee KD, Tai CJ, Tseng LM, Hou MF*. Quality of life assessment in Taiwanese patients with bone metastases from breast cancer receiving zoledronic acid. *Anticancer Res* 2013;33:5543-7. (IF: 1.713)
7. ^{2,4}Chao TF, Chen SA*, Liu CJ. Response to letter regarding article, "Atrial fibrillation and the risk of ischemic stroke--does it still matter in patients with a CHA2DS2-VASc score of 0 or 1?". *Stroke* 2013;44:e39. (IF: 6.158)
8. ^{2,4}Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Chen TJ, Tsao HM, Chen SA*. The association between the use of non-steroidal anti-inflammatory drugs and atrial fibrillation: A nationwide case-control study. *Int J Cardiol* 2013;168:312-6. (IF: 5.509)
9. ^{2,4}Chao TF, Liu CJ, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Wu TJ, Chen TJ, Chen SA*. CHADS(2) score and risk of new-onset atrial fibrillation: A nationwide cohort study in Taiwan. *Int J Cardiol* 2013;168:1360-3. (IF: 5.509)
10. ^{2,5}Chen KF*, Chen HL, Shiau CW, Liu CY, Chu PY, Tai WT, Ichikawa K, Chen PJ, Cheng AL. Sorafenib and its derivative SC-49 sensitize hepatocellular carcinoma cells to CS-1008, a humanized anti-TNFRSF10B (DR5) antibody. *Br J Pharmacol* 2013;168:658-72. (IF: 5.067)
11. ²Chen MH, Jan YH, Chang PMH, Chuang YJ, Yeh YC, Lei HJ, Hsiao M, Huang SF, Huang CYF*, Chau GY. Expression of GOLM1 correlates with prognosis in human hepatocellular carcinoma. *Ann Surg Oncol* 2013;20:S616-24. (IF: 4.120)
12. ²Chen MH, Lin KJ, Yang WLR, Kao YW, Chen TW, Chao SC, Chang PMH, Liu CY, Tzeng CH, Chao Y, Chen MH, Yeh CN*, Huang CYF. Gene expression-based chemical genomics identifies heat-shock protein 90 inhibitors as potential therapeutic drugs in cholangiocarcinoma. *Cancer* 2013;119:293-303. (IF: 5.201)
13. ²Chen MH, Yeh YC, Shyr YM, Jan YH, Chao Y, Li CP, Wang SE, Tzeng CH, Chang PMH,

- Liu CY, Chen MH, Hsiao M, Huang CYF*. Expression of gremlin 1 correlates with increased angiogenesis and progression-free survival in patients with pancreatic neuroendocrine tumors. *J Gastroenterol* 2013;48:101-8. (IF: 3.788)
14. ^{2,5}Chen SJ, Liu CJ, Chao TF, Wang KL, Chen TJ, Chou P, Wang FD, Lin SJ*, Chiang CE. Dental scaling and atrial fibrillation: A nationwide cohort study. *Int J Cardiol* 2013;168:2300-3. (IF: 5.509)
 15. ^{2,5}Chen SJ, Liu CJ, Chao TF, Wang KL, Wang FD, Chen TJ, Chiang CE*. Dental scaling and risk reduction in infective endocarditis: A nationwide population-based case-control study. *Can J Cardiol* 2013;29:429-33. (IF: 3.122)
 16. ^{2,5}Chen YW, Kao SY, Wang SJ, Yang MH*. Histone modification patterns correlate with patient outcome in oral squamous cell carcinoma. *Cancer* 2013;119:4259-67. (IF: 5.201)
 17. ^{2,4}Chiang CH, Liu CJ, Chen PJ, Huang CC, Hsu CY, Chen ZY, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Hip fracture and risk of acute myocardial infarction: A nationwide study. *J Bone Miner Res* 2013;28:404-11. (IF: 6.128)
 18. ^{2,4}Chiang CH, Liu CJ, Chen PJ, Leu HB, Hsu CY, Huang PH, Chen TJ, Lin SJ, Chen JW, Chan WL*. Primary Sjogren's syndrome and the risk of acute myocardial infarction: A nationwide study. *Acta Cardiol Sin* 2013;29:124-31. (IF: 0.667)
 19. ^{2,4}Chiang CH, Liu CJ, Huang CC, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Systemic sclerosis and risk of ischaemic stroke: A nationwide cohort study. *Rheumatology* 2013;52:161-5. (IF: 4.212)
 20. ^{2,5}Chou CH, Yang NK, Liu TY, Tai SK, Hsu DSS, Chen YW, Chen YJ, Chang CC, Tzeng CH, Yang MH*. Chromosome instability modulated by BMI1-AURKA signaling drives progression in head and neck cancer. *Cancer Res* 2013;73:953-66. (IF: 8.650)
 21. ²Chou YS, Gau JP*, Yu YB, Pai JT, Hsiao LT, Liu JH, Hong YC, Liu CY, Yang CF, Chen PM, Chiou TJ, Tzeng CH. Leukocytosis in polycythemia vera and splenomegaly in essential thrombocythemia are independent risk factors for hemorrhage. *Eur J Haematol* 2013;90: 228-36. (IF: 2.548)
 22. ^{2,5}Chu CH, Liu CJ, Fuh JL, Shiao AS, Chen TJ, Wang SJ*. Migraine is a risk factor for sudden sensorineural hearing loss: A nationwide population-based study. *Cephalalgia* 2013;33:80-6. (IF: 3.485)
 23. ^{2,4}Chu CH, Liu CJ, Wang SJ*. Reply to 'Migraine, sudden sensorineural hearing loss and autoimmune ear disease' *Cephalalgia* 2013;33:1208. (IF: 3.485)
 24. ^{2,5}Chu SY, Chen YJ, Liu CJ, Tseng WC, Lin MW, Hwang CY, Chen CC, Lee DD, Chen TJ, Chang YT*, Wang WJ, Liu HN. Increased risk of acute myocardial infarction in systemic sclerosis: A nationwide population-based study. *Am J Med* 2013;126:982-8. (IF: 4.768)
 25. ^{2,5}Hsu CY, Lin SC, Ho HL, Chang-Chien YC, Hsu SP, Yen YS, Chen MH, Guo WY, Ho DM*. Exclusion of histiocytes/endothelial cells and using endothelial cells as internal reference are crucial for interpretation of MGMT immunohisto-chemistry in glioblastoma. *Am J Surg Pathol* 2013;37:264-71. (IF: 4.868)
 26. ^{2,5}Hsueh YS, Lin CL, Chiang NJ, Yen CC, Li CF, Shan YS, Ko CH, Shih NY, Wang LM, Chen TS*, Chen LT. Selecting tyrosine kinase inhibitors for gastrointestinal stromal tumor with secondary KIT activation-loop domain mutations. *PLoS One* 2013 Jun 20;8:e65762. (IF: 3.730)
 27. ^{2,5}Hsueh YS, Yen CC, Shih NY, Chiang NJ, Li CF, Chen LT*. Autophagy is involved in endogenous and NVP-AUY922-induced KIT degradation in gastrointestinal stromal tumors. *Autophagy* 2013;9:220-33. (IF: 12.042)
 28. ^{2,5}Hu LY, Liu CJ, Lu T, Hu TM, Tsai CF, Hu YW, Shen CC, Chang YS, Chen MH, Teng CJ, Chiang HL, Yeh CM, Su VYF, Wang WS, Chen PM, Chen TJ, Su TP*. Delayed onset

- urticaria in depressive patients with bupropion prescription: A nationwide population-based study. *PLoS One* 2013 Nov 14;8:e80064. (IF: 3.730)
29. ^{2,5}Hu LY, Chen PM, Hu YW, Shen CC, Perng CL, Su TP, Yen SH, Tzeng CH, Chiou TJ, Yeh CM, Chen TJ, Wang WS, Liu CJ*. The risk of cancer among patients with sleep disturbance: A nationwide retrospective study in Taiwan. *Ann Epidemiol* 2013;23:757-61. (IF: 2.479)
 30. ^{2,4}Hu LY, Shen CC, Hu YW, Chen MH, Tsai CF, Chiang HL, Yeh CM, Wang WS, Chen PM, Hu TM, Chen TJ, Su TP, Liu CJ*. Hyperthyroidism and risk for bipolar disorders: A nationwide population-based study. *PLoS One* 2013 Aug;8:e73057 (IF: 3.730)
 31. ^{2,4}Hu YF, Chen TC, Chau GY, Yang TL, Liu CJ, Chen MH, Chang PMH, Chen TJ, Hsiao M, Huang CYF*, Chen SA. Baseline hypertension: New insight into the potential predictors of survival in patients with hepatocellular carcinoma. *Int J Cardiol* 2013;168:2979-81. (IF: 5.509)
 32. ^{2,4}Hu YF, Liu CJ, Chang PMH, Tsao HM, Lin YJ, Chang SL, Lo LW, Tuan TC, Li CH, Chao TF, Chung FP, Liao JN, Chen TJ, Chen SA*. Incident thromboembolism and heart failure associated with new-onset atrial fibrillation in cancer patients. *Int J Cardiol* 2013;165:355-7. (IF: 5.509)
 33. ^{2,4}Hu YF, Lu TM, Wu CH, Lin YJ, Chang SL, Lo LW, Tuan TC, Chao TF, Chung FP, Liao JN, Tzeng CH, Chen SA*, Tsao HM. Differences in high on-treatment platelet reactivity between intra-coronary and peripheral blood after dual anti-platelet agents in patients with coronary artery disease. *Thromb Haemost* 2013;110:124-30. (IF: 6.094)
 34. ^{2,5}Huang CJ, Teng HW, Chien CC, Lin JK, Yang SH*. Prognostic significance of c-reactive protein polymorphism and KRAS/BRAF in synchronous liver metastasis from colorectal cancer. *PLoS One* 2013 Jun 3;8:e65117. (IF: 3.730)
 35. ^{2,5}Huang KH, Wang RF, Yang MH, Wu CW, Fang WL*, Li AFY, Chi CW, Kao HL. Advanced gastric cancer patients with lymphoid stroma have better survival than those without. *J Surg Oncol* 2013;107:523-8. (IF: 2.644)
 36. ²Huang YC, Liu CY, Lu HJ, Liu HT, Hung MH, Hong YC, Hsiao LT, Gau JP, Liu JH, Hsu HC, Chiou TJ, Chen PM, Tzeng CH, Yu YB*. Comparison of prognostic models for patients with diffuse large B-cell lymphoma in the rituximab era. *Ann Hematol* 2013;92:1513-20. (IF: 2.866)
 37. ^{2,4}Huang YH*, Hsiao LT, Hong YC, Chiou TJ, Yu YB, Gau JP, Liu CY, Yang MH, Tzeng CH, Lee PC, Lin HC, Lee SD*. Randomized controlled trial of entecavir prophylaxis for rituximab-associated hepatitis B virus reactivation in patients with lymphoma and resolved hepatitis B. *J Clin Oncol* 2013;31:2765-72. (IF: 18.038)
 38. ²Hung MH, Yu YB, Hsiao LT, Hong YC, Liu JH, Gau JP, Chiou TJ, Chen PM, Tzeng CH, Liu CY*. Absolute lymphocyte count predicts response to rituximab-containing salvage treatment for relapsed/refractory B-cell non-Hodgkin's lymphoma with prior rituximab exposure. *J Chin Med Assoc* 2013;76:195-200. (IF: 0.752)
 39. ²Hung YP, Liu CJ, Tsai CF, Hung MH, Tzeng CH, Liu CY*, Chen TJ. Incidence and risk of mood disorders in patients with breast cancers in Taiwan: A nationwide population-based study. *Psycho-Oncol* 2013;22:2227-34. (IF: 3.506)
 40. ²Ko PS, Liu YC, Hong YC*. Acute leukemic appendicitis. *Int J Hematol* 2013;97:161-2. (IF: 1.681)
 41. ^{2,5}Kuo CL, Yu YB, Li WY, Lee YL*. Unusual coexistence of sinonasal myeloid sarcoma and acute fulminant invasive fungal sinusitis: A diagnostic dilemma. *J Laryngol Otol* 2013;127: 415-8. (IF: 0.681)
 42. ^{2,4}Kuo SC, Chen YT, Li SY, Lee YT, Yang AC, Chen TL*, Liu CJ, Chen TJ, Su IJ, Fung CP. Incidence and outcome of newly-diagnosed tuberculosis in schizophrenics: A 12-year,

- nationwide, retrospective longitudinal study. *BMC Infect Dis* 2013 Jul 29;13:351. (IF: 3.025)
43. ^{2,4}Kuo SC, Hu YW, Liu CJ, Lee YT, Chen YT, Chen TL*, Chen TJ, Fung CP. Association between tuberculosis infections and non-pulmonary malignancies: A nationwide population-based study. *Br J Cancer* 2013;109:229-34. (IF: 5.082)
 44. ^{2,5}Kuo YY, Chu PY, Chang SY, Wang YF, Tsai TL, Yang MH, Wang LW, Tai SK*. Treatment selection for tonsillar squamous cell carcinoma. *J Chin Med Assoc* 2013;76:211-7. (IF: 0.752)
 45. ^{2,4}Lee PC, Hu YW, Hung MH, Chen CC, Lin HC, Lee FY, Hung YP, Su VYF, Yen SH, Tzeng CH, Chiou TJ, Liu CJ*. The risk of cancer in patients with benign anal lesions: A nationwide population-based study. *Am J Med* 2013;126:1143.e9-18. (IF: 4.768)
 46. ^{2,5}Lee TL, Wang LW, Chang PMH, Chu PY*. Quality of life for patients with hypopharyngeal cancer after different therapeutic modalities. *Head Neck-J Sci Spec Head Neck* 2013;35:280-5. (IF: 2.833)
 47. ^{2,5}Liang JF, Chen YT, Fuh JL, Li SY, Liu CJ, Chen TJ, Tang CH, Wang SJ*. Cluster headache is associated with an increased risk of depression: A nationwide population-based cohort study. *Cephalalgia* 2013;33:182-9. (IF: 3.485)
 48. ^{2,5}Liang SY*, Wang TJ, Wu SF, Chao TC, Chuang YH, Tsay SL, Tung HH, Lee MD. Gender differences associated with pain characteristics and treatment in Taiwanese oncology outpatients. *Asian Pac J Cancer Prev* 2013;14:4077-82. (IF: 1.271)
 49. ^{2,5}Lin SC, Liu WC, Lin YF, Huang YH, Liu JH, Wu SC*. Heterologous prime-boost immunization regimens using adenovirus vector and virus-like particles induce broadly neutralizing antibodies against H5N1 avian influenza viruses. *Biotechnol J* 2013;8:1315-22. (IF: 3.446)
 50. ^{2,4}Lin YT, Liu CJ, Yeh YC, Chen TJ, Fung CP*. Ampicillin and amoxicillin use and the risk of *Klebsiella pneumoniae* liver abscess in Taiwan. *J Infect Dis* 2013;208:211-7. (IF: 5.848)
 51. ^{2,5}Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Analysis of protein-protein interactions in cross-talk pathways reveals CRKL protein as a novel prognostic marker in hepatocellular carcinoma. *Mol Cell Proteomics* 2013;12:1335-49. (IF: 7.251)
 52. ²Liu CY, Shiao CW, Kuo HY, Huang HP, Chen MH, Tzeng CH, Chen KF*. Cancerous inhibitor of protein phosphatase 2A determines bortezomib-induced apoptosis in leukemia cells. *Haematologica* 2013;98:729-38. (IF: 5.935)
 53. ^{2,5}Liu CY, Yen CC, Su KC, Wu YC*. Gorham's Disease complicated with bilateral chylothorax and successfully treated with Interferon-alpha-2a. *Thorac Cancer* 2013;4:207-11. (IF: 0.650)
 54. ²Liu YC, Gau JP, Yang CF, Liu CY*. Hemophagocytosis as the initial presentation in a patient with myelodysplastic syndrome and coexisting NK/T cell lymphoma involving bone marrow. *Int J Hematol* 2013;98:515-7. (IF: 1.681)
 55. ²Lu HJ, Chen KW, Chen MH, Chu PY, Tai SK, Tzeng CH, Chang PMH, Yang MH*. Serum albumin is an important prognostic factor for carotid blowout syndrome. *Jpn J Clin Oncol* 2013;43:532-9. (IF: 1.898)
 56. ²Lu HJ, Chen KW, Chen MH, Chu PY, Tai SK, Wang LW, Chang PMH, Yang MH*. Predisposing factors, management, and prognostic evaluation of acute carotid blowout syndrome. *J Vasc Surg* 2013;58:1226-35. (IF: 2.879)
 57. ²Lu HJ, Chen PCH, Yen CC, Hsiao FC, Tzeng CH, Ma H, Shiao CY, Chao TC*. Refractory cutaneous angiosarcoma successfully treated with sunitinib. *Br J Dermatol* 2013;169:204-6. (IF: 3.759)
 58. ²Lu HJ, Huang YC, Liu CY, Hung MH, Hu MH, Wu CY, Hong YC, Hsiao LT, Gau JP, Liu JH, Hsu HC, Chiou TJ, Tzeng CH, Yu YB*. Diminishing prognostic role of preexisting

- diabetes mellitus for patients with diffuse large B-cell lymphoma in the rituximab era. *Ann Hematol* 2013;92:1495-501. (IF: 2.866)
59. ^{2,4}Ou SM, Chen YT, Chao PW, Lee YJ, Liu CJ, Yeh CM, Chen TJ, Chen TW, Yang WC, Li SY*. Nonsteroidal anti-inflammatory drug use is associated with cancer risk reduction in chronic dialysis patients. *Kidney Int* 2013;84:198-205. (IF: 7.916)
 60. ^{2,4}Ou SM, Lee YJ, Hu YW, Liu CJ, Chen TJ, Fuh JL, Wang SJ*. Does Alzheimer's disease protect against cancers? A nationwide population-based study. *Neuroepidemiology* 2013;40:42-9. (IF: 2.370)
 61. ^{2,4}Ou SM, Liu CJ, Chang YS, Hu YW, Chao PW, Chen TJ, Tzeng CH, Wang SJ*. Tuberculosis in myasthenia gravis. *Int J Tuberc Lung Dis* 2013;17:79-84. (IF: 2.610)
 62. ^{2,5}Shen CC, Hu YW, Hu LY, Perng CL, Su TP, Teng CJ, Yen SH, Tzeng CH, Chiou TJ, Yeh CM, Chen TJ, Wang WS, Chen PM, Liu CJ*. The risk of cancer among Taiwanese female registered nurses: A nationwide retrospective study. *PLoS One* 2013 Jul 16;8:e68420. (IF: 3.730)
 63. ^{2,5}Shen CC, Hu YW, Hu LY, Hung MH, Su TP, Huang MW, Tsai CF, Ou SM, Yen SH, Tzeng CH, Chiou TJ, Chen TJ, Liu CJ*. The risk of cancer in patients with generalized anxiety disorder: A nationwide population-based study. *PLoS One* 2013;8:e57399. (IF: 3.730)
 64. ^{2,5}Shiao TH, Liu CJ, Luo JC, Su KC, Chen YM, Chen TJ, Chou KT*, Shiao GM, Lee YC. Sleep apnea and risk of peptic ulcer bleeding: A nationwide population-based Study. *Am J Med* 2013;126:249-U106. (IF: 4.768)
 65. ^{2,5}Su VYF*, Chou KT, Liu CJ. Increased mortality in AR patients? Reply. *Allergy* 2013;68:1210. (IF: 5.883)
 66. ^{2,5}Su VYF, Hu YW, Chou KT, Ou SM, Lee YC, Lin EYH, Chen TJ, Tzeng CH, Liu CJ*. Amiodarone and the risk of cancer: A nationwide population-based study. *Cancer* 2013;119:1699-705. (IF: 5.201)
 67. ^{2,5}Su VYF*, Hu YW, Liu CJ. Reply to Amiodarone and the risk of cancer: A nationwide population-based study. *Cancer* 2013;119(19):3578-9. (IF: 5.201)
 68. ^{2,5}Su VYF*, Hu YW, Liu CJ. Reply to Subgroup analysis comment on amiodarone and the risk of cancer. *Cancer* 2013;119:4052. (IF: 5.201)
 69. ^{2,5}Su VYF, Liu CJ, Lan MY, Chen YM, Su KC, Lee YC, Chen TJ, Chou KT*. Allergic rhinitis and risk of erectile dysfunction - A nationwide population-based study. *Allergy* 2013;68:440-5. (IF: 5.883)
 70. ^{2,5}Tai SK*, Li WY, Yang MH, Chu PY, Wang YF. Perineural invasion in t1 oral squamous cell carcinoma indicates the need for aggressive elective neck dissection. *Am J Surg Pathol* 2013;37:1164-72. (IF: 4.868)
 71. ^{2,5}Tai SK*, Li WY, Yang MH, Chu PY, Wang YF, Chang PMH. Perineural invasion as a major determinant for the aggressiveness associated with increased tumor thickness in t1-2 oral tongue and buccal squamous cell carcinoma. *Ann Surg Oncol* 2013;20:3568-74. (IF: 4.120)
 72. ^{2,5}Tai WT, Shiao CW, Chen HL, Liu CY, Lin CS, Cheng AL, Chen PJ, Chen KF*. Mcl-1-dependent activation of Beclin 1 mediates autophagic cell death induced by sorafenib and SC-59 in hepatocellular carcinoma cells. *Cell Death Dis* 2013; 4:e485. (IF: 6.044)
 73. ^{2,5}Tsai CF, Liu CJ, Chen TJ, Chu CJ, Lin HC, Lee FY, Su TP, Lu CL*. Increased incidence of orthopedic fractures in cirrhotic patients: A nationwide population-based study. *J Hepatol* 2013;58:706-14. (IF: 9.858)
 74. ^{2,5}Tsai WH, Lai SL, Li IT, Chien HY, Shih CH, Kou YR, Hsu HC*. Annexin A1 mediates the anti-adhesive effects of the dexamethasone-treated promyelocytic leukemic cells. *J Cell Biochem* 2013;114:551-7. (IF: 3.062)

75. ^{2,5}Tsai WH, Shih CH, Yu YB, Hsu HC*. Plasma levels in sepsis patients of annexin A1, lipoxin A4, macrophage inflammatory protein-3a, and neutrophil gelatinase-associated lipocalin. *J Chin Med Assoc* 2013;76:486-90. (IF: 0.752)
76. ^{2,5}Tseng LM, Hsu NC, Chen SC, Lu YS, Lin CH, Chang DY, Li H, Lin YC, Chang HK, Chao TC, Ouyang F, Hou MF*. Distant metastasis in triple-negative breast cancer. *Neoplasma* 2013;60:290-4. (IF: 1.574)
77. ^{2,4}Wang KL, Liu CJ, Chao TF, Huang CM, Wu CH, Chen TJ, Chiang CE*. Long-term use of angiotensin II receptor blockers and risk of cancer: A population-based cohort analysis. *Int J Cardiol* 2013;167:2162-6. (IF: 5.509)
78. ^{2,4}Wang KL, Liu CJ, Chiang CE*. Reply To ‘Statins, risk of diabetes, and implications on outcomes in the general population’. *J Am Coll Cardiol* 2013;61:989-90. (IF: 14.086)
79. ^{2,4}Wang SH, Chang YS, Liu CJ, Lai CC, Chen WS, Chen TJ, Wang SJ*. Association of systemic lupus erythematosus with a higher risk of cervical but not trochanteric hip fracture: A nationwide population-based study. *Arthritis Care Res* 2013;65:1674-81. (IF: 3.731)
80. ^{2,4}Wu WC, Chen YT, Hwang CY, Su CW, Li SY, Chen TJ, Liu CJ, Kao WY, Chao Y, Lin HC, Wu JC*. Second primary cancers in patients with hepatocellular carcinoma: A nationwide cohort study in Taiwan. *Liver Int* 2013;33:616-23. (IF: 3.870)
81. ^{2,5}Yang WH, Lan HY, Tai SK, Yang MH*. Repression of bone morphogenetic protein 4 by let-7i attenuates mesenchymal migration of head and neck cancer cells. *Biochem Biophys Res Commun* 2013;433:24-30. (IF: 2.406)
82. ^{2,5}Yang WLR, Lee YE, Chen MH, Chao KM*, Huang CYF. In-silico drug screening and potential target identification for hepatocellular carcinoma using Support Vector Machines based on drug screening result. *Gene* 2013;518:201-8. (IF: 2.196)
83. ^{2,5}Yeh CT, Su CL, Huang CYF, Lin JKY, Lee WH, Chang PMH, Kuo YL, Liu YW, Wang LS, Wu CH, Shieh YS, Jan YH, Chuang YJ, Hsiao M, Wu ATH*. A preclinical evaluation of antimycin a as a potential antilung cancer stem cell agent. *Evid-based Complement Altern Med* 2013; 2013:910451. (IF: 1.722)
84. ^{2,5}Yu HC, Chen HJ, Chang YL, Liu CY, Shiau CW, Cheng AL, Chen KF*. Inhibition of CIP2A determines erlotinib-induced apoptosis in hepatocellular carcinoma. *Biochem Pharmacol* 2013;85:356-66. (IF: 4.576)
85. ^{2,5}Yu HC, Hou DR, Liu CY, Lin CS, Shiau CW, Cheng AL, Chen KF*. Cancerous inhibitor of protein phosphatase 2a mediates bortezomib-induced autophagy in hepatocellular carcinoma independent of proteasome. *PLoS One* 2013;8: e55705. (IF: 3.730)
86. ^{2,5}Yu HC, Lin CS, Tai WT, Liu CY, Shiau CW, Chen KF*. Nilotinib induces autophagy in hepatocellular carcinoma through AMPK activation. *J Biol Chem* 2013;288:18249-59. (IF: 4.651)

1： 表此篇文章以榮總之名義發表

2： 表此篇文章以榮總及陽明之名義發表

3： 表此篇文章為國外進修時之著作

4： 表此篇文章之第一作者為本部其它科之醫師

5： 表此篇文章之第一作者為本院其它部科或他院之醫師

*： 表通訊作者

Allergy, Immunology and Rheumatology

Refereed Papers Included in Science Citation Index:

1. ²Chang YS, Liu CJ, Chen WS, Lai CC, Wang SH, Chen TJ, Tzeng CH, Tsai CY, Wang SJ*. Increased risk of subarachnoid hemorrhage in patients with systemic lupus erythematosus: A nationwide population-based study. *Arthritis Care Res (Hoboken)* 2013;65:601-6. (IF: 3.731)
2. ²Chang YS, Liu CJ, Wu TH, Chaou CH, Lin KC, Ou SM, Chen TJ, Chen WS, Chou CT, Tsai CY*. Survival analysis in systemic lupus erythematosus patients on maintenance dialysis: a nationwide population-based study in Taiwan. *Rheumatology (Oxford)* 2013;52:166-72. (IF: 4.212)
3. ^{2,5}Chen CH, Chen HA, Lu CL, Liao HT, Liu CH, Tsai CY, Chou CT*. Association of cigarette smoking with Chinese ankylosing spondylitis patients in Taiwan: A poor disease outcome in systemic inflammation, functional ability, and physical mobility. *Clin Rheumatol* 2013;32: 659-63. (SCI, IF=2.037)
4. ^{2,4}Chen CY*, Tsai CY, Lee PC, Lee SD. Long-term etanercept therapy favors weight gain and ameliorates cachexia in rheumatoid arthritis patients: Roles of gut hormones and leptin. *Curr Pharm Des* 2013;19:1956-64. (IF:3.311)
5. ^{2,5}Chen YJ, Wu HH, Liau WT, Tsai CY, Tsai HW, Chao KC, Sung YJ, Li HY*. A tumor necrosis factor-alpha inhibitor reduces the embryotoxic effects of endometriotic peritoneal fluid. *Fertil Steril* 2013;100:1476-85. (IF: 4.174)
6. ¹Chou CT*. How to translate basic knowledge into clinical application of biologic therapy in Spondyloarthritis. *Clin Dev Immunol* 2013 ;2013:369202. (IF: 3.06)
7. ^{2,5}International Genetics of Ankylosing Spondylitis Consortium (IGAS), Cortes A, Hadler J, Pointon JP, Robinson PC, Karaderi T, Leo P, Cremin K, Pryce K, Harris J, Lee S, Joo KB, Shim SC, Weisman M, Ward M, Zhou X, Garchon HJ, Chiochia G, Nossent J, Lie BA, Førre O, Tuomilehto J, Laiho K, Jiang L, Liu Y, Wu X, Bradbury LA, Elewaut D, Burgos-Vargas R, Stebbings S, Appleton L, Farrah C, Lau J, Kenna TJ, Haroon N, Ferreira MA, Yang J, Mulero J, Fernandez-Sueiro JL, Gonzalez-Gay MA, Lopez-Larrea C, Deloukas P, Donnelly P; Australo-Anglo-American Spondyloarthritis Consortium (TASC); Groupe Française d'Etude Génétique des Spondylarthrites (GFEGS); Nord-Trøndelag Health Study (HUNT); Spondyloarthritis Research Consortium of Canada (SPARCC); Wellcome Trust Case Control Consortium 2 (WTCCC2), Bowness P, Gafney K, Gaston H, Gladman DD, Rahman P, Maksymowych WP, Xu H, Crusius JB, van der Horst-Bruinsma IE, Chou CT, Valle-Oñate R, Romero-Sánchez C, Hansen IM, Pimentel-Santos FM, Inman RD, Videm V, Martin J, Breban M, Reveille JD, Evans DM, Kim TH, Wordsworth BP, Brown MA*. Identification of multiple risk variants for ankylosing spondylitis through high-density genotyping of immune-related loci. *Nat Genet* 2013;45:730-8. (IF: 35.209)
8. ²Lai CC, Chen WS, Chang YS, Wang SH, Huang CJ, Guo WY, Yang WC, Huang DF*. Clinical features and outcomes of posterior reversible encephalopathy syndrome in patients with systemic lupus erythematosus. *Arthritis Care Res (Hoboken)* 2013;65:1766-74. (IF: 3.731)
9. ^{2,4}Ou SM, Liu CJ, Chang YS, Hu YW, Chao PW, Chen TJ, Tzeng CH, Wang SJ*. Tuberculosis in myasthenia gravis. *Int J Tuberc Lung Dis* 2013;17:79-84. (IF: 2.610)
10. ²Wang SH, Chang YS, Liu CJ, Lai CC, Chen WS, Chen TJ, Wang SJ. Association of systemic lupus erythematosus with a higher risk of cervical but not trochanteric hip fracture:

A nationwide population-based study. Arthritis Care Res (Hoboken) 2013;65:1674-81. (IF: 3.731)

- 1: 表此篇文章以榮總之名義發表
- 2: 表此篇文章以榮總及陽明之名義發表
- 3: 表此篇文章為國外進修時之著作
- 4: 表此篇文章之第一作者為本部其它科之醫師
- 5: 表此篇文章之第一作者為本院其它部科或他院之醫師
- *: 表通訊作者

Clinical Toxicology and Occupational Medicine

Refereed Papers Included in Science Citation Index:

1. ^{2,5}Chiu YH, Hou SK, How CK, Li LH, Kao WF, Yang CC, Chou SL, Shaiu YT, Lam C, Chen RJ. Influence of a 100 km ultra-marathon on hepatitis B carrier runners. *Int J Sports Med* 2013;34:841-5. (IF: 2.268)
2. ^{1,5}Hsu RY, Chan SA, Lin SL, Lin TY, Chu WL, Fuh MR*. Direct quantitative analysis of benzodiazepines, metabolites, and analogs in diluted human urine by rapid resolution liquid chromatography-tandem mass spectrometry. *J Food Drug Anal* 2013;21:376-83. (IF: 0.333)
3. ^{2,5}Tsai HL, Chang JW, Yang HW, Chen CW, Yang CC, Yang AH, Liu CS, Chin TW, Wei CF, Lee O. Amelioration of paraquat-induced pulmonary injury by mesenchymal stem cells. *Cell Transplant* 2013; 22:1667-81. (IF: 4.422)
4. ²Wu ML, Deng JF*. Toxic epidermal necrolysis after extensive dermal use of realgar-containing (arsenic sulfide) herbal ointment. *Clin Toxicol (phila)* 2013;51:801-3. (IF: 2.592)
5. ²Wu ML, Deng JF, Chen Y, Chu WL, Hung DZ*, Yang CC*. Late diagnosis of an outbreak of leanness enhancing agent related food poisoning. *Am J Emerg Med* 2013;10:1501-3. (IF: 1.704)
6. ²Wu ML, Deng JF*, Lin KP, Tsai WJ. Lead, mercury and arsenic poisoning due to topical use of traditional Chinese medicines. *Am J Med* 2013;126:451-4. (IF: 4.768)
7. ²Yen PN, Yang CC, Chang WS, Huang JH, Chang TC, Gou GL, Lin IF*. Late effects on the health-related quality of life in a cohort population decades after environmental radiation exposure. *Int J Rad Biol* 2013;89:639-44. (co-first author) (IF: 1.895)

1： 表此篇文章以榮總之名義發表

2： 表此篇文章以榮總及陽明之名義發表

3： 表此篇文章為國外進修時之著作

4： 表此篇文章之第一作者為本部其它科之醫師

5： 表此篇文章之第一作者為本院其它部科或他院之醫師

*： 表通訊作者

Health Care and Services

Refereed Papers Included in Science Citation Index:

1. ²Cheng YF, Leu HB, Su CC, Huang CC, Chiang CH, Huang PH, Chung CM, Lin SJ, Chen JW, Chan WL*. Association between panic disorder and risk of atrial fibrillation: A nationwide study. *Psychosom Med* 2013;75:30-5. (co-first author) (IF: 4.077)
2. ^{2,4}Cheng YL, Wang YJ, Kao WY, Chen PH, Huo TI, Huang YH, Lan KH, Su CW*, Chan WL, Lin HC, Lee FY, Wu JC. Inverse association between hepatitis B virus infection and fatty liver disease: A large-scale study in populations seeking for check-up. *PLoS One* 2013 Aug 22;8:e72049. (IF=3.730)
3. ^{2,4}Chiang CH, Huang CC, Chan WL, Huang PH, Chen YC, Chen TJ, Lin SJ, Chen JW, Leu HB*. Herpes simplex virus infection and risk of atrial fibrillation: A nationwide study. *Int J Cardiol* 2013;164:201-4. (IF: 5.509)
4. ^{2,4}Chiang CH, Huang PH, Leu HB*, Hsu CY, Wang KF, Chen JW, Lin SJ. Decreased circulating endothelial progenitor cell levels in patients with heart failure with preserved ejection fraction. *Cardiology* 2013;126:191-201. (IF: 1.519)
5. ^{2,4}Chiang CH, Liu CJ, Chen PJ, Huang CC, Hsu CY, Chen ZY, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Hip fracture and risk of acute myocardial infarction: A nationwide study. *J Bone Miner Res* 2013;28:404-11. (IF: 6.128)
6. ^{2,4}Chiang CH, Liu CJ, Chen PJ, Leu HB, Hsu CY, Huang PH, Chen TJ, Lin SJ, Chen JW, Chan WL*. Primary Sjogren's syndrome and the risk of acute myocardial infarction: A nationwide study. *Acta Cardiol Sin* 2013;29: 24-31. (IF: 0.667)
7. ^{2,4}Chiang CH, Liu CJ, Huang CC, Chan WL, Huang PH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Systemic sclerosis and risk of ischaemic stroke: A nationwide cohort study. *Rheumatology (Oxford)* 2013;52:161-5. (IF: 4.212)
8. ^{2,4}Chiu CC, Huang CC, Chen YC, Chen TJ, Liang Y, Lin SJ, Chen JW, Leu HB*, Chan WL. Increased risk of gastrointestinal malignancy in patients with diabetes mellitus and correlations with anti-diabetes drugs: A nationwide population-based study in Taiwan. *Intern Med* 2013;52:939-46. (IF: 0.973)
9. ^{2,5}Chou KT, Leu HB*. The reply. *Am J Med* 2013;126:e23 (IF: 4.768)
10. ^{2,5}Chuang SY, Hsu PF, Chang HY, Bai CH, Yeh WT, Pan HW*. C-reactive protein predicts systolic blood pressure and pulse pressure but not diastolic blood pressure: The cardiovascular disease risk factors two-township study. *Am J Hypert* 2013;26:657-64. (IF=3.665)
11. ^{2,4}Hsu CY, Huang CC, Chan WL, Huang PH, Chiang CH, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Angiotensin-receptor blockers and risk of Alzheimer's disease in hypertension population: A nationwide cohort study. *Circ J* 2013;77:405-10. (IF: 3.578)
12. ^{2,4}Hsu CY, Huang PH*, Chiang CH, Leu HB, Huang CC, Chen JW, Lin SJ. Increased circulating endothelial apoptotic microparticle to endothelial progenitor cell ratio is associated with subsequent decline in glomerular filtration rate in hypertensive patients. *PLoS One* 2013 Jul 12;8:e68644. (IF: 3.730)
13. ²Hsu PF, Chuang SY, Yu WC, Leu HB, Chan WL, Chen CH*. The impacts of serum uric acid on arterial hemodynamics and cardiovascular risks. *Acta Cardiol Sin* 2013;29: 142-50. (IF: 0.667)
14. ²Hsu PF, Chuang SY, Cheng HM, Sung SH, Ting CT, Lakatta EG, Yin FC, Chou P, Chen CH*. Associations of serum uric acid levels with arterial wave reflections and central

- systolic blood pressure. *Int J Cardiol* 2013;168:2057-63. (IF: 5.509)
15. ²Hsu PF, Sung SH, Cheng HM, Yeh JS, Liu WL, Chan WL, Chen CH, Chou P, Chuang SY*. Association of clinical symptomatic hypoglycemia with cardiovascular events and total mortality in type 2 diabetes: A nationwide population-based study. *Diabetes Care* 2013;36:894-900. (IF: 7.735)
 16. ^{2,4}Huang CC, Chan WL, Chen YC, Chen TJ, Chung CM, Huang PH, Lin SJ, Chen JW, Leu HB*. The beneficial effects of statins in patients undergoing hemodialysis. *Int J Cardiol* 2013;168:4155-9. (IF: 5.509)
 17. ^{2,4}Huang CC, Chan WL, Chen YC, Chen TJ, Chung CM, Huang PH, Lin SJ, Chen JW, Leu HB*. Herpes simplex virus infection and erectile dysfunction: a nationwide population-based study. *Andrology* 2013;1:240-4. (IF=2.532)
 18. ^{2,4}Huang CC, Chung CM, Leu HB, Lin TH, Hung SI, Wu TC, Huang PH, Lin SJ, Pan WH, Chen JW*. Genetic variation in C-reactive protein in ethnic Chinese population in Taiwan. *Eur J Clin Invest* 2013;43:449-56. (IF: 3.365)
 19. ^{2,4}Huang CC, Leu HB, Huang PH, Wu TC, Lin SJ, Chen JW*. Baseline serum aldosterone-to-renin ratio is associated with the add-on effect of thiazide diuretics in non-diabetic essential hypertensives. *Acta Cardiol Sin* 2013;29:37-48. (IF: 0.667)
 20. ^{2,4}Huang KW, Leu HB, Wang YJ, Luo JC, Lin HC, Lee FY, Chan WL, Lin JK, Chang FY. Patients with non-alcoholic fatty liver disease have higher risk of colorectal adenoma after negative baseline colonoscopy. *Colorectal Dis* 2013;15:830-5. (IF: 2.081)
 21. ^{2,4}Huang KW, Luo JC*, Leu HB, Huang CC, Hou MC, Chen TS, Lu CL, Lin HC, Lee FY, Chang FY. Risk factors for upper gastrointestinal bleeding in coronary artery disease patients receiving both aspirin and clopidogrel. *J Chin Med Assoc* 2013;76:9-14. (IF: 0.752)
 22. ^{2,4}Huang PH, Chen CY, Lin CP, Wang CH, Tsai HY, Lo WY, Leu HB, Chen JW, Lin SJ, Chu PH*. Deletion of FHL2 gene impaired ischemia-induced blood flow recovery by modulating circulating proangiogenic cells. *Arterioscler Thromb Vasc Biol* 2013;33: 709-17. (IF=6.338)
 23. ²Huang SS, Chan WL, Leu HB, Huang PH, Chen JW, Lin SJ*. Association between CHADS2 score and the preventive effect of statin therapy on new-onset atrial fibrillation in patients with acute myocardial infarction. *PLoS One* 2013;8:e74709. (IF=3.730)
 24. ²Huang SS, Huang PH, Leu HB, Wu TC, Lin SJ, Chen JW*. Association of central pulse pressure with contrast-induced nephropathy and clinical outcomes in patients undergoing coronary intervention. *J Hypertens* 2013;31:2187-94. (IF: 3.806)
 25. ²Huang SS, Leu HB, Lu TM, Wu TC, Chen YH*, Chen JW, Lin SJ, Chan WL. The impacts of in-hospital invasive strategy on long-term outcome in elderly patients with non-st-elevation myocardial infarction. *Acta Cardiol Sin* 2013;29:115-23. (IF: 0.667)
 26. ^{2,4}Lee IC, Huang YH*, Su CW, Wang YJ, Huo TI, Lee KC, Lin HC. CXCL9 associated with sustained virological response in chronic hepatitis B patients receiving peginterferon alfa-2a therapy: A pilot study. *PLoS One* 2013;8:e76798. (IF:3.730)
 27. ^{2,4}Liao JN, Hu YF, Wu TJ, Fong AN, Lin WS, Lin YJ, Chang SL, Lo LW, Tuan TC, Chang HY, Li CH, Chao TF, Chung FP, Hanafy DA, Lin WY, Huang JL, Huang CC, Leu HB, Lee PC, Chiang CE, Chen SA*. Permanent pacemaker implantation for late atrioventricular block in patients receiving catheter ablation for atrioventricular nodal reentrant tachycardia. *Am J Cardiol* 2013;111:569-73. (IF: 3.209)
 28. ^{2,4}Lin YJ, Chao TF, Tsao HM, Chang SL, Lo LW, Chiang CE, Hu YF, Hsu PF, Chuang SY, Li CH, Chung FP, Chen YY, Wu TJ, Hsieh MH*, Chen SA. Successful catheter ablation

- reduces the risk of cardiovascular events in atrial fibrillation patients with CHA2DS2-VASc risk score of 1 and higher. *Europace* 2013;15:676-84. (IF: 2.765)
29. ^{2,4}Liu IF, Leu HB*. A rebuttal to "a new discussion for effects of annual influenza vaccination on mortality and hospitalization in elderly patients with ischemic heart disease: A nationwide population-based study". *Prev Med* 2013; Jul;57(1):69. (IF=3.496)
 30. ^{2,4}Luo JC*, Leu HB, Hou MC, Huang KW, Lin HC, Lee FY, Chan WL, Lin SJ, Chen JW. Nonpeptic ulcer, nonvariceal gastrointestinal bleeding in hemodialysis patients. *Am J Med* 2013;126:264.e25-32. (IF: 4.768)
 31. ^{2,4}Luo JC*, Peng YL, Hou MC, Huang KW, Huang HC, Wang YW, Lin HC, Lee FY, Lu CL. The Diminished expression of proangiogenic growth factors and their receptors in gastric ulcers of cirrhotic patients. *PLoS One* 2013;8:e61426. (IF:3.730)
 32. ^{2,4}Peng YL, Leu HB, Luo JC*, Huang CC, Hou MC, Lin HC, Lee FY. Diabetes is an independent risk factor for peptic ulcer bleeding: A nationwide population-based cohort study. *J Gastroenterol Hepatol* 2013; 28:1295-9. (IF:3.325)
 33. ^{2,5}Tsai DC, Chen SJ, Huang CC, Chou P, Chung CM, Huang PH, Lin SJ, Chen JW, Chen TJ, Leu HB*, Chan WL. Epidemiology of idiopathic central serous chorioretinopathy in Taiwan, 2001-2006: A Population-based Study. *PLoS One* 2013; 8:e66858. (IF: 3.730)
 34. ^{2,5}Tsai SH, Huang PH*, Peng YJ, Chang WC, Tsai HY, Leu HB, Chen JW, Lin SJ. ledronate attenuates angiotensin II-induced abdominal aortic aneurysm through inactivation of Rho/ROCK-dependent JNK and NF- κ B pathway. *Cardiovasc Res* 2013; 100:501-10. (IF: 5.940)
 35. ^{2,4}Wang KF, Huang PH*, Chiang CH, Hsu CY, Leu HB, Chen JW, Lin SJ. Usefulness of plasma matrix metalloproteinase-9 level in predicting future coronary revascularization in patients after acute myocardial infarction. *Coron Artery Dis* 2013;24:23-8. (IF: 1.107)
 36. ^{2,4}Yang TL, Wu TC, Huang CC, Huang PH, Chung CM, Lin SJ, Chen JW, Chan WL, Chiang CH, Leu HB*. Association of Tamoxifen use and reduced cardiovascular events among asian females with breast cancer. *Circ J* 2013;78:135-40. (IF=3.578)
 37. ^{2,5}Yeh JS, Cheng HM, Hsu PF, Sung SH, Liu WL, Fang HL, Chuang SY*. Hysterectomy in young women associates with higher risk of stroke: A nationwide cohort study. *Int J Cardiol* 2013;168:2616-21. (IF: 5.509)
 38. ^{2,5}Yuan MK, Tsai DC, Chang SC, Yuan MC, Chang SJ, Chen HW, Leu HB*. The risk of cataract associated with repeated head and neck CT Studies: A nationwide population-based study. *Am J Roentgenol* 2013;201:626-30. (IF: 2.897)

1： 表此篇文章以榮總之名義發表

2： 表此篇文章以榮總及陽明之名義發表

3： 表此篇文章為國外進修時之著作

4： 表此篇文章之第一作者為本部其它科之醫師

5： 表此篇文章之第一作者為本院其它部科或他院之醫師

*： 表通訊作者

Transfusion Medicine

Refereed Papers Included in Science Citation Index:

1. ^{2,4}Chou YS, Gau JP*, Yu YB, Pai JT, Hsiao LT, Liu JH, Hong YC, Liu CY, Yang CF, Chen PM, Chiou TJ, Tzeng CH. Leukocytosis in polycythemia vera and splenomegaly in essential thrombocythemia are independent risk factors for hemorrhage. *Eur J Haematol* 2013;90:228-36. (IF: 2.548)
2. ^{2,5}Hsu CH, Kang YK, Yang TS, Shun CT, Shao YY, Su WC, Sandoval-Tan J, Chiou TJ, Jin K, Hsu C, Cheng AL*. Bevacizumab with Erlotinib as First-line Therapy in Asian Patients with Advanced Hepatocellular Carcinoma: A Multicenter Phase II Study. *Oncology* 2013;85:44-52. (IF: 2.165)
3. ^{2,5}Hu LY, Chen PM, Hu YW, Shen CC, Perng CL, Su TP, Yen SH, Tzeng CH, Chiou TJ, Yeh CM, Chen TJ, Wang WS, Liu CJ*. The risk of cancer among patients with sleep disturbance: A nationwide retrospective study in Taiwan. *Ann Epidemiol* 2013;23: 757-61. (IF: 2.479)
4. ^{2,4}Huang YC, Liu CY, Lu HJ, Liu HT, Hung MH, Hong YC, Hsiao LT, Gau JP, Liu JH, Hsu HC, Chiou TJ, Chen PM, Tzeng CH, Yu YB*. Comparison of prognostic models for patients with diffuse large B-cell lymphoma in the rituximab era. *Ann Hematol* 2013; 92:1513-20. (IF: 2.866)
5. ^{2,4}Huang YH*, Hsiao LT, Hong YC, Chiou TJ, Yu YB, Gau JP, Liu CY, Yang MH, Tzeng CH, Lee PC, Lin HC, Lee SD*. Randomized controlled trial of entecavir prophylaxis for rituximab-associated hepatitis B virus reactivation in patients with lymphoma and resolved hepatitis B. *J Clin Oncol* 2013;31:2765-72. (IF: 18.038)
6. ^{2,4}Hung MH, Yu YB, Hsiao LT, Hong YC, Liu JH, Gau JP, **Chiou TJ**, Chen PM, Tzeng CH, Liu CY*. Absolute lymphocyte count predicts response to rituximab-containing salvage treatment for relapsed/refractory B-cell non-Hodgkin's lymphoma with prior rituximab exposure. *J Chin Med Assoc* 2013;76:195-200. (IF: 0.752)
7. ^{2,4}Lee LH, Caguioa P, Chin NS, Chiou TJ, Lee JW, Miyakawa Y, Tambunan KL, Chong BH. Erratum to: Chronic adult primary immune thrombocytopenia (ITP) in the Asia-Pacific region. *Int J Hematol* 2013;98:729. (IF: 1.681)
8. ^{2,4}Lee PC, Hu YW, Hung MH, Chen CC, Lin HC, Lee FY, Hung YP, Su VYF, Yen SH, Tzeng CH, Chiou TJ, Liu CJ*. The risk of cancer in patients with benign anal lesions: A Nationwide population-based study. *Am J Med* 2013;126:1143.e9-18. (IF: 4.768)
9. ^{2,4}Lu HJ, Huang YC, Liu CY, Hung MH, Hu MH, Wu CY, Hong YC, Hsiao LT, Gau JP, Liu JH, Hsu HC, Chiou TJ, Tzeng CH, Yu YB*. Diminishing prognostic role of preexisting diabetes mellitus for patients with diffuse large B-cell lymphoma in the rituximab era. *Ann Hematol* 2013;92:1495-501. (IF: 2.866)
10. ^{2,4}Shen CC, Hu YW, Hu LY, Hung MH, Su TP, Huang MW, Tsai CF, Ou SM, Yen SH, Tzeng CH, Chiou TJ, Chen TJ, Liu CJ*. The risk of cancer in patients with generalized anxiety disorder: A nationwide population-based study. *PLoS One* 2013;8:e57399. (IF: 3.730)
11. ^{2,4}Shen CC, Hu YW, Hu LY, Perng CL, Su TP, Teng CJ, Yen SH, Tzeng CH, Chiou TJ, Yeh CM, Chen TJ, Wang WS, Chen PM, Liu CJ*. The risk of cancer among Taiwanese female registered nurses: A nationwide retrospective study. *PLoS One* 2013;8:e68420. (IF: 3.730)
12. ^{2,4}Yao CL, Hsu SC, Hwang SM, Lee WC, Chiou TJ*. A stromal-free, serum-free system to expand ex vivo hematopoietic stem cells from mobilized peripheral blood of patients with

hematologic malignancies and healthy donors. *Cytotherapy* 2013;15:1126-35. (IF: 3.055)

- 1: 表此篇文章以榮總之名義發表
- 2: 表此篇文章以榮總及陽明之名義發表
- 3: 表此篇文章為國外進修時之著作
- 4: 表此篇文章之第一作者為本部其它科之醫師
- 5: 表此篇文章之第一作者為本院其它部科或他院之醫師
- *: 表通訊作者

General Medicine

Refereed Papers Included in Science Citation Index:

1. ²Chang CC*, Chuang CL, Lee WS, Wang SS, Lee FY, Lin HC, Huang HC, Lee SD. Selective cyclooxygenase-1 inhibition improves collateral vascular reactivity in biliary cirrhotic rats. *J Chin Med Assoc* 2013;76:557-63. (IF: 0.752)
2. ²Chang CC, Chuang CL, Lee FY*, Wang SS, Lin HC, Huang HC, Teng TH, Hsu SJ, Hsieh HG, Lee SD. Sorafenib treatment improves hepatopulmonary syndrome in rats with biliary cirrhosis. *Clin Sci (Lond)* 2013;124:457-66. (IF: 4.859)
3. ²Chuang CL, Huang HC, Chang CC, Lee FY*, Wu JC*, Lee SD. Chronological changes in renal vascular reactivity in portal hypertensive rats. *Eur J Clin Invest* 2013;43:267-76. (IF: 3.365)
4. ^{2,4}Hsu SJ, Wang SS, Hsin IF, Huang HC, Lee FY, Lee JY, Lin HC, Chuang CL, Lee SD. Effects of simvastatin on the portal-systemic collateral vascular response to endothelin-1 and shunting degree in portal hypertensive rats. *Scand J Gastroenterol* 2013;48:831-8. (IF: 2.156)
5. ^{2,4}Huang YC, Liu CY, Lu HJ, Liu HT, Hung MH, Hong YC, Hsiao LT, Gau JP, Liu JH, Hsu HC, Chiou TJ, Chen PM, Tzeng CH, Yu YB*. Comparison of prognostic models for patients with diffuse large B-cell lymphoma in the rituximab era. *Ann Hematol* 2013;92:1513-20. (IF: 2.866)
6. ^{1,5}Lee JW, Yoon SS, Shen ZX, Ganser A, Hsu HC, El-Ali A, Habr D, Martin N, Porter JB. Hematologic responses in patients with aplastic anemia treated with deferasirox: a post hoc analysis from the EPIC study. *Haematologica* 2013;98:1045-8. (IF: 5.935)
7. ^{2,4}Lee JY, Huo TI, Wang SS, Huang HC*, Lee FY, Lin HC, Chuang CL, Lee SD. Diabetes diminishes the portal-systemic collateral vascular response to vasopressin via vasopressin receptor and Ga proteins regulations in cirrhotic rats. *PLoS One* 2013;8:e67703. (IF:3.730)
8. ^{2,4}Lee KC, Chan CC, Yang YY, Hsieh YC, Huang YH, Lin HC*. Aliskiren attenuates steatohepatitis and increases turnover of hepatic fat in mice fed with a methionine and choline deficient diet. *PLoS One* 2013;8:e77817. (IF: 3.73)
9. ^{2,4}Lee WS, Charng MJ*. Rotational atherectomy in the era of drug-eluting stents. *J Chin Med Assoc* 2013;76:180-1. (IF: 0.752)
10. ^{1,5}Li YH*, Lin GM, Lin CL, Wang JH, Chen YJ, Han CL. Relation of serum uric acid and body mass index to mortality in high-risk patients with established coronary artery disease: A report from the ET-CHD registry, 1997-2006. *J Cardiol* 2013;62:354-60. (IF: 2.298)
11. ^{1,5}Li YH*, Lin GM, Lin CL, Wang JH, Han CL. Relation of estimated glomerular filtration rate and body mass index to mortality in non-dialysis patients with coronary artery disease: A report from the ET-CHD registry, 1997-2003. *J Cardiol* 2013;62:144-50. (IF: 2.298)
12. ^{1,5}Li YH*, Lin GM, Lin CL, Wang JH, Han CL. Relation of body mass index to mortality among patients with percutaneous coronary intervention longer than 5 years follow-up: A meta-analysis. *Int J Cardiol* 2013;168:4315-8. (IF: 5.509)
13. ^{2,5}Lin GM*, Li YH, Han CL. Letter by Lin et al Regarding Article, "Dabigatran and thrombin modulate electrophysiological characteristics of pulmonary vein and left atrium" by Chang et al. *Circ-Arrhythmia Electrophysiol* 2013;6:E22. (IF: 5.947)
14. ^{2,5}Lin GM*, Li YH, Han CL. Associations of inflammatory biomarkers to body mass index among patients with acute coronary syndrome. *Int J Cardiol* 2013;168:3137-8. (IF: 5.509)
15. ^{2,5}Lin GM*, Li YH, Jaiteh LES, Han CL. B-type natriuretic peptide level and postdischarge

- thrombotic events in older patients hospitalized with heart failure: Insights from the acute decompensated heart failure national registry. *Am Heart J* 2013;165:E1. (IF: 4.497)
16. ^{2,5}Lin GM*, Li YH, Jaiteh LES, Han CL. The risk of cardiovascular death associated with macrolide antibiotic use for acute lung injury. *Int J Cardiol* 2013;164:126. (IF: 5.509)
 17. ^{2,5}Lin GM*, Li YH, Jaiteh LES, Han CL. Warfarin may reduce risk of ischemic stroke by preventing atrial fibrillation for patients with heart failure and sinus rhythm. *Int J Cardiol* 2013;164:245-6. (IF: 5.509)
 18. ^{2,5}Lin GM*, Li YH, Jaiteh LES, Han CL. The obesity paradox of mortality in patients with coronary artery disease undergoing percutaneous coronary intervention. *Int J Cardiol* 2013;167:597. (IF: 5.509)
 19. ^{2,5}Lin GM*, Li YH, Lin CL, Wang JH, Han CL. Gender differences in the impact of diabetes on mortality in patients with established coronary artery disease: A report from the Eastern Taiwan integrated health care delivery system of Coronary Heart Disease (ET-CHD) registry, 1997-2006. *J Cardiol* 2013;61:393-8. (IF: 2.298)
 20. ^{2,5}Lin GM*, Li YH, Lin CL, Wang JH, Han CL. Low High-Density Lipoprotein Cholesterol and Low/Normal Body Mass Index Are Associated With Increased Mortality in Coronary Artery Disease Patients in Taiwan. *Circ J* 2013;77:2079-87. (IF: 3.578)
 21. ^{2,5}Lin GM*, Li YH, Lin CL, Wang JH, Han CL. Relation of body mass index to mortality among Asian patients with obstructive coronary artery disease during a 10-year follow-up: A report from the ET-CHD registry. *Int J Cardiol* 2013;168:616-20. (IF: 5.509)
 22. ^{2,5}Lin GM*, Li YH, Lin CL, Wang JH, Han CL. Seasonal variation in cardiac death of patients with angiographic coronary artery disease from the ET-CHD registry, 1997-2006. *Int J Cardiol* 2013;168:3090-2. (IF: 5.509)
 23. ^{2,5}Lin GM*, Li YH, Lin CL, Wang JH, Han CL. Relation of body mass index to mortality among patients with percutaneous coronary intervention in the drug-eluting stent era: A systematic review and meta-analysis. *Int J Cardiol* 2013;168:4459-66. (IF: 5.509)
 24. ^{2,5}Lin GM*, Li YH, Lin CL, Wang JH, Han CL. Relation of body mass index to bleeding events among patients with percutaneous coronary intervention: A meta-analysis. *Int J Cardiol* 2013;168:4831-5. (IF: 5.509)
 25. ^{2,5}Lin GM*, Li YH, Lin CL, Wang JH, Han CL. The "obesity-mortality paradox" phenomenon among Asian patients following percutaneous coronary artery intervention. *J Cardiol* 2013;62:379. (IF: 2.298)
 26. ^{2,5}Lin GM*, Li YH, Zheng NC, Lai CP, Lin CL, Wang JH, Jaiteh LES, Han CL. Serum uric acid as an independent predictor of mortality in high-risk patients with obstructive coronary artery disease: A prospective observational cohort study from the ET-CHD registry, 1997-2003. *J Cardiol* 2013;61:122-7. (IF: 2.298)
 27. ^{2,4}Lu HJ, Huang YC, Liu CY, Hung MH, Hu MH, Wu CY, Hong YC, Hsiao LT, Gau JP, Liu JH, Hsu HC, Chiou TJ, Tzeng CH, Yu YB*. Diminishing prognostic role of preexisting diabetes mellitus for patients with diffuse large B-cell lymphoma in the rituximab era. *Ann Hematol* 2013;92:1495-1501. (IF: 2.866)
 28. ^{2,5}Tsai WH, Shih CH, Yu YB, Hsu HC*. Plasma levels in sepsis patients of annexin A1, lipoxin A4, macrophage inflammatory protein-3a, and neutrophil gelatinase-associated lipocalin. *J Chin Med Assoc* 2013;76:486-90. (IF: 0.752)
 29. ^{2,5}Tsai WH, Lai SL, Li IT, Chien HY, Shih CH, Kou YR, Hsu HC*. Annexin a1 mediates the anti-adhesive effects of the dexamethasone-treated promyelocytic leukemic cells. *J Cell Biochem* 2013;114:551-7. (IF: 3.062)

30. ²Yang YY, Hou MC, Lin MW, Chen PH, Liao WC, Chu CJ, Lin HC*. Combined platelet count with sCD163 and genetic variants optimizes esophageal varices prediction in cirrhotic patients. *J Gastroenterol Hepatol* 2013; 28: 112-21. (IF: 3.325)
31. ²Yang YY, Lee FY*, Hsu HC, Lee WS, Chuang CL, Chang CC, Huo TI, Huang YH, Huang CC, Huang CC. Validation of the behavior and concept-based assessment of professionalism competence in postgraduate first-year (PGY₁) residents. *J Chin Med Assoc* 2013; 76: 186-94.(IF: 0.752)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Critical Care Medicine

Refereed Papers Included in Science Citation Index:

1. ²Chou CY, Chen TJ, Chiang SC, Chen YC, Cheng MH, Yang YC, Wu CH, Ho CC, Huang YJ, Chou YC. Disparity of physician specialties in the management of chronic heart failure: Trend analysis in Taiwan, 2000-2010. *Int J Clin Pharmacol Ther* 2013;51:678-87. (IF: 1.2)
2. ²Chou CY, Hsu CC, Chiang SC, Ho CC, Chou CL, Wu MS, Chang YL, Tsai HY, Chen TJ, Chou YC*. Association between physician specialty and risk of prescribing inappropriate pill splitting. *PLoS One* 2013;8:e70113. (IF: 3.73)
3. ^{2,4}Hu YF, Lu TM, Wu CH, Lin YJ, Chang SL, Lo LW, Tuan TC, Chao TF, Chung FP, Liao JN, Tzeng CH, Chen SA*, Tsao HM*. Differences in high on-treatment platelet reactivity between intra-coronary and peripheral blood after dual anti-platelet agents in patients with coronary artery disease. *Thromb Haemost* 2013;110:124-30. (IF: 6.094)
4. ^{2,5}Lee YT, Kuo SC, Yang SP, Lin YT, Chiang DH, Tseng FC, Chen TL*, Fung CP. Bacteremic nosocomial pneumonia caused by *Acinetobacter baumannii* and *Acinetobacter nosocomialis*: A single or two distinct clinical entities? *Clin Microbiol Infect* 2013;19:640-5. (IF: 4.578)
5. ^{2,4}Wang KL, Liu CJ, Chao TF, Huang CM, Wu CH, Chen TJ, Chiang CE*. Long-term use of angiotensin II receptor blockers and risk of cancer: A population-based cohort analysis. *Int J Cardiol* 2013;167:2162-6. (IF: 5.509)
6. ²Wu CH, Hu YF, Chou CY*, Lin YJ, Chang SL, Lo LW, Tuan TC, Li CH, Chao TF, Chung FP, Liao JN, Chen SA*. Transforming growth factor- β 1 level and outcome after catheter ablation for nonparoxysmal atrial fibrillation. *Heart Rhythm* 2013;10:10-5. (IF: 5.045)
7. ²Wu YS, Lin NC, Chen IM, Chang SC, Wang FD, Huang YC, Wu TH, Loong CC. Extracorporeal membrane oxygenation as treatment for acute respiratory failure and subsequent pneumothorax caused by *Pneumocystis jirovecii* pneumonia in a kidney transplant recipient. *Transpl Infect Dis* 2013;15:E5-8. (IF: 1.984)

1: 表此篇文章以榮總之名義發表

2: 表此篇文章以榮總及陽明之名義發表

3: 表此篇文章為國外進修時之著作

4: 表此篇文章之第一作者為本部其它科之醫師

5: 表此篇文章之第一作者為本院其它部科或他院之醫師

*: 表通訊作者

Endoscopy Center for Diagnosis and Treatment

Refereed Papers Included in Science Citation Index:

1. ^{2,4}Chang CJ, Hou MC*, Liao WC, Chen PH, Lin HC, Lee FY, Lee SD. Management of acute gastric varices bleeding. *J Chin Med Assoc* 2013;76:539-46. (IF:0.752)
2. ²Chen PH, Kao WY, Chiou YY*, Hung HH, Su CW, Chou YH, Huo TI, Huang YH, Wu WC, Chao Y, Lin HC, Wu JC. Comparison of prognosis by viral etiology in patients with hepatocellular carcinoma after radiofrequency ablation. *Ann Hepatol* 2013;12:263-73. (IF:1.671)
3. ²Cheng YL, Lan KH, Lee WP, Tseng SH, Hung LR, Lin HC, Lee FY, Lee SD, Lan KH*. Amiodarone inhibits the entry and assembly steps of hepatitis C virus life cycle. *Clin Sci (Lond)* 2013;125:439-48. (IF:4.859)
4. ²Cheng YL, Wang YJ, Kao WY, Chen PH, Huo TI, Huang YH, Lan KH, Su CW*, Chan WL, Lin HC, Lee FY, Wu JC. Inverse association between hepatitis B virus infection and fatty liver disease: A large-scale study in populations seeking for check-up. *PLoS One* 2013;8:e72049. (IF:3.730)
5. ^{2,4}Hsu SJ, Wang SS, Hsin IF, Huang HC*, Lee FY, Lee JY, Lin HC, Chuang CL, Lee SD. Effects of simvastatin on the portal-systemic collateral vascular response to endothelin-1 and shunting degree in portal hypertensive rats. *Scand J Gastroenterol* 2013;48:831-8. (IF:2.156)
6. ^{2,4}Huang KW, Luo JC*, Leu HB, Huang CC, Hou MC, Chen TS, Lu CL, Lin HC, Lee FY, Chang FY. Risk factors for upper gastrointestinal bleeding in coronary artery disease patients receiving both aspirin and clopidogrel. *J Chin Med Assoc* 2013;76:9-14. (IF:0.752)
7. ^{2,4}Kao WY, Hwang CY, Su CW, Chang YT, Luo JC*, Hou MC, Lin HC, Lee FY, Wu JC. Risk of hepato-biliary cancer after cholecystectomy: A nationwide cohort study. *J Gastrointest Surg* 2013;17:345-51. (IF:2.361)
8. ^{2,4}Lee IC, Lin CH, Huang YH*, Huo TI, Su CW, Hou MC, Huang HC, Lee KC, Chan CC, Lin MW, Lin HC, Lee SD. IL28B polymorphism correlates with active hepatitis in patients with HBeAg-negative chronic hepatitis B. *PLoS One* 2013;8:e58071. (IF:3.730)
9. ^{2,4}Lin CC, Hu HY, Luo JC*, Peng YL, Hou MC, Lin HC, Lee FY. Risk factors of gastrointestinal bleeding in clopidogrel users: A nationwide population-based study. *Aliment Pharmacol Ther* 2013;38:1119-28. (IF:4.548)
10. ^{2,4}Luo JC*, Leu HB, Hou MC, Huang KW, Lin HC, Lee FY, Chan WL, Lin SJ, Chen JW. Nonpeptic ulcer, nonvariceal gastrointestinal bleeding in hemodialysis patients. *Am J Med* 2013;126:264.e25-32. (IF:4.768)
11. ^{2,4}Luo JC*, Peng YL, Hou MC, Huang KW, Huang HC, Wang YW, Lin HC, Lee FY, Lu CL. The diminished expression of proangiogenic growth factors and their receptors in gastric ulcers of cirrhotic patients. *PLoS One* 2013;8:e61426. (IF:3.730)
12. ^{2,4}Peng YL, Leu HB, Luo JC*, Huang CC, Hou MC, Lin HC, Lee FY. Diabetes is an independent risk factor for peptic ulcer bleeding: A nationwide population-based cohort study. *J Gastroenterol Hepatol* 2013;28:1295-9. (IF:3.325)
13. ²Wang YP, Kuo YR, Lu CL*. A rare cause of gastrointestinal bleeding. *Gastroenterology* 2013;145:62, 261. (IF:12.821)
14. ²Wang YP, Lu CL*. Dysphagia in a young woman. *Lancet* 2013;382:426. (IF:39.060)
15. ^{2,4}Yang YY*, Hou MC, Lin MW, Chen PH, Liao WC, Chu CJ, Lin HC. Combined platelet count with sCD163 and genetic variants optimizes esophageal varices prediction in cirrhotic patients. *J Gastroenterol Hepatol* 2013;28:112-21. (IF:3.325)

- 1: 表此篇文章以榮總之名義發表
- 2: 表此篇文章以榮總及陽明之名義發表
- 3: 表此篇文章為國外進修時之著作
- 4: 表此篇文章之第一作者為本部其它科之醫師
- 5: 表此篇文章之第一作者為本院其它部科或他院之醫師
- *: 表通訊作者