

Publications of Department of Medicine in 2016

A. Refereed Papers Included in Science Citation Index:

- 1: 表此篇文章以榮總之名義發表。
 2: 表此篇文章以榮總及陽明之名義發表。
 3: 表此篇文章為國外進修時之著作。
 4: 表此篇文章之第一作者為本部其它科之醫師。
 5: 表此篇文章之第一作者為本院其它部科或他院之醫師。
 *: 為通訊作者
 #: Equal contribution

Gastroenterology

1. ^{2,4}Chang CC, Kuo WS, Chen YC, Perng CL, Lin HJ, Ou YH*. Fragmentation of CagA Reduces Hummingbird Phenotype Induction by *Helicobacter pylori*. *PLoS One* 2016;11:e0150061. (IF:3.057)
2. ²Chang CH, Huang YS*, Perng CL, Lin HC. N-Acetyltransferase 2 (NAT2) genetic variation and the susceptibility to noncardiac gastric adenocarcinoma in Taiwan. *J Chin Med Assoc* 2016;79:105-10. (IF:1.013)
3. ^{2,5}Chen DS, Liaw YF, Chen CJ, Wu JC, Chuang WL, Peng CY, Chien RN*. Differences in hepatitis viral etiology of hepatocellular carcinoma in Taiwan and China. *Hepatology* 2016;64:1008-9. (IF:11.711)
4. ²Chen HJ, Huang N, Chen LS, Chou YJ, Li CP, Wu CY, Chang YC*. Does Pay-For-Performance Program increase providers adherence to guidelines for managing hepatitis B and hepatitis C virus infection in Taiwan? *PLoS One* 2016;11:e0161002. (IF:3.057)
5. ^{2,5}Chen MH, Lin J, Hsiao CF, Shan YS, Chen YC, Chen LT, Liu TW, Li CP*, Chao Y. A phase II study of sequential capecitabine plus oxaliplatin followed by docetaxel plus capecitabine in patients with unresectable gastric adenocarcinoma: The TCOG 3211 Clinical Trial. *Medicine (Baltimore)* 2016;95:e2565. (IF:2.133)
6. ²Chen YC, Inui A, Chang ES, Chen SC, Lee WJ, Chen CY*. Comparison of gut hormones and adipokines stimulated by glucagon test among patients with type II diabetes mellitus after metabolic surgery. *Neuropeptides* 2016;55:39-45. (IF:2.726)
7. ^{2,5}Chuang WL, Chien RN, Peng CY, Chang TT, Lo GH, Sheen IS, Wang HY, Chen JJ, Yang JC, Knox SJ, Gao B, Garrison KL, Mo H, Pang PS, Hsu YC, Hu TH, Chu CJ, Kao JH*. Ledipasvir/sofosbuvir fixed-dose combination tablet in Taiwanese patients with chronic genotype 1 hepatitis C virus. *J Gastroenterol Hepatol* 2016;31:1323-9. (IF:3.322)
8. ^{2,4}Fan WC, Liu CW, Ou SM, Huang CC, Li TH, Lee KC, Huang SF, Yang YY*, Hsieh YC, Hsieh SL, Hou MC, Lin HC*. TLR4/CD14 variants-related serologic and immunologic dys-regulations predict severe sepsis in febrile de-compensated cirrhotic patients. *PLoS One* 2016;11:e0166458. (IF:3.057)
9. ²Farinati F, Vitale A*, Spolverato G, Pawlik TM, Huo TI, Lee YH, Frigo AC, Giacomini A, Giannini EG, Ciccarese F, Piscaglia F, Rapaccini GL, Di Marco M, Caturelli E, Zoli M, Borzio F, Cabibbo G, Felder M, Sacco R, Morisco F, Biasini E, Foschi FG, Gasbarrini A, Svegliati Baroni G, Virdone R, Masotto A, Trevisani F, Cillo U; ITA.LI.CA study group. development and validation of a new prognostic system for patients with hepatocellular carcinoma. *PLoS Med* 2016;13:e1002006. (IF:13.585)
10. ²Ho HL, Hsu SJ, Lee FY, Huang HC*, Hsin IF, Hou MC, Lee SD. Role of cyclooxygenase

- isoforms in encephalopathy of cirrhotic rats. *J Chin Med Assoc* 2016;79:583-8. (IF:1.013)
11. ^{2,4}Hsiao LT, Wang HY, Yang CF, Chiou TJ, Gau JP, Yu YB, Liu HL, Chang WC, Chen PM, Tzeng CH, Chan YJ, Yang MH, Liu JH, Huang YH*. Human Cytokine Genetic Variants Associated With HBsAg Reverse Seroconversion in Rituximab-Treated Non-Hodgkin Lymphoma Patients. *Medicine (Baltimore)* 2016;95:e3064. (IF:2.133)
 12. ²Hsieh WY, Chen PH, Hou MC*. A duodenal tumor that causes partial obstruction. *Gastroenterology* 2016;150:e9-e10. (IF:18.187)
 13. ²Hsin IF, Lee JY, Huo TI, Lee FY*, Huang HC*, Hsu SJ, Wang SS, Ho HL, Lin HC, Lee SD. 2'-Hydroxyflavanone ameliorates mesenteric angiogenesis and portal-systemic collaterals in rats with liver fibrosis. *J Gastroenterol Hepatol* 2016;31:1045-51. (IF:3.322)
 14. ³Hsin IF, Montano E, Seki E*. Finding a new role for NEMO: A key player in preventing hepatocyte apoptosis and liver tumorigenesis by inhibiting RIPK1. *Hepatology* 2016;64:295-7. (IF:11.711)
 15. ²Hsu CY*, Huo TI. Nomogram of the Barcelona clinic liver cancer system: on the go. *Liver Int* 2016;36:1717-8. (IF:4.470)
 16. ²Hsu CY, Liu PH, Hsia CY, Lee YH, Juboori AA, Lee RC, Lin HC, Huo TI*. Nomogram of the Barcelona clinic liver cancer system for individual prognostic prediction in hepatocellular carcinoma. *Liver Int* 2016;36:1498-1506. (IF:4.470)
 17. ²Hsu CY, Liu PH, Hsia CY, Lee YH, Nagaria TS, Lee RC, Lin HC, Huo TI*. Surgical resection is better than transarterial chemoembolization for patients with hepatocellular carcinoma beyond the Milan criteria: A prognostic nomogram study. *Ann Surg Oncol* 2016;23:994-1002. (IF:3.655)
 18. ²Hsu SJ, Lin TY, Wang SS, Chuang CL, Lee FY*, Huang HC*, Hsin IF, Lee JY, Lin HC, Lee SD. Endothelin receptor blockers reduce shunting and angiogenesis in cirrhotic rats. *Eur J Clin Invest* 2016;46:572-80. (IF:2.687)
 19. ^{2,4}Huang CJ, Tseng CL, Chen HS, Garabwan C, Korovo S, Tang KT, Won JG, Hsieh CH, Wang FF*. Iodine Nutritional Status of School Children in Nauru 2015. *Nutrients* 2016;23:8(9). (IF:3.759)
 20. ⁴Huang HH, Ting CH, Syu YF, Chang SC, Chen CY*. Correlation between colonic secretion and colonic motility in rats: Role of ghrelin. *World J Gastroenterol* 2016;22:10140-7. (IF:2.787)
 21. ²Huang KW, Kuan YC, Luo JC, Lin CL, Liang JA, Kao CH*. Impact of long-term gastric acid suppression on spontaneous bacterial peritonitis in patients with advanced decompensated liver cirrhosis. *Eur J Intern Med* 2016;32:91-5. (IF:2.591)
 22. ²Huang YS*. The savior of binge drinkers: Another liver tonic from a common vegetable? *J Chin Med Assoc* 2016;79:49-50. (IF:1.013)
 23. ²Huang YS*. Are hepatitis B carriers more vulnerable to exercise-related liver injury? Recent evidence from a 7-day ultramarathon. *J Chin Med Assoc* 2016;79:169-70. (IF:1.013)
 24. ²Huang YS*, Wang LY, Chang CH, Perng CL, Lin HC. Superoxide dismutase 2 genetic variation as a susceptibility risk factor for alcoholic cirrhosis. *Alcohol Alcoholism* 2016;51:633-7. (IF:2.724)
 25. ^{2,5}Hung TH, Tsai CC, Tseng GC, Hsieh YH, Tseng CW*. No mortality difference following treatment with terlipressin or somatostatin in cirrhotic patients with gastric variceal hemorrhage. *Saudi J Gastroenterol* 2016;22:220-5. (IF:1.312)
 26. ^{2,5}Kao JH, Chien RN, Chang TT, Peng CY, Hu TH, Lo GH, Wang HY, Chen JJ, Yang JC, Knox SJ, Han L, Mo H, Mathias A, Brainard DM, Sheen IS, Hsu YC, Chu CJ, Chuang WL*. A phase 3b study of sofosbuvir plus ribavirin in Taiwanese patients with chronic genotype 2 hepatitis C virus infection. *Liver Int* 2016;36:1101-7. (IF:4.470)
 27. ²Lee KC, Hsieh YC, Yang YY, Chan CC, Huang YH, Lin HC*. Aliskiren Reduces Hepatic steatosis and Epididymal Fat Mass and Increases Skeletal Muscle Insulin Sensitivity in

- High-Fat Diet-Fed Mice. *Sci Rep* 2016;6:18899. (IF:5.228)
28. ²Lee KC, Lin HC, Huang YH*, Hung SC*. Allo-transplantation of mesenchymal stem cells attenuates hepatic injury through IL1Ra dependent macrophage switch in a mouse model of liver disease. *J Hepatol* 2016;64:989. (IF:10.590)
 29. ²Lee PC, Yeh CM, Hu YW, Chen CC, Liu CJ*, Su CW*, Huo TI, Huang YH, Chao Y, Chen TJ, Lin HC, Wu JC. Antiplatelet therapy is associated with a better prognosis for patients with hepatitis b virus-related hepatocellular carcinoma after liver resection. *Ann Surg Oncol* 2016;23:S874-83. (IF:3.655)
 30. ^{2,5}Lee WP*, Hou MC, Lan KH, Li CP, Chao Y, Lin HC, Lee SD. Helicobacter pylori-induced chronic inflammation causes telomere shortening of gastric mucosa by promoting PARP-1-mediated non-homologous end joining of DNA. *Arch Biochem Biophys* 2016;606:90-8. (IF:2.807)
 31. ^{2,5}Lee WP*, Lan KH, Li CP, Chao Y, Lin HC, Lee SD. Akt phosphorylates myc-associated zinc finger protein (MAZ), releases P-MAZ from the p53 promoter, and activates p53 transcription. *Cancer Lett* 2016;375:9-19. (IF:5.992)
 32. ^{2,5}Lee WP*, Lan KH, Li CP, Chao Y, Lin HC, Lee SD. Oncogenic circuit constituted by Ser31-HBx and Akt increases risks of chronic hepatitis and hepatocellular carcinoma. *Biochim Biophys Acta* 2016;1862:837-49. (IF:5.158)
 33. ^{2,4}Li TH, Huang CC, Yang YY*, Lee KC, Hsieh SL, Hsieh YC, Alan L, Lin HC*, Lee SD, Tsai CY. Thalidomide improves the intestinal mucosal injury and suppresses mesenteric angiogenesis and vasodilatation by down-regulating inflammasomes-related cascades in cirrhotic rats. *PLoS One* 2016;11:e0147212. (IF:3.057)
 34. ^{2,4}Li TH, Lee PC, Lee KC, Hsieh YC, Tsai CY, Yang YY*, Huang SF, Tsai TH, Hsieh SL, Hou MC, Lin HC*, Lee SD. Down-regulation of common NFκB-iNOS pathway by chronic Thalidomide treatment improves hepatopulmonary syndrome and muscle wasting in rats with biliary cirrhosis. *Sci Rep* 2016;6:39405. (IF:5.228)
 35. ^{2,5}Liou JM, Bair MJ, Chen CC, Lee YC, Chen MJ, Chen CC, Tseng CH, Fang YJ, Lee JY, Yang TH, Luo JC, Wu JY, Chang WH, Chang CC, Chen CY, Chen PY, Shun CT, Hsu WF, Hung HW, Lin JT, Chang CY, Wu MS*. Levofloxacin Sequential Therapy vs Levofloxacin Triple Therapy in the Second-Line Treatment of Helicobacter pylori: A Randomized Trial. *Am J Gastroenterol* 2016;111:381-7. (IF:10.383)
 36. ^{2,5}Liou JM, Chen CC, Chang CY, Chen MJ, Chen CC, Fang YJ, Lee JY, Yang TH, Luo JC, Wu JY, Liou TC, Chang WH, Hsu YC, Tseng CH, Chang CC, Bair MJ, Liu TY, Hsieh CF, Tsao FY, Shun CT, Lin JT, Lee YC*, Wu MS*; Taiwan Gastrointestinal Disease and Helicobacter Consortium..Sequential therapy for 10 days versus triple therapy for 14 days in the eradication of Helicobacter pylori in the community and hospital populations: a randomised trial. *Gut* 2016;65:1784-U8597. (IF:14.921)
 37. ^{2,5}Liou JM, Fang YJ, Chen CC, Bair MJ, Chang CY, Lee YC, Chen MJ, Chen CC, Tseng CH, Hsu YC, Lee JY, Yang TH, Luo JC, Chang CC, Chen CY, Chen PY, Shun CT, Hsu WF, Hu WH, Chen YN, Sheu BS, Lin JT, Wu JY, El-Omar EM, Wu MS*; Taiwan Gastrointestinal Disease and Helicobacter Consortium. Concomitant, bismuth quadruple, and 14-day triple therapy in the first-line treatment of Helicobacter pylori: a multicentre, open-label, randomised trial. *Lancet* 2016;388:2355-65. (IF:44.002)
 38. ^{2,5}Liou JY, Ting CK, Hou MC, Tsou MY*. A response surface model exploration of dosing strategies in gastrointestinal endoscopies using midazolam and opioids. *Medicine (Baltimore)* 2016;95:e3520. (IF:2.133)
 39. ²Liu PH, Hsu CY, Hsia CY, Lee YH, Huang YH, Chiou YY, Lin HC, Huo TI*. Surgical resection versus radiofrequency ablation for single hepatocellular carcinoma ≤ 2 cm in a propensity score model. *Ann Surg* 2016;263:538-45. (IF:8.569)
 40. ²Liu PH, Hsu CY, Hsia CY, Lee YH, Huang YH, Su CW, Lee FY, Lin HC, Huo TI*.

- Proposal and validation of a new model to estimate survival for hepatocellular carcinoma patients. *Eur J Cancer* 2016;63:25-33. (IF:6.163)
41. ²Liu PH, Hsu CY, Hsia CY, Lee YH, Su CW, Huang YH, Lee FY, Lin HC, Huo TI*. Prognosis of hepatocellular carcinoma: Assessment of eleven staging systems. *J Hepatol* 2016;64:601-8. (IF:10.590)
 42. ²Liu PH, Huo TI*. Utility of prognostic scoring systems in management of hepatocellular carcinoma. *Eur J Cancer* 2016;68:206-7. (IF:6.163)
 43. ²Liu PH, Huo TI*. Reply to "Hepatocellular carcinoma scoring and staging systems. Do we need new tools?". *J Hepatol* 2016;64:1450-2. (IF:10.590)
 44. ²Liu PH, Su CW, Hsu CY, Hsia CY, Lee YH, Huang YH, Lee RC, Lin HC, Huo TI*. Solitary large hepatocellular carcinoma: Staging and treatment strategy. *PLoS One* 2016;11:e0155588. (IF:3.057)
 45. ²Luo JC*, Peng YL, Chen TS, Huo TI, Hou MC, Huang HC, Lin HC, Lee FY. Clopidogrel inhibits angiogenesis of gastric ulcer healing via downregulation of vascular endothelial growth factor receptor 2. *J Formos Med Assoc* 2016;115:764-72. (IF:2.018)
 46. ^{2,5}Ng KJ, Tseng CW, Chang TT, Tzeng SJ, Hsieh YH, Hung TH, Huang HT, Wu SF, Tseng KC*. Aspartate aminotransferase to platelet ratio index and sustained virologic response are associated with progression from hepatitis C associated liver cirrhosis to hepatocellular carcinoma after treatment with pegylated interferon plus ribavirin. *Clin Interv Aging* 2016;11:1035-41. (IF:2.133)
 47. ²Peng YL, Luo JC*. The benefits and risks of proton pump inhibitor therapy. *J Chin Med Assoc* 2016;79:1-2. (IF:1.013)
 48. ^{2,5}Su TH, Hu TH, Chen CY, Huang YH, Chuang WL, Lin CC, Wang CC, Su WW, Chen MY, Peng CY, Chien RN, Huang YW, Wang HY, Lin CL, Yang SS, Chen TM, Mo LR, Hsu SJ, Tseng KC, Hsieh TY, Suk FM, Hu CT, Bair MJ, Liang CC, Lei YC, Tseng TC, Chen CL, Kao JH*; C-TEAM study group and the Taiwan Liver Diseases Consortium. Four-year entecavir therapy reduces hepatocellular carcinoma, cirrhotic events and mortality in chronic hepatitis B patients. *Liver Int* 2016;36:1755-64. (IF:4.470)
 49. ^{2,5}Su VY, Chang YS, Hu YW, Hung MH, Ou SM, Lee FY, Chou KT, Yang KY, Perng DW, Chen TJ, Liu CJ*. Carvedilol, Bisoprolol, and Metoprolol Use in Patients With Coexistent Heart Failure and Chronic Obstructive Pulmonary Disease. *Medicine (Baltimore)* 2016;95:e2427. (IF:2.133)
 50. ⁴Ting CH, Chen YC, Liaw WJ, Lin HC, Chen CY*. Peripheral injection of pancreatic polypeptide enhances colonic transit without eliciting anxiety or altering colonic secretion in rats. *Neuropeptides* 2016;55:67-71. (IF:2.726)
 51. ^{2,5}Ting CH, Syu YF, Chen LY, Lee FY, Lee SD, Lee WJ, Chen CY*. Perspectives on interventional diabetology: Duodenal exclusion is promising for human type 2 diabetes mellitus remission. *Nutrition* 2016;32:141-5. (IF:2.839)
 52. ^{2,5}Tsai CF, Chu CJ, Wang YP, Liu PY, Huang YH, Lin HC, Lee FY, Lu CL*. Increased serum interleukin-6, not minimal hepatic encephalopathy, predicts poor sleep quality in nonalcoholic cirrhotic patients. *Aliment Pharmacol Ther* 2016;44:836-45. (IF:6.320)
 53. ²Wang JP, Wu CY, Hwang IH, Kao CH, Hung YP, Hwang SJ, Li CP*. How different is the care of terminal pancreatic cancer patients in inpatient palliative care units and acute hospital wards? A nationwide population-based study. *BMC Palliat Care* 2016;15:1. (IF:1.676)
 54. ²Wang LY, Huang YS*, Perng CL, Huang B, Lin HC. Statin-induced liver Injury in an area endemic for hepatitis B virus infection: risk factors and outcome analysis. *Br J Clin Pharmacol* 2016;82:823-30. (IF:3.830)
 55. ^{2,5}Wang NT, Huang YS*, Lin MH, Huang B, Perng CL, Lin HC. Chronic hepatitis B infection and risk of antituberculosis drug-induced liver injury: Systematic review and meta-analysis. *J Chin Med Assoc* 2016;79:368-74. (IF:1.013)

56. ²Wang YC, Yang SS*, Su CW, Wang YJ, Lee KC, Huo TI, Lin HC, Huang YH*. Predictors of response to pegylated interferon in chronic hepatitis B: A real-world hospital-based analysis. *Sci Rep* 2016;6:29605. (IF:5.228)
57. ^{2,5}Wang-Gillam A, Li CP, Bodoky G, Dean A, Shan YS, Jameson G, Macarulla T, Lee KH, Cunningham D, Blanc JF, Hubner RA, Chiu CF, Schwartzmann G, Siveke JT, Braiteh F, Moyo V, Belanger B, Dhindsa N, Bayever E, Von Hoff DD, Chen LT*; NAPOLI-1 Study Group. Nanoliposomal irinotecan with fluorouracil and folinic acid in metastatic pancreatic cancer after previous gemcitabine-based therapy (NAPOLI-1): A global, randomised, open-label, phase 3 trial. *Lancet* 2016;387:545-57. (IF:44.002)
58. ^{2,5}Wu CY, Hu HY, Chou YJ, Huang N, Chou YC, Li CP*. What constitutes normal hemoglobin concentrations in community-dwelling older adults? *J Am Geriatr Soc* 2016;64:1233-41. (IF:3.842)
59. ^{2,5}Wu WC, Chen YT, Chen PH, Su CW, Huang WM, Yang TC, Li SY, Chen TJ, Lin HC, Lee FY, Hou MC*. Low air temperature increases the risk of oesophageal variceal bleeding: a population and hospital-based case-crossover study in Taiwan. *Liver Int* 2016;36:856-64. (IF:4.470)
60. ^{2,5}Yeh C, Ting CH, Doong ML, Chi CW, Lee SD*, Chen CY*. Intracerebroventricular urocortin 3 counteracts central acyl ghrelin-induced hyperphagic and gastroprokinetic effects via CRF receptor 2 in rats. *Drug Des Devel Ther* 2016;10:3281-90. (IF:2.881)
61. ²Young SH, Luo JC*. Will saliva test be a good method to detect *Helicobacter pylori* in *H. pylori*-infected patients? *J Chin Med Assoc* 2016;79:351-2. (IF:1.013)
62. ^{2,5}Zachariah PJ, Chen CY, Lee WJ*, Chen SC, Ser KH, Chen JC, Lee YC. Compared to sleeve gastrectomy, duodenal-jejunal bypass with sleeve gastrectomy gives better glycemic control in T2DM patients, with a lower β -cell response and similar appetite sensations: Mixed-meal study.

Cardiology

1. ^{2,5}Chan PH, Huang D, Hai JJ, Li WH, Yin LX, Chan EW, Wong ICK, Lau CP, Chiang CE, Zhu J, Tse HF, Siu CW*. Stroke prevention using dabigatran in elderly Chinese patients with atrial fibrillation. *Heart Rhythm* 2016;13:366-73. (IF: 4.391)
2. ^{2,5}Chan PH, Lau CP, Tse HF, Chiang CE, Siu CW*. CHA(2)DS(2)-VASc recalibration with an additional age category (50-64 Years) enhances stroke risk stratification in Chinese patients with atrial fibrillation. *Can J Cardiol* 2016;32(12):1381-7. (IF:3.112)
3. ²Chang CC, Hsu CY, Chang TY, Huang PH, Liu LK, Chen LK, Chen JW, Lin SJ. Association between low-grade albuminuria and frailty among community-dwelling middle-aged and older people: a cross-sectional analysis from I-Lan Longitudinal Aging Study. *Sci Rep* 2016;6():39434. (IF:5.228)
4. ²Chang CC, Hsu CY, Huang PH*, Chiang CH, Huang SS, Leu HB, Huang CC, Chen JW, Lin SJ. Association of serum bilirubin with syntax score and future cardiovascular events in patients undergoing coronary intervention. *Acta Cardiol Sin* 2016;32:412-9. (IF: 0.201)
5. ^{2,5}Chang CJ, Cheng CC, Chen YC, Kao YH, Chen SA, Chen YJ*. Gap junction modifiers regulate electrical activities of the sinoatrial node and pulmonary vein: Therapeutic implications in atrial arrhythmogenesis. *Int J Cardiol* 2016;221():529-36. (IF:4.638)
6. ^{2,5}Chang HY, Lo LW*, Chou YH, Lin WL, Lin YJ, Yamada S, Chen SA. Effect of vagotomy on the activity of cardiac autonomic ganglia: Insight from left atrial high density frequency mapping. *Int J Cardiol* 2016;220():435-9. (IF:4.638)
7. ^{2,5}Chang TT, Chen JW*. Emerging role of chemokine CC motif ligand 4 related mechanisms in diabetes mellitus and cardiovascular disease: friends or foes? *Cardiovasc*

- Diabetol 2016;15:117. (IF: 4.534)
8. ²Chang TY, Chao TF, Liu CJ, Chen S*J, Chung FP, Liao JN, Tuan TC, Chen TJ, Chen SA. The association between influenza infection, vaccination, and atrial fibrillation: A nationwide case-control study. *Heart Rhythm* 2016; 13:1189-94 . (IF: 4.391)
 9. ²Chang YT, Hu YF, Liao JN, Chern CM, Lin YJ, Chang SL, Wu CH, Sung SH, Wang KL, Lu TM, Chao TF, Lo LW, Hsu LC, Chung CP, Chang PMH, Hsu WH, Chiou CW, Chen SA*. The assessment of anticoagulant activity to predict bleeding outcome in atrial fibrillation patients receiving dabigatran etexilate. *Blood Coag Fibrinol* 2016;27: 389-95. (IF: 1.242)
 10. ²Chang YT, Lin YJ*, Chung FP, Lo LW, Hu YF, Chang SL, Chao TF, Liao JN, Tuan TC, Lin CY, Wang HY, Jhuo SJ, Lin CH, Suresh A, Walia R, Te ALD, Yamada S, Chen SA. Ablation of ventricular arrhythmia originating at the papillary muscle using an automatic pacemapping module. *Heart Rhythm* 2016;13:1431-40. (IF: 4.391)
 11. ²Chao TF, Lip GYH, Liu CJ, Tuan TC, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chen TJ, Chiang CE, Chen SA*. Validation of a modified CHA(2)DS(2)-VASc score for stroke risk stratification in asian patients with atrial fibrillation: A nationwide cohort study. *Stroke* 2016;47(10):2462-9. (IF:5.787)
 12. ²Chao TF, Liu CJ, Liao JN, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Chung FP, Chen TJ, Lip GYH, Chen SA*. Use of oral anticoagulants for stroke prevention in patients with atrial fibrillation who have a history of intracranial hemorrhage. *Circulation* 2016;133:1540-7. (IF: 17.202)
 13. ²Chao TF*, Liu CJ, Liao JN, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Chung FP, Chen TJ, Lip GYH, Chen SA. Response by Chao et al to letters regarding article, "Use of oral anticoagulants for stroke prevention in patients with atrial fibrillation who have a history of intracranial hemorrhage". *Circulation* 2016;134(11):E230-E231. (IF:17.202)
 14. ²Chao TF, Liu CJ, Tuan TC, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chen TJ, Chiang CE*, Chen SA. Comparisons of CHADS(2) and CHA(2)DS(2)-VASc scores for stroke risk stratification in atrial fibrillation: Which scoring system should be used for Asians? *Heart Rhythm* 2016;13:46-53 . (IF: 4.391)
 15. ²Chao TF, Liu CJ, Tuan TC, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chen TJ, Chiang CE, Hsieh MH*, Lip GY, Chen SA. Impact on outcomes of changing treatment guideline recommendations for stroke prevention in atrial fibrillation: A nationwide cohort study. *Mayo Clin Proc* 2016;91:567-74. (IF: 5.92)
 16. ²Chen CH*. Critical questions about PARADIGM-HF and the future. *Acta Cardiol Sin* 2016;32:387-96. (IF: 0.201)
 17. ^{2,5}Chen KH, Chien Y, Wang KL, Leu HB, Hsiao CY, Lai YH, Wang CY, Chang YL, Lin SJ, Niu DM, Chiou SH, Yu WC*. Evaluation of proinflammatory prognostic biomarkers for fabry cardiomyopathy with enzyme replacement therapy. *Can J Cardiol* 2016;32(10):1221.e1-1221. (IF:3.112)
 18. ^{2,5}Chen WJ*, Chen YH, Lai YJ, Hsu YJ, Yeh YH, Tsai CS, Lin CY. GT-repeat length polymorphism in heme oxygenase-1 promoter determines the effect of cilostazol on vascular smooth muscle cells. *Int J Cardiol* 2016;222():407-15. (IF:4.638)
 19. ²Cheng HM, Chuang SY, Wang JJ, Shih YT, Wang HN, Huang CJ, Huang JT, Sung SH, Lakatta EG, Yin FCP, Chou P, Yeh CJ, Bai CH, Pan WH, Chen CH*. Prognostic significance of mechanical biomarkers derived from pulse wave analysis for predicting long-term cardiovascular mortality in two population-based cohorts. *Int J Cardiol* 2016;215:388-95. (IF: 4.638)
 20. ^{2,5}Cheng WL, Kao YH, Chen SA, Chen YJ*. Pathophysiology of cancer therapy-provoked atrial fibrillation. *Int J Cardiol* 2016;219():186-94. (IF:4.638)
 21. ²Cheng YL, Cheng HM*, Huang WM, Lu DY, Hsu PF, Guo CY, Yu WC, Chen CH, Sung SH*. Red cell distribution width and the risk of mortality in patients with acute heart failure

- with or without cardiorenal anemia syndrome. *Am J Cardiol* 2016;117:399-403. (IF: 3.154)
22. ²Chiang CE*, Naditch-Brule L, Brette S, Silva-Cardoso J, Gamra H, Murin J, Zharinov OJ, Steg PG. Atrial Fibrillation Management Strategies in Routine Clinical Practice: Insights from the International RealiseAF Survey. *PLoS One* 2016;11(1):e0147536. (IF:3.057)
 23. ²Chiang CE*, Wu TJ, Ueng KC, Chao TF, Chang KC, Wang CC, Lin YJ, Yin WH, Kuo JY, Lin WS, Tsai CT, Liu YB, Lee KT, Lin LJ, Lin LY, Wang KL, Chen YJ, Chen MC, Cheng CC, Wen MS, Chen WJ, Chen JH, Lai WT, Chiou CW, Lin JL, Yeh SJ*, Chen SA*. 2016 Guidelines of the Taiwan Heart Rhythm Society and the Taiwan Society of Cardiology for the management of atrial fibrillation. *J Formos Med Assoc* 2016; 115: 893-952. (IF: 2.018)
 24. ²Chiang CE*, Ferrieres J, Gotcheva NN, Raal FJ, Shehab A, Sung JD, Henriksson KM, Hermans MP. Suboptimal control of lipid levels: Results from 29 countries participating in the Centralized Pan-Regional Surveys on the Undertreatment of Hypercholesterolaemia (CEPHEUS). *J Atheroscl Thromb* 2016;23:567-87. (IF: 2.411)
 25. ^{2,5}Chiang KF, Cheng CM, Tsai SC, Lin WY, Chang YC, Huang JL*, Hung GU, Kao CH, Chen SA, Chou P, Chen J. Relationship of myocardial substrate characteristics as assessed by myocardial perfusion imaging and cardiac reverse remodeling levels after cardiac resynchronization therapy. *Ann Nucl Med* 2016;30:484-93. (IF: 1.467)
 26. ^{2,5}Chien Y, Chien CS, Chiang HC, Huang WL, Chou SJ, Chang WC, Chang YL, Leu HB, Chen KH, Wang KL, Lai YH, Liu YY, Lu KH, Li HY, Sung YJ, Jong YJ, Chen YJ, Chen CH, Yu WC*. Interleukin-18 deteriorates Fabry cardiomyopathy and contributes to the development of left ventricular hypertrophy in Fabry patients with GLA IVS4+919 G>A mutation. *Oncotarget* 2016;7:87161-79. (IF: 5.008)
 27. ^{2,5}Chiou KR*, Chang MJ. Genetic diagnosis of familial, hypercholesterolemia in Han Chinese. *J Clin Lipidol* 2016;10:490-6. (IF: 4.906)
 28. ²Chiu CC, Chen YT, Hsu CY, Chang CC, Huang CC, Leu HB, Li SY, Kuo SC, Huang PH, Chen JW, Lin SJ. Association between previous history of gout attack and risk of deep vein thrombosis - a nationwide population-based cohort study. *Sci Rep* 2016;6():26541. (IF:5.228)
 29. ^{2,5}Chong E*, Chang HY, Chen YY, Poh KK, Chung FB, Chang SL, Lo LW, Hu YF, Chao TF, Tuan TC, Chen SA, Lin YJ*. When atrial fibrillation Co-Exists with coronary artery disease in patients with prior coronary intervention - Does ablation benefit? *Heart Lung Circ* 2016;25:538-50. (IF: 1.575)
 30. ^{2,5}Chou AY, Liu CJ, Chao TF*, Wang KL, Tuan TC, Chen TJ, Chen SA. Presence of diabetic microvascular complications does not incrementally increase risk of ischemic stroke in diabetic patients with atrial fibrillation A nationwide cohort study. *Medicine (Baltimore)* 2016;95(27):e3992. (IF:2.133)
 31. ²Chou RH, Chiu CC, Huang CC, Chan WL, Huang PH, Chen YC, Chen TJ, Chung CM, Lin SJ, Chen JW, Leu HB*. Prediction of vascular dementia and Alzheimer's disease in patients with atrial fibrillation or atrial flutter using CHADS(2) score. *J Chin Med Assoc* 2016;79:470-6. (IF: 1.013)
 32. ²Chou RH, Huang PH*, Hsu CY, Chang CC, Leu HB, Huang CC, Chen JW, Lin SJ. Circulating fibroblast growth factor 21 is associated with diastolic dysfunction in heart failure patients with preserved ejection fraction. *Sci Rep* 2016;6():33953. (IF:5.228)
 33. ²Chou RH, Huang PH*, Hsu CY, Leu HB, Huang SS, Huang CC, Chen JW, Lin SJ. CHADS(2) score predicts risk of contrast-induced nephropathy in stable coronary artery disease patients undergoing percutaneous coronary interventions. *J Formos Med Assoc* 2016;115:501-9. (IF: 2.018)
 34. ²Chou RH, Lai CH, Lu TM*. Side-branch and coaxial intravascular ultrasound guided wire re-entry after failed retrograde approach of chronic total occlusion intervention. *Acta Cardiol Sin* 2016; 32: 363-6. (IF: 0.201)
 35. ^{2,5}Chuang SY#, Cheng HM#, Bai CH, Chen JR, Yeh WT, Hsu PF, Liu WL, Pan WH*.

- Common carotid artery end-diastolic velocity is independently associated with future cardiovascular events. *Eur J Prev Cardiol* 2016; 23: 116-24. (IF: 3.361)
36. ²Chung FP, Lin YJ, Chong E, Chang SL, Lo LW, Hu YF, Tuan TC, Chao TF, Liao JN, Chen SA*. The application of ambulatory electrocardiographically-based T-wave alternans in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy. *Can J Cardiol* 2016;32:1355.e15-1355.e22. (IF: 3.112)
 37. ^{2,5}Goette A, Kalman JM*, Aguinaga L, Akar J, Cabrera JA, Chen SA, Chugh SS, Corradi D, D'Avila A, Dobrev D, Fenelon G, Gonzalez M, Hatem SN, Helm R, Hindricks G, Ho SY, Hoit B, Jalife J, Kim YH, Lip GYH, Ma CS, Marcus GM, Murray K, Nogami A, Sanders P, Uribe W, Van Wagoner DR. Nattel, SEHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: definition, characterization, and clinical implication. *Europace* 2016;18:1455-90. (IF: 4.021)
 38. ^{2,5}Huang SY, Chen YC, Kao YH, Hsieh MH, Chen YA, Chen WP, Lin YK, Chen SA, Chen YJ*. Renal failure induces atrial arrhythmogenesis from discrepant electrophysiological remodeling and calcium regulation in pulmonary veins, sinoatrial node, and atria. *Int J Cardiol* 2016;202():846-57. (IF:4.638)
 39. ^{2,5}Hsu CP, Zhao JF, Lin SJ, Shyue SK, Guo BC, Lu TM, Lee TS. Asymmetric dimethylarginine limits the efficacy of simvastatin activating endothelial nitric oxide synthase. *J Am Heart Assoc* 2016;5: e003327. (IF: 5.117)
 40. ^{2,5}Hsu CY, Chen TH, Su YW, Chang CC, Chen MH, Leu HB, Huang PH*, Chen JW, Lin SJ. Usefulness of the CHADS2 score for determining risk of seizure in patients with atrial fibrillation. *Am J Cardiol* 2016;118:1340-4. (IF: 3.154)
 41. ^{2,5}Hsu CY, Chen YT, Huang PH, Leu HB, Su YW, Chiang CH, Chen JW, Chen TJ, Lin SJ, Chan WL*. The association between urinary calculi and increased risk of future cardiovascular events: A nationwide population-based study. *J Cardiol* 2016;67:463-70. (IF: 2.405)
 42. ^{2,5}Hsu CY, Huang PH*, Chen TH, Chiang CH, Leu HB, Huang CC, Chen JW, Lin SJ. Increased circulating visfatin is associated with progression of kidney disease in non-diabetic hypertensive patients. *Am J Hyperten* 2016; 29:528-36. (IF: 3.182)
 43. ^{2,5}Hsu CY, Su YW, Chen YT, Tsai SH, Chang CC, Li SY, Huang PH, Chen JW, Lin SJ*. Association between use of oral-antidiabetic drugs and the risk of aortic aneurysm: A nested case-control analysis. *Cardiovasc Diabetol* 2016; 15:125. (IF: 4.534)
 44. ^{2,5}Hsu NW, Tsao HM, Chen HC, Lo SS, Chen SA, Chou P*. Different impacts of atrial fibrillation and cardiac premature contractions on the health-related quality of life in elderly people: The Yilan study. *Tohoku J Exp Med* 2016;238:75-83. (IF: 1.287)
 45. ²Hsu PF, Cheng HM, Wu CH, Sung SH, Chuang SY, Lakatta EG, Yin FCP, Chou P, Chen CH*. High short-term blood pressure variability predicts long-term cardiovascular mortality in untreated hypertensives but not in normotensives. *Am J Hyperten* 2016;29:806-13. (IF: 3.182)
 46. ^{2,5}Hsu TR, Hung SC, Chang FP, Yu WC, Sung SH, Hsu CL, Dzhagalov I, Yang CF, Chu TH, Lee HJ, Lu YH, Chang SK, Liao HC, Lin HY, Liao TC, Lee PC, Li HY, Yang AH, Ho HC, Chiang CC, Lin CY, Desnick RJ, Niu DM*. Later onset Fabry disease, cardiac damage progress in silence experience with a highly prevalent mutation. *J Am Coll Cardiol* 2016;68:2554-63. (IF: 16.503)
 47. ²Hu YF, Wang HH, Yeh HI, Lee KT, Lin YJ, Chang SL, Lo LW, Tuan TC, Li CH, Chao TF, Chung FP, Liao JN, Tang PWH, Tsai WC, Chiou CW, Chen SA*. Association of single nucleotide polymorphisms with atrial fibrillation and the outcome after catheter ablation. *Acta Cardiol Sin* 2016;32:523-31. (IF: 0.201)
 48. ²Huang CC, Leu HB, Huang PH, Lin LY, Wu TC, Lin SJ, Chen JW*. Hypertension subtypes modify metabolic response to thiazide diuretics. *Eur J Clin Invest* 2016;46:80-91. (IF: 2.687)
 49. ^{2,5}Huang JH, Chen YC, Lee TI, Kao YH*, Chazo TF, Chen SA, Chen YJ*. Glucagon-like peptide-1 regulates calcium homeostasis and electrophysiological activities of HL-1

- cardiomyocytes. *Peptides* 2016;78:91-8. (IF: 2.535)
50. ²Huang PH*, Chen JY, Chen CY, Chen JW, Lin SJ, Shih CC. Simvastatin pretreatment enhances ischemia-induced neovascularization and blood flow recovery in streptozotocin-treated mice. *J Vasc Surg* 2016;64: 1112-20. (IF: 3.454)
 51. ^{2,5}Huang SY, Chen YA, Chen SA, Chen YJ, Lin YK*. Uremic Toxins - Novel arrhythmogenic factor in chronic kidney disease - related atrial fibrillation. *Acta Cardiol Sin* 2016;32:259-64. (IF: 0.201)
 52. ^{2,5}Huang SY, Chen YC, Kao YH, Hsieh MH, Lin YK, Chung CC, Lee TI, Tsai WC, Chen SA, Chen YJ*. Fibroblast growth factor 23 dysregulates late sodium current and calcium homeostasis with enhanced arrhythmogenesis in pulmonary vein cardiomyocytes. *Oncotarget* 2016; 7: 69231-42. (IF: 5.008)
 53. ²Huang WM, Hsu PF, Cheng HM, Lu DY, Cheng YL, Guo CY, Sung SH*, Yu WC, Chen CH. Determinants and prognostic impact of hyperuricemia in hospitalization for acute heart failure. *Circ J* 2016;80:404-10. (IF: 4.124)
 54. ^{2,5}Hung CL, Yun CH, Lai YH, Sung KT, Bezerra HG, Kuo JY, Hou CJY, Chao TF, Bulwer BE, Yeh HI*, Shih SC, Lin SJ, Cury RC. An observational study of the association among interatrial adiposity by computed tomography measure, insulin resistance, and left atrial electromechanical disturbances in heart failure. *Medicine (Baltimore)* 2016;95:e3912. (IF:2.133)
 55. ^{2,5}Hung SC, Kuo KL, Huang HL, Lin CC, Tsai TH, Wang CH, Chen JW, Lin SJ, Huang PH*, Tarng DC. Indoxyl sulfate suppresses endothelial progenitor cell-mediated neovascularization. *Kidney Int* 2016;89(3):574-85. (IF:7.683)
 56. ^{2,5}Hung Y*, Chao TF, Liu CJ, Tuan TC, Lin YJ, Chang S, Lo LW, Hu YF, Liao JN, Chung FP, Lin WY, Lin WS, Cheng SM, Chen TJ, Lip GY, Chen SA. Is an oral anticoagulant necessary for young atrial fibrillation patients with a CHA2DS2-VASC score of 1 (Men) or 2 (Women)? *J Am Heart Assoc* 2016; 5: e003839. (IF: 5.117)
 57. ^{2,5}Jhuo SJ, Lo LW, Chang SL, Lin YJ, Chung FP, Chiou CW, Chen SA*. Periesophageal vagal plexus injury is a favorable outcome predictor after catheter ablation of atrial fibrillation. *HEart Rhythm* 2016;13:1786-93. (IF: 4.391)
 58. ^{2,5}Kao YH, Hsu JC, Chen YC, Lin YK, Lkhagva B, Chen SA, Chen YJ*. ZFHx3 knockdown increases arrhythmogenesis and dysregulates calcium homeostasis in HL-1 atrial myocytes. *Int J Cardiol* 2016;210: 85-92. (IF: 4.638)
 59. ^{2,5}Lai CC, Huang PH, Yang AH, Chiang SC, Tang CY, Tseng KW, Huang CH*. Baicalein, a Component of *Scutellaria baicalensis*, attenuates kidney injury induced by myocardial ischemia and reperfusion. *Planta Med* 2016;82(3):181-9. (IF:1.990)
 60. ^{2,5}Lai CC, Huang PH, Yang AH, Chiang SC, Tang CY, Tseng KW, Huang CH*. Baicalein Reduces Liver Injury Induced by Myocardial Ischemia and Reperfusion. *Am J Chin Med* 2016;44(3):531-50. (IF:2.959)
 61. ^{2,5}Lai CH, Lu TM, Juan YH, Chang SL, Lee WL, Sung SH*. Severe coronary spasm in systemic lupus erythematosus resulting in recurrent occlusions and guide wire fracture. *Acta Cardiol Sin* 2016;32:498-501. (IF: 0.201)
 62. ^{2,5}Lai CH, Sung SH, Lee WL, Juan YH, Chang SL, Lu TM*. Accidental stenting out of stent: A lesson from no-reflow after new stent deployment outside the prior stent. *Acta Cardiol Sin* 2016;32:367-70. (IF: 0.201)
 63. ^{2,5}Lai CH, Tseng TW, Jou YL, Lu TM, Lee WL, Sung SH*. Reversible acute renal failure in a patient with acquired aortic coarctation. *Int J Cardiol* 2016;222():683-5. (IF:4.638)
 64. ^{2,5}Lee TM*, Charng MJ, Tseng CD, Lai LP. A double-blind, randomized, placebo-controlled study to evaluate the efficacy and safety of STA-2 (Green Tea Polyphenols) in patients with chronic stable angina. *Acta Cardiol Sin* 2016;32:439-49. (IF: 0.201)
 65. ²Leu HB, Chang HH, Wu MH, Chen YH*. Four-year follow-up of acquired aorto-right ventricular fistula after transcatheter aortic valve implantation. *Eur Heart J* 2016;37:2679. (IF:

- 15.064)
66. ^{2,4,5}Li CH[#], Liu CJ[#], Chou AY, Chao TF*, Tuan TC, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chung FP, Liao JN, Chen TJ, Wu TJ, Chen SA. European society of cardiology guideline-adherent antithrombotic treatment and risk of mortality in Asian patients with atrial fibrillation. *Sci Rep* 2016;6:30734. (IF: 5.228)
 67. ^{2,5}Li HR, Lu TM, Cheng HM, Lu DY, Chiou CW, Chuang SY, Yang AC, Sung SH*, Yu WC, Chen CH. Additive value of heart rate variability in predicting obstructive coronary artery disease beyond Framingham risk. *Circ J* 2016; 80:494-501. (IF: 4.124)
 68. ²Liao JN, Chao TF, Tuan TC*, Kong CW, Chen SA. Long-term outcome in patients receiving permanent pacemaker implantation for atrioventricular block: Comparison of VDD and DDD pacing. *Medicine (Baltimore)* 2016;95:e4668. (IF:2.133)
 69. ^{2,5}Lin CH, Lin YJ*, Chang SL, Lo LW, Huang HK, Chiang CH, Allamsetty S, Liao JN, Chung FP, Chang YT, Lin CY, Chen SA. Novel electrophysiological characteristics of atrioventricular nodal continuous conduction curves in atrioventricular nodal re-entrant tachycardia with concomitant cavotricuspid isthmus-dependent atrial flutter. *Europace* 2016;18:1259-64. (IF: 4.021)
 70. ²Lin CY, Chang SL, Chung FP, Chen YY, Lin YJ, Lo LW, Hu YF, Tuan TC, Chao TF, Liao JN, Chang YT, Lin CH, Allamsetty S, Walia R, Te ALD, Yamada S, Chiang SJ, Tsao HM*, Chen SA. Long-term outcome of non-sustained ventricular tachycardia in structurally normal hearts. *PLoS One* 2016;11(8):e0160181. (IF:3.057)
 71. ²Lin CY[#], Chung FP[#], Lin YJ, Chong E, Chang SL, Lo LW, Hu YF, Tuan TC, Chao TF, Liao JN, Chang YT, Chen YY, Chen CK, Chiou CW, Chen SA*, Tsao HM*. Radiofrequency catheter ablation of ventricular arrhythmias originating from the continuum between the aortic sinus of Valsalva and the left ventricular summit: Electrocardiographic characteristics and correlative anatomy. *Heart Rhythm* 2016;13:111-21. (IF: 4.391)
 72. ²Lin CY, Lo LW, Chen SA*. Could predicted post-pacing interval from theoretical mathematical formula replace the observed post-pacing interval in clinical practice? *J Thorac Dis* 2016;8:1045-7. (IF: 1.649)
 73. ²Lin WL, Lo LW, Chen HR, Lai CT, Yamada S, Liu SH, Chou YH, Chen SA, Fu YC, Kuo TB*. Sleep-related changes in cardiovascular autonomic regulation in left coronary artery ligation rats: Neural mechanism facilitating arrhythmia after myocardial infarction. *Int J Cardiol* 2016;225:65-72. (IF: 4.638)
 74. ^{2,5}Lin YK, Chen YC, Chen YA, Yeh YH, Chen SA, Chen YJ*. B-type natriuretic peptide modulates pulmonary vein arrhythmogenesis: A novel potential contributor to the genesis of atrial tachyarrhythmia in heart failure. *J Cardiovasc Electrophysiol* 2016;27:1462-71. (IF: 3.097)
 75. ^{2,5}Liu SH, Hsiao YW, Chong E, Singhal R, Fong MC, Tsai YN, Hsu CP, Chen YC, Chen YJ, Chiou CW, Chiang SJ, Chang SL, Chen SA*. Rhodiola inhibits atrial arrhythmogenesis in a heart failure model. *J Cardiovasc Electrophysiol* 2016;27:1093-101. (IF: 3.097)
 76. ^{2,5}Liu YP, Lee JJ, Lai TC, Lee CH, Hsiao YW, Chen PS, Liu WT, Hong CY, Lin SK, Kuo MYP, Lu PJ, Hsiao M*. Suppressive function of low-dose deguelin on the invasion of oral cancer cells by downregulating tumor necrosis factor alpha-induced nuclear factor-kappa B signaling. *Head Neck-J Sci Spec Head Neck* 2016;38():E524-34. (IF:2.760)
 77. ^{2,5}Lkhagva B, Kao YH, Chen YC, Chao TF, Chen SA, Chen YJ*. Targeting histone deacetylases: A novel therapeutic strategy for atrial fibrillation. *Eur J Pharmacol* 2016;781:250-7. (IF: 2.73)
 78. ²Lo LW, Chang HY, Scherlag BJ, Lin YJ, Chou YH, Lin WL, Chen SA*, Po SS*. Temporary suppression of cardiac Ganglionated Plexi leads to long-term suppression of atrial fibrillation: Evidence of early autonomic intervention to break the vicious cycle of "AF Begets AF". *J Am Heart Assoc* 2016;5: e003309. (IF: 5.117)

79. ²Lo LW, Chao TF, Chen SA*. AF News. *J Cardiovasc Electrophysiol* 2016;27:1011-2. (IF: 3.097)
80. ²Lo LW, Chen SA*. Hope or hype - Does cryoballoon simplify atrial fibrillation ablation technique or just another costly toy? *Circ J* 2016;80:1695-96. (IF: 4.124)
81. ²Lo LW, Lin YJ, Chang SL, Hu YF, Chung FP, Chen SA*. Pearls and pitfalls in catheter ablation of persistent atrial fibrillation. *Circ J* 2016;80:306-13. (IF: 4.124)
82. ²Lu DY, Cheng HM, Cheng YL, Hsu PF, Huang WM, Guo CY, Yu WC, Chen CH, Sung SH*. Hyponatremia and worsening sodium levels are associated with long-term outcome in patients hospitalized for acute heart failure. *J Am Heart Assoc* 2016; 5: e002668. (IF: 5.117)
83. ²Lu DY, Wang KL, Chen CK, Yu WC*. A ring in heart. *Eur Heart J* 2016;37:2501. (IF: 15.064)
84. ²Lu DY, Wei J, Hsiung MC*. Inside or outside of the Heart. *JAMA Surg* 2016; 151: 981 - 82. (IF: 5.661)
85. ²Lu DY, Yang AC, Cheng HM, Lu TM, Yu WC, Chen CH, Sung SH*. Heart rate variability is associated with exercise capacity in patients with cardiac syndrome X. *PLoS One* 2016;11(1):e0144935. (IF:3.057)
86. ²Lu DY, You LK, Sung SH, Cheng HM, Lin SJ, Chiang FT, Chen CH, Yu WC*. Abnormal pulsatile hemodynamics in hypertensive patients with normalized 24-hour ambulatory blood pressure by combination therapy of three or more antihypertensive agents. *J Clin Hypertens* 2016;18:281-9. (IF: 2.549)
87. ²Lu TM*, Hsu CP, Chang CF, Lin CC, Lee TS, Lin SJ, Chan WL. Asymmetric dimethylarginine predicts the risk of contrast-induced acute kidney injury in patients undergoing cardiac catheterization. *Atherosclerosis* 2016; 254:161-6. (IF: 3.942)
88. ²Lu TM, Lee WL, Hsu PF*, Lin TC, Sung SH, Wang KL, Huang SS, Chan WL, Shih CC, Lin SJ, Hsu CP. Long-term results of stenting versus coronary artery bypass surgery for left main coronary artery disease-A single-center experience. *J Chin Med Assoc* 2016;79:356-62. (IF: 1.013)
89. ^{2,5}Lu YY, Chen YC, Kao YH, Lin YK*, Yeh YH, Chen SA, Chen YJ*. Colchicine modulates calcium homeostasis and electrical property of HL-1 cells. *J Cell Mol Med* 2016; 20: 1182-90. (IF: 3.938)
90. ^{2,5}Lu YY, Cheng CC, Chen YC, Lin YK, Chen SA, Chen YJ*. Electrolyte disturbances differentially regulate sinoatrial node and pulmonary vein electrical activity: A contribution to hypokalemia- or hyponatremia- induced atrial fibrillation. *Heart Rhythm* 2016;13:781-8. (IF: 4.391)
91. ^{2,5}Lu YY, Lin YK, Kao YH, Chung CC, Yeh YH, Chen SA, Chen YJ*. Collagen regulates transforming growth factor- β receptors of HL-1 cardiomyocytes through activation of stretch and integrin signaling. *Mol Med Rep* 2016; 14:3429-36. (IF: 1.559)
92. ^{2,5}Lu YY, Lin YK, Wen ZH, Chen YC*, Chen SA, Chen YJ. Latrunculin B modulates electrophysiological characteristics and arrhythmogenesis in pulmonary vein cardiomyocytes. *Clin Sci* 2016;130(9):721-32. (IF:5.016)
93. ^{2,5}Park S, Kario K*, Park CG, Huang QF, Cheng HM, Hoshida S, Wang JG, Chen CH, and Characteristics On the Management of Hypertension in Asia-Morning Hypertension Discussion Group (COME Asia MHDG). Target blood pressure in patients with diabetes: Asian perspective. *Yonsei Med J* 2016; 57:1307-11. (IF: 1.154)
94. ^{2,5}Shih CJ, Ou SM, Chao PW, Kuo SC, Lee YJ, Yang CY, Tarng DC, Lin CC, Huang PH, Li SY*, Chen YT. Risks of death and stroke in patients undergoing hemodialysis with new-onset atrial fibrillation a competing-risk analysis of a nationwide cohort. *Circulation* 2016;133:265-72. (IF: 17.202)
95. ^{2,5}Shih YT, Cheng HM, Sung SH, Chuang SY, Hu WC, Chen CH*. Is noninvasive brachial

- systolic blood pressure an accurate estimate of central aortic systolic blood pressure? *Am J Hypertens* 2016;29:1283-91. (IF: 3.182)
96. ^{2,5}Singhal R, Lo LW*, Lin YJ, Chang SL, Hu YF, Chao TF, Chung FP, Chiou CW, Tsao HM, Chen SA. Intrinsic cardiac autonomic ganglionated plexi within epicardial fats modulate the atrial substrate remodeling: Experiences with atrial fibrillation patients receiving catheter ablation. *Acta Cardiol Sin* 2016;32:174-84. (IF: 0.201)
 97. ^{2,5}Su WW*, Alzubaidi M, Tseng R, Jebaily N, Lin YJ, Wang PJ. Novel usage of the cryoballoon catheter to achieve large area atrial substrate modification in persistent and long-standing persistent atrial fibrillation. *J Interv Cardiac Electrophysiol* 2016;46:275-85. (IF: 1.676)
 98. ^{2,5}Tam WC, Lin YK, Chan WP, Huang JH, Hsieh MH, Chen SA, Chen YJ*. Pericardial fat is associated with the risk of ventricular arrhythmia in Asian patients. *Circ J* 2016;80:1726-33. (IF: 4.124)
 99. ²Teng HI, Huang CC, Chiang CH, Huang PH, Chung CM, Lin SJ, Chen JW, Leu HB, Chan WL, Lee CY*. Sleep apnea and risk of aortic dissection: A nonrandomized, pair-matched cohort study. *J Chin Med Assoc* 2016; 79:422-7. (IF: 1.013)
 100. ^{2,5}Tsai HY, Lin CP, Huang PH*, Li SY, Chen JS, Lin FY, Chen JW, Lin SJ*. Coenzyme Q10 attenuates high glucose-induced endothelial progenitor cell dysfunction through AMP-activated protein kinase pathways. *J Diabetes Res* 2016; 2016: 6384759. (IF: 2.431)
 101. ^{2,5}Tsai KL, Chang YL, Huang PH, Cheng YH, Liu DH, Chen HY, Kao CL*. Ginkgo biloba extract inhibits oxidized low-density lipoprotein (oxLDL)-induced matrix metalloproteinase activation by the modulation of the lectin-like oxLDL receptor 1-regulated signaling pathway in human umbilical vein endothelial cells. *J Vasc Surg* 2016;63(1):204-U284. (IF:3.454)
 102. ^{2,5}Tsai SH, Huang PH, Hsu YJ, Peng YJ, Lee CH, Wang JC, Chen JW, Lin SJ. Inhibition of hypoxia inducible factor-1 alpha attenuates abdominal aortic aneurysm progression through the down-regulation of matrix metalloproteinases. *Sci Rep* 2016;6():28612. (IF:5.228)
 103. ^{2,5}Tsao HM*, Hu WC, Tsai PH, Lee CL, Liu FC, Wang HH, Lo LW, Chang SL, Chao TF, Chen SA. The abundance of epicardial adipose tissue surrounding left atrium is associated with the occurrence of stroke in patients with atrial fibrillation. *Medicine (Baltimore)* 2016;95(14):e3260. (IF:2.133)
 104. ^{2,5}Walia R, Lo LW*, Lam YY, Yu WC, Chen SA. Disc movement sign: A clue to malpositioned Amplatzer cardiac plug impinging on mitral leaflet. *Int J Cardiol* 2016;225():109-10. (IF:4.638)
 105. ^{2,5}Wang CC, Chang HY, Yin WH, Wu YW, Chu PH, Wu CC, Hsu CH, Wen MS, Voon WC, Lin WS, Huang JL, Chen SM, Yang NI, Chang HC, Chang KC, Sung SH, Shyu KG, Lin JL, Mar GY, Chan KC, Kuo JY, Wang JH, Chen ZC, Tseng WK, Cherng WJ*. TSOC-HFrEF Registry: A registry of hospitalized patients with decompensated systolic heart failure: Description of population and management. *Acta Cardiol Sin* 2016;32:400-11. (IF: 0.201)
 106. ²Wang WT, You LK, Chiang CE, Sung SH, Chuang SY, Cheng HM*, Chen CH. Comparative effectiveness of blood pressure-lowering drugs in patients who have already suffered from stroke traditional and Bayesian network meta-analysis of randomized trials. *Medicine (Baltimore)* 2016;95(15):e3302. (IF:2.133)
 107. ^{2,5}Weng CH#, Chung FP#, Chen YC, Lin SF, Huang PH, Kuo TB, Hsu WH, Su WC, Sung YL, Lin YJ, Chang SL, Lo LW, Yeh HI, Chen YJ, Hong YR, Chen SA, Hu YF*. Pleiotropic effects of myocardial MMP-9 inhibition to prevent ventricular arrhythmia. *Sci Rep* 2016;6:38894. (IF: 5.228)
 108. ^{2,5}Wu CC, Hsieh MY, Hung SC, Kuo KL, Tsai TH, Lai CL, Chen JW, Lin SJ, Huang PH, Tarng DC*. Serum indoxyl sulfate associates with postangioplasty thrombosis of dialysis grafts. *J Am Soc Nephrol* 2016;27:1254-264. (IF: 8.491)

109. ^{2,5}Wu TC, Lee CY, Lin SJ, Chen JW*. Aliskiren inhibits neointimal matrix metalloproteinases in experimental atherosclerosis. *Acta Cardiol Sin* 2016;32:586-93. (IF: 0.201)
110. ^{2,5}Wu WC, Chen YT, Chen PH, Su CW, Huang WM, Yang TC, Li SY, Chen TJ, Lin HC, Lee FY, Hou MC*. Low air temperature increases the risk of oesophageal variceal bleeding: A population and hospital-based case-crossover study in Taiwan. *Liver Int* 2016;36:856-64. (IF: 4.47)
111. ^{2,5}Yamashita T*, Koretsune Y, Yang Y, Chen SA, Chung N, Shimada YJ, Kimura T, Miyazaki K, Abe K, Mercuri M, Ruff CT, Giugliano RP. Edoxaban vs. warfarin in East Asian patients with atrial fibrillation- An ENGAGE AF-TIMI 48 Subanalysis. *Circ J* 2016;80:860-9. (IF: 4.124)
112. ²Yang TL, Lin LY, Huang CC, Huang PH, Lin SJ, Chen JW, Chan WL, Leu HB*. Association of statin use and reduced risk of lower-extremity amputation among patients with diabetes: A nationwide population-based cohort observation. *Diabetes Care* 2016;39(4):E54-5. (IF:8.934)
113. ²Yang TL, Lin LY, Huang CC, Huang PH, Lin SJ, Chen JW, Chan WL, Leu HB*. Response to comment on Yang et al. Association of statin use and reduced risk of lower-extremity amputation among patients with diabetes: A nationwide population-based cohort observation. *Diabetes Care* 2016; 39: e54-e55. *Diabetes Care* 2016;39(9):E161-2. (IF:8.934)
114. ^{2,5}Yeh JS, Sung SH, Huang HM, Yang HL, You LK, Chuang SY, Huang PC, Hsu PF, Cheng HM*, Chen CH. Hypoglycemia and risk of vascular events and mortality: A systematic review and meta-analysis. *Acta Diabetologica* 2016;53:377-92. (IF: 3.074)
115. ^{2,5}Yeh YH, Hsu LA, Chen YH, Kuo CT, Chang GJ, Chen WJ*. Protective role of heme oxygenase-1 in atrial remodeling. *Basic Res Cardiol* 2016;111(5):58. (IF:6.038)
116. ^{2,5}Yin WH, Chen P, Yeh HI, Wang KY, Hung YJ, Tseng WK, Wen MS, Wu TC, Wu CC, Cheng SM, Chen JW*. Combination with low-dose dextromethorphan improves the effect of amlodipine monotherapy in clinical hypertension: A first-in-human, concept-proven, prospective, dose-escalation, multicenter study. *Medicine (Baltimore)* 2016;95(12):e3234. (IF:2.133)
117. ^{2,5}Zhao JF, Shyue SK, Kou YR, Lu TM, Lee TS*. Transient receptor potential ankyrin 1 channel involved in atherosclerosis and macrophage-foam cell formation. *Int J Biol Sci* 2016;12:812-23. (IF: 3.982)

Endocrinology and Metabolism

1. ^{2,5}Chang LH, Guo YW, Chen HS*. The hyperglycemic hyperosmolar status is associated with subsequent all-cause mortality in elder type 2 diabetes. *J Am Geriatr Soc* 2016;64: e218-9. (IF: 3.842).
2. ^{2,5}Chang LH, Hwu CM, Chu CH, Won JG, Kwok CF, Lin HD, Chen HS, Lin YC, Lin LY*.The Ankle Brachial Index Exhibits Better Association of Cardiovascular Prognosis than Non-High-Density Lipoprotein Cholesterol in Type 2 Diabetes. *Am J Med Sci* 2016; 351:492-8. (IF:1.575)
3. ^{2,5}Chang LH, Lin LY, Tsai MT, How CK, Chiang JH, Hsieh VC, Hu SY, Hsieh MS*. Association between hyperglycemic crisis and long-term major adverse cardiovascular events: a nationwide population-based, propensity score-matched, cohort study. *BMJ Open* 2016;6:e012233. (IF:2.562)
4. ^{2,5}Chang TT, Wu TC, Huang PH, Chen JS, Lin LY, Lin SJ, Chen JW*. Aliskiren directly improves endothelial progenitor cell function form type 2 diabetic patients. *Eur J Clin Invest* 2016;46:544-54. (IF:2.734)

5. ^{2,5}Chen CC, Lee TY, Kwok CF, Hsu YP, Shih KC, Lin YJ, Ho LT*. Cannabinoid receptor type 1 mediates high-fat diet-induced insulin resistance by increasing forkhead box O1 activity in a mouse model of obesity. *Int J Mol Med* 2016;37:743-54. (IF 2.348).
6. ^{2,4}Chen YH, Tarng DC, Chen HS*. Renal outcomes of pioglitazone compared with acarbose in diabetic patients: A randomized controlled study. *PLoS One* 2016;11: e0165750. (IF: 3.057)
7. ^{2,5}Chien HY, Chen CY, Chiu YH, Lin YC, Li WC*. Differential microRNA profiles predict diabetic nephropathy progression in Taiwan. *Int J Med Sci* 2016;13:457-65. (IF 2.232)
8. ^{2,4}Hsu CY, Chen TH, Su YW, Chang CC, Chen MH, Leu HB, Huang PH*, Chen JW, Lin SJ. Usefulness of the CHADS2 score for determining risk of seizure in patients with atrial fibrillation. *Am J Cardiol* 2016;118:1340-4. (IF:3.154)
9. ^{2,4}Hsu CY, Chen YT, Huang PH, Leu HB, Su YW, Chiang CH, Chen JW, Chen TJ, Lin SJ, Chan WL*. The association between urinary calculi and increased risk of future cardiovascular events: A nationwide population-based study. *J Cardiol* 2016;67:463-70. (IF:2.405)
10. ²Hsu CY, Su YW[#], Chen YT, Tsai SH, Chang CC, Li SY, Huang PH, Chen JW, Lin SJ*. Association between use of oral-antidiabetic drugs and the risk of aortic aneurysm: A nested case-control analysis. *Cardiovasc Diabetol* 2016;15:125. (IF:4.534)
11. ^{2,4}Huang CC, Leu HB, Huang PH, Lin LY, Wu TC, Lin SJ, Chen JW*. Hypertension Subtypes Modify Metabolic Response to Thiazide Diuretics. *Eur J Clin Invest* 2016;46: 80-91. (IF:2.687)
12. ²Huang CJ, Tseng CL, Chen HS, Garabwan C, Korovo S, Tang KT, Won GS, Hsieh CH, Wang FF*. Iodine nutritional status of school children in Nauru 2015. *Nutrients* 2016;8: 520 (IF 3.759).
13. ²Hwu CM*, Lin YC, Lin MW. The relative contribution of obesity and insulin resistance to the association of C-reactive protein with isolated postchallenge hyperglycemia in postmenopausal women. *Metab Syndr Relat Disord* 2016;14:334-9. (IF: 2.121)
14. ^{2,5}Lien CC, Jiang JL, Jian DY, Kwok CF, Ho LT, Juan CC*. Chronic endothelin-1 infusion causes adipocyte hyperplasia in rats. *Obesity (Silver Spring)* 2016;24:643-53. (IF: 3.614)
15. ^{1,5}Lin JD, Fu SS, Chen JY, Lee CH, Chau WK, Cheng CW, Wang YH, Lin YF, Fang WF, Tang KT*. Clinical manifestations and gene expression in patients with conventional papillary thyroid carcinoma carrying the BRAF(V600E) mutation and BRAF pseudogene. *Thyroid* 2016;26:691-704. (IF: 3.784)
16. ^{1,5}Lin JD, Wang YH, Fang WF, Hsiao CJ, Chagnaadorj A, Lin YF, Tang KT*, Cheng CW. Serum BAFF and thyroid autoantibodies in autoimmune thyroid disease. *Clin Chim Acta* 2016;462:96-102. (IF: 2.799)
17. ^{1,5}Lin JD, Yang SF, Wang YH, Fang WF, Lin YC, Lin YF, Tang KT*, Wu MY, Cheng CW. Analysis of associations of human BAFF gene polymorphisms with autoimmune thyroid diseases. *PLoS One* 2016;11:e0154436. (IF: 3.057)
18. ^{2,5}Lin KH, Liou TL, Hsiao LC, Hwu CM*. Clinical and biochemical indicators of homeostasis model assessment estimated insulin resistance in postmenopausal women (vol 74, pg 442, 2011). *J Chin Med Assoc* 2016;79(9):517. (IF:1.013)
19. ²Lin YC, Lin YC, Chen HH, Chen TW, Hsu CC, Peng CC, Wu MS*. Different effect of hypercholesterolemia on mortality in hemodialysis patients by presence of myocardial infarction and coronary artery disease. *Lipids Health Dis* 2016;15:211. (IF: 2.137)
20. ^{2,5}Lin YT, Jian DY, Kwok CF, Ho LT, Juan CC*. Visfatin promotes foam cell formation by dysregulating CD36, SRA, ABCA1, and ABCG1 expression in RAW264.7 macrophages. *Shock* 2016;45:460-8. (IF 3.048)
21. ^{2,5}Shih KC*, Janckila AJ, Lee WJ, Chou YC, Huang CJ, Kwok CF, Ho LT, Chao TY. Effects of bariatric weight loss surgery on glucose metabolism, inflammatory cytokines, and

- serum tartrate-resistant acid phosphatase 5a in obese Chinese adults. *Clin Chim Acta* 2016;453:197-202. (IF 2.799)
22. ^{1,5}Tang KT*, Wang FF, Pan WH, Lin JD, Won GS, Chau WK, Lin HD, Hsieh YT. Iodine status of adults in Taiwan 2005-2008, 5 years after the cessation of mandatory salt iodization. *J Formos Med Assoc* 2016;115:645-51. (IF: 2.018)
 23. ^{2,4}Yang TL, Lin LY, Huang CC, Huang PH, Lin SJ, Chen JW, Chan WL, Leu HB*. Association of statin use and reduced risk of lower-extremity amputation among patients with diabetes: A nationwide population-based cohort observation. *Diabetes Care (e-letter)* 2016;39:e54-5. (IF:8.934)
 24. ^{2,4}Yang TL, Lin LY, Huang CC, Huang PH, Lin SJ, Chen JW, Chan WL, *Leu HB. Response to Comment on Yang et al. Association of statin use and reduced risk of lower-extremity amputation among patients with diabetes: A nationwide population-based cohort observation. *Diabetes Care* 2016;39:e54-e55. *Diabetes Care (e-letter)* 2016;39:e161-2. (IF:8.934)

Infectious Diseases

1. ^{2,5}Ahn JY, Boettiger D, Kiertiburanakul S, Merati TP, Huy BV, Wong WW, Ditangco R, Lee MP, Oka S, Durier N, Choi JY; Treat Asia HIV Observational Database. Incidence of syphilis seroconversion among HIV-infected persons in Asia: Results from the TREAT Asia HIV Observational Database. *J Int AIDS Soc* 2016;19:20965. (IF: 6.256)
2. ^{2,5}Boettiger DC*, Kerr S, Ditangco R, Chaiwarith R, Li PCK, Merati TP, Pham TTT, Kiertiburanakul S, Kumarasamy N, Vonthanak S, Lee CKC, Kinh NV, Pujari S, Wong WW, Kamarulzaman A, Zhang FJ, Yuniastuti E, Choi JY, Oka S, Ng OT, Kantipong P, Mustafa M, Ratanasuwan W, Durier N, Law M. Tenofovir-based antiretroviral therapy in HBV-HIV coinfection: results from the TREAT Asia HIV Observational Database. *Antivir Ther* 2016;21:27-35. (IF: 2.916)
3. ^{2,4}Chang TY, ChaoTF, Liu CJ, Chen SJ*, Chung FP, Liao JN, Tuan TC, Chen TJ, Chen SA. The association between influenza infection, vaccination, and atrial fibrillation: A nationwide case-control study. *Heart Rhythm* 2016;13:1189-94. (IF: 4.391)
4. ^{2,5}Chao PW*, Chu H, Chen YT, Shih YN, Kuo SC, Li SY, Ou SM, Shih CJ. Long-term outcomes in critically ill septic patients who survived cardiopulmonary resuscitation. *Crit Care Med* 2016;44:1067-74. (IF: 7.422)
5. ^{2,4}Chao TF, Lip GYH, Liu CJ, Tuan TC, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chen TJ, Chiang CE, Chen SA*. Validation of a modified CHA(2)DS(2)-VASc score for stroke risk stratification in Asian patients with atrial fibrillation: A nationwide cohort study. *Stroke* 2016;47:2462-9. (IF: 5.787)
6. ²Chen HP, Jiang JK, Chen CY, Yang CY, Chen YC, Lin CH, Chou TY, Cho WL, Chan YJ*. Identification of human cytomegalovirus in tumor tissues of colorectal cancer and its association with the outcome of non-elderly patients. *J Gen Virol* 2016;97:2411-20. (IF: 3.192)
7. ²Chen HP, Jiang JK, Lai PY, Teo WH, Yang CY, Chou TY, Lin CH, Chan YJ*. Serological and viraemic status of human cytomegalovirus infection in patients with colorectal cancer is not correlated with viral replication and transcription in tumours. *J Gen Virol* 2016;97:152-9. (IF: 3.192)
8. ^{2,5}Chen M, Wong WW, Law MG, Kiertiburanakul S, Yuniastuti E, Merati TP, Lim PL, Chaiwarith R, Phanuphak P, Lee MP, Kumarasamy N, Saphonn V, Ditangco R, Sim BL, Nguyen KV, Pujari S, Kamarulzaman A, Zhang F, Pham TT, Choi JY, Oka S, Kantipong P, Mustafa M, Ratanasuwan W, Durier N, Chen YM*. Hepatitis B and C co-infection in HIV patients from the TREAT Asia HIV Observational database: Analysis of risk factors and

- survival. PLoS One 2016;11:e0150512. (IF: 3.057)
9. ^{2,5}Cheng YH, Lin TL, Lin YT, Wang JT*. Amino acid substitutions of CrrB responsible for resistance to colistin through CrrC in *Klebsiella pneumoniae*. Antimicrob Agents Chemother 2016;60:3709-16. (IF: 4.415)
 10. ^{2,5}Chi CY, Lin CH, Ho MW, Ding JY, Huang WC, Shih HP, Yeh CF, Fung CP, Sun HY, Huang CT, Wu TS, Chang CY, Liu YM, Feng JY, Wu WK, Wang LS, Tsai CH, Ho CM, Lin HS, Chen HJ, Lin PC, Liao WC, Chen WT, Lo CC, Wang SY, Kuo CY, Lee CH, Ku CL*. Clinical manifestations, course, and outcome of patients with neutralizing anti-interferon- autoantibodies and disseminated nontuberculous mycobacterial infections. Medicine (Baltimore) 2016;95:e3927. (IF: 2.133)
 11. ^{2,5}Chiu CH, Liu YH, Wang YC, Lee YT, Kuo SC, Chen TL*, Lin JC, Wang FD. In vitro activity of SecA inhibitors in combination with carbapenems against carbapenem-hydrolysing class D beta-lactamase-producing *Acinetobacter baumannii*. J Antimicrob Chemother 2016;71:3441-8. (IF: 4.919)
 12. ^{2,5}Chou CI, Shih CJ, Chen YT, Ou SM, Yang CY, Kuo SC, Chu DC*. Adverse effects of oral nonselective and cyclooxygenase-2-selective NSAIDs on hospitalization for acute kidney injury: A nested case-control cohort study. Medicine (Baltimore) 2016;95:e2645. (IF: 2.133)
 13. ^{2,4}Chuang C, Fan WC, ²Lin YT*, Wang FD. The emergence of *Klebsiella pneumoniae* liver abscess in non-diabetic patients in Taiwan. Gut Pathogens 2016;8:46. (IF: 2.816)
 14. ^{2,5}Chung PH, Wu YY, Chen PH, Fung CP, Hsu CM, Chen LW*. Lactobacillus salivarius reverse diabetes-induced intestinal defense impairment in mice through non-defensin protein. J Nutr Biochem 2016;35:48-57. (IF: 4.668)
 15. ^{2,5}Do TC*, Boettiger D, Law M, Pujari S, Zhang F, Chaiwarith R, Kiertiburanakul S, Lee MP, Ditangco R, Wong WW, Nguyen KV, Merati TP, Pham TT, Kamarulzaman A, Oka S, Yunihastuti E, Kumarasamy N, Kantipong P, Choi JY, Ng OT, Durier N, Ruxrungtham K. Smoking and projected cardiovascular risk in an HIV-positive Asian regional cohort. HIV Med 2016;17:542-9. (IF: 3.341)
 16. ^{2,4}Fan WC, Liu CW, Ou SM, Huang CC, Li TH, Lee KC, Huang SF, Yang YY*, Hsieh YC, Hsieh SL, Hou MC, Lin HC*. TLR4/CD14 variants-related serologic and immunologic dys-regulations predict severe sepsis in febrile de-compensated cirrhotic patients. PLoS One 2016;11:e0166458. (IF: 3.057)
 17. ²Fan WC, Ou SM, Feng JY*, Hu YW, Yeh CM, Su VYF, Hu LY, Chien SH, Su WJ, Chen TJ, Liu CJ. Increased risk of pulmonary tuberculosis in patients with gastroesophageal reflux disease. Int J Tuberc Lung Dis 2016;20:265-70. (IF: 2.148)
 18. ^{2,4}Hsiao LT, Wang HY, Yang CF, Chiou TJ, Gau JP, Yu YB, Liu HL, Chang WC, Chen PM, Tzeng CH, Chan YJ, Yang MH, Liu JH, Huang YH*. Human cytokine genetic variants associated With HBsAg reverse seroconversion in Rituximab-treated non-hodgkin lymphoma patients. Medicine (Baltimore) 2016;95:e3064. (IF: 2.133)
 19. ^{2,5}Huang SH, Chen YC, Chuang YC, Chiu SK, Fung CP, Lu PL, Wang LS, Wu TL, Wang JT*. Prevalence of vancomycin-intermediate Staphylococcus aureus (VISA) and heterogeneous VISA among methicillin-resistant S-aureus with high vancomycin minimal inhibitory concentrations in Taiwan: A multicenter surveillance study, 2012-2013. J Microbiol Immunol Infect 2016;49:701-7. (IF: 2.955)
 20. ^{2,5}Jean SS, Lee WS, Yu KW, Liao CH, Hsu CW, Chang FY, Ko WC, Chen RJ, Wu JJ, Chen YH, Chen YS, Liu JW, Lu MC, Lam C, Liu CY, Hsueh PR*. Rates of susceptibility of carbapenems, ceftobiprole, and colistin against clinically important bacteria collected from intensive care units in 2007: Results from the Surveillance of Multicenter Antimicrobial Resistance in Taiwan (SMART). J Microbiol Immunol Infect 2016;49:969-6. (IF: 2.955)
 21. ^{2,5}Jeong SJ, Italiano C, Chaiwarith R, Ng OT, Vanar S, Jiamsakul A, Saphonn V, Nguyen KV, Kiertiburanakul S, Lee MP, Merati TP, Pham TT, Yunihastuti E, Ditangco R,

- Kumarasamy N, Zhang FJ, Wong WW, Sim BLH, Pujari S, Kantipong P, Phanuphak P, Ratanasuwan W, Oka S, Mustafa M, Durier N, Choi JY*. Late presentation into care of hiv disease and its associated factors in Asia: Results of TAHOD. *Aids Res Hum Retrovir* 2016;32:255-61. (IF: 1.949)
22. ^{2,5}Jiamsakul A*, Kerr SJ, Ng OT, Lee MP, Chaiwarith R, Yuniastuti E, Nguyen KV, Pham TT, Kiertiburanakul S, Ditangco R, Saphonn V, Sim BLH, Merati TP, Wong WW, Kantipong P, Zhang FJ, Choi JY, Pujari S, Kamarulzaman A, Oka S, Mustafa M, Ratanasuwan W, Petersen B, Law M, Kumarasamy N. Effects of unplanned treatment interruptions on HIV treatment failure - results from TAHOD. *Trop Med Int Health* 2016;21:662-74. (IF: 2.519)
 23. ²Juan CH, Huang YW, Lin YT*, Yang TC, Wang FD. Risk factors, outcomes and mechanisms of tigecycline-nonsusceptible *Klebsiella pneumoniae* bacteremia. *Antimicrob Agents Chemother* 2016;60:7357-63. (IF: 4.415)
 24. ^{2,5}Ku NS, Jiamsakul A, Ng OT, Yuniastuti E, Cuong DD, Lee MP, Sim BL, Phanuphak P, Wong WW, Kamarulzaman A, Zhang F, Pujari S, Chaiwarith R, Oka S, Mustafa M, Kumarasamy N, Van Nguyen K, Ditangco R, Kiertiburanakul S, Merati TP, Durier N, Choi JY*; TREAT Asia HIV Observational Databases (TAHOD). Elevated CD8 T-cell counts and virological failure in HIV-infected patients after combination antiretroviral therapy. *Medicine (Baltimore)* 2016;95:e4570. (IF: 2.133)
 25. ^{2,5}Lai CC, Shi ZY, Chen YH*, Wang FD*. Effects of various antimicrobial stewardship programs on antimicrobial usage and resistance among common gram-negative bacilli causing health care-associated infections: A multicenter comparison. *J Microbiol Immunol Infect* 2016;49:74-82. (IF: 2.955)
 26. ^{2,5}Lai HH, Liou BH, Chang YY, Kuo SC*, Lee YT, Chen TL, Fung CP. Risk factors and clinical outcome of sulbactam nonsusceptibility in monomicrobial *Acinetobacter nosocomialis* bacteremia. *J Microbiol Immunol Infect* 2016;49:371-7. (IF: 2.955)
 27. ^{2,5}Lai HW, Shen YH, Chien LJ, Tseng SH*, Mu JJ, Chan YJ, Wang FD. Outbreak of *Ralstonia pickettii* bacteremia caused by contaminated saline solution in Taiwan. *Am J Infect Control* 2016;44:1191-2. (IF: 1.995)
 28. ^{2,5}Lai JH, Yang JT, Chern J, Chen TL, Wu WL, Liao JH, Tsai SF, Liang SY, Chou CC, Wu SH*. Comparative phosphoproteomics reveals the role of AmpC beta-lactamase phosphorylation in the Clinical Imipenem-resistant strain *Acinetobacter baumannii* SK17. *Mol Cell Proteomics* 2016;15:12-25. (IF: 5.912)
 29. ^{2,4}Lee YT, Chiang MC, Kuo SC, Wang YC, Lee IH, Chen TL, Yang YS*. Carbapenem breakpoints for *Acinetobacter baumannii* group: Supporting clinical outcome data from patients with bacteremia. *PLoS One* 2016;11:e0163271. (IF: 3.057)
 30. ^{2,4}Li TH, Lee PC, Lee KC, Hsieh YC, Tsai CY, Yang YY*, Huang SF, Tsai TH, Hsieh SL, Hou MC, Lin HC*, Lee SD. Down-regulation of common NFκB-iNOS pathway by chronic Thalidomide treatment improves hepatopulmonary syndrome and muscle wasting in rats with biliary cirrhosis. *Sci Rep* 2016;6:39405. (IF: 5.228)
 31. ^{2,5}Lin WP, Wang JT*, Chang SC, Chang FY, Fung CP, Chuang YC, Chen YS, Shiao YR, Tan MC, Wang HY, Lai JF, Huang IW, Lauderdale TL. The Antimicrobial Susceptibility of *Klebsiella pneumoniae* from Community Settings in Taiwan, a Trend Analysis. *Sci Rep* 2016;6:36280. (IF: 5.228)
 32. ²Lin YT*, Huang YW, Huang HH, Yang TC, Wang FD, Fung CP. In vivo evolution of tigecycline non-susceptible *Klebsiella pneumoniae* strains in patients: relationship between virulence and resistance. *Int J Antimicrob Agents* 2016;48:485-91. (IF=4.097)
 33. ^{2,5}Liu EYM, Chang JC, Lin JC, Chang FY, Fung CP*. Important Mutations Contributing to High-Level Penicillin Resistance in Taiwan(19F)-14, Taiwan(23F)-15, and Spain(23F)-1 of *Streptococcus pneumoniae* Isolated from Taiwan. *Microb Drug Resist* 2016;22:646-54. (IF:

- 2.529)
34. ^{2,5}Liu JY, Wang FD, Ho MW, Lee CH, Liu JW, Wang JT, Sheng WH*, Hseuh PR, Chang SC. In vitro activity of aminoglycosides against clinical isolates of *Acinetobacter baumannii* complex and other nonfermentative Gram-negative bacilli causing healthcare-associated bloodstream infections in Taiwan. *J Microbiol Immunol Infect* 2016;49:918-23. (IF: 2.955)
 35. ^{2,5}Mean CV, Saphonn V, Khol V, Zhang FJ, Zhao HX, Han N, Lee MP, Li PCK, Lam W, Chan YT, Kumarasamy N, Saghayam S, Ezhilarasi C, Pujari S, Joshi K, Gaikwad S, Chitalikar A, Merati TP, Wirawan DN, Yuliana F, Yunihastuti E, Imran D, Widhani A, Oka S, Tanuma J, Nishijima T, Choi JY, Na S, Kim JM, Sim BLH, Gani YM, David R, Kamarulzaman A, Omar SFS, Ponnampalavanar S, Azwa I, Mustafa M, Nordin N, Ditangco R, Uy E, Bantique R, Wong WW, Ku WW, Wu PC, Ng OT, Lim PL, Lee LS, Ohnmar PS, Phanuphak P, Ruxrungtham K, Avihingsanon A, Chusut P, Kiertibur-Anakul S, Sungkanuparph S, Chumla L, Sanmeema N, Chaiwarith R, Sirisanthana T, Kotarathitum W, Praparattanapan J, Kantipong P, Kambua P, Ratanasuwan W, Sriondee R, Nguyen KV, Bui HV, Nguyen DTH, Nguyen DT, Pham TT, Cuong DD, Ha HL, Sohn AH, Durier N, Petersen B, Cooper DA, Law MG, Jiamsakul A*, Boettiger DC. A decade of combination antiretroviral treatment in Asia: The TREAT Asia HIV observational database cohort. *Aids Res Hum Retrovir* 2016;32:772-81. (IF: 1.949)
 36. ^{2,4}Ou SM, Chu H, Chao PW, Lee YJ, Kuo SC, Chen TJ, Tseng CM, Shih CJ, Chen YT*. Long-term mortality and major adverse cardiovascular events in sepsis survivors: A nationwide population-based study. *Am J Respir Crit Care Med* 2016;194:209-17. (IF: 13.118)
 37. ^{2,5}Shih CJ, Chen HT, Chao PW, Kuo SC, Li SY, Yang CY, Tarng DC, Ou SM, Chen YT*. Angiotensin-converting enzyme inhibitors, angiotensin II receptor blockers and the risk of major adverse cardiac events in patients with diabetes and prior stroke: A nationwide study. *J Hypertens* 2016;34:567-75. (IF: 5.062)
 38. ^{2,5}Shih CJ, Chen HT, Kuo SC, Li SY, Lai PH, Chen SC, Ou SM, Chen YT*. Comparative effectiveness of angiotensin-converting-enzyme inhibitors and angiotensin II receptor blockers in patients with type 2 diabetes and retinopathy. *Can Med Assoc J* 2016;188:E148-57. (IF: 6.724)
 39. ^{2,5}Shih CJ, Chen HT, Kuo SC, Ou SM, Chen YT*. Cardiovascular outcomes of dipeptidyl peptidase-4 inhibitors in elderly patients with type 2 diabetes: A nationwide study. *J Am Med Dir Assoc* 2016;17:59-64. (IF: 6.616)
 40. ^{2,5}Shih CJ, Lee YJ, Lo YH, Kuo SC, Ou SM, Chen YT*. Association between use of dipeptidyl peptidase-4 inhibitors and the risk of acute kidney injury: A nested case-control study. *Mayo Clin Proc* 2016;91:867-72. (IF: 5.920)
 41. ^{2,5}Shih CJ, Ou SM, Chao PW, Kuo SC, Lee YJ, Yang CY, Tarng DC, Lin CC, Huang PH, Li SY*, Chen YT. Risks of death and stroke in patients undergoing hemodialysis with new-onset atrial fibrillation: A competing-risk analysis of a nationwide cohort. *Circulation* 2016;133:265-72. (IF: 17.202)
 42. ^{2,5}Siu LK, Tsai YK, Lin JC, Chen TL, Fung CP, Chang FY*. Development of a colloidal gold-based immunochromatographic strip for rapid detection of *Klebsiella pneumoniae* serotypes K1 and K2. *J Clin Microbiol* 2016;54:3018-21. (IF: 3.631)
 43. ^{2,5}Tanuma J*, Jiamsakul A, Makane A, Avihingsanon A, Ng OT, Kiertiburanakul S, Chaiwarith R, Kumarasamy N, Nguyen KV, Pham TT, Lee MP, Ditangco R, Merati TP, Choi JY, Wong WW, Kamarulzaman A, Yunihastuti E, Sim BL, Ratanasuwan W, Kantipong P, Zhang F, Mustafa M, Saphonn V, Pujari S, Sohn AH; TREAT Asia HIV Observational Databases (TAHOD). Renal dysfunction during Tenofovir use in a regional cohort of HIV-infected individuals in the Asia-Pacific. *PLoS One* 2016;11:e0161562. (IF: 3.057)
 44. ^{2,5}Wang YC, Kuo SC, Yang YS, Lee YT, Chiu CH, Chuang MF, Lin JC, Chang FY, Chen TL*. Individual or combined effects of meropenem, imipenem, sulbactam, colistin, and

- tigecycline on biofilm-embedded *Acinetobacter baumannii* and Biofilm architecture. *Antimicrob Agents Chemother* 2016;60:4670-6. (IF: 4.415)
45. ^{2,5}Wu CJ, Huang YW, Lin YT, Ning HC, Yang TC*. Inactivation of SmeSyRy two-component regulatory system inversely regulates the expression of SmeYZ and SmeDEF efflux pumps in *Stenotrophomonas maltophilia*. *PLoS One* 2016;11:e0160943. (IF: 3.057)
 46. ^{2,5}Wu CJ, Huang YW, Lin YT, Yang TC*. Inactivation of lytic transglycosylases increases susceptibility to aminoglycosides and macrolides by altering the outer membrane permeability of *Stenotrophomonas maltophilia*. *Antimicrob Agents Chemother* 2016;60:3236-9. (IF: 4.415)
 47. ²Wu PF, Chuang C, Su CF, Lin YT*, Chan YJ, Wang FD, Chuang YC, Siu LK, Fung CP. High minimum inhibitory concentration of imipenem as a predictor of fatal outcome in patients with carbapenem non-susceptible *Klebsiella pneumoniae*. *Sci Rep* 2016;6:32665. (IF: 5.228)
 48. ^{2,5}Yang HS, Fang WL, ²Lin YT*. A case of liver abscess caused by tigecycline-nonsusceptible *Klebsiella pneumoniae*. *J Microbiol Immunol Infect* 2016;49:621-2. (IF: 2.955)
 49. ^{2,5}Yang YS, Lee Y, Tseng KC, Huang WC, Chuang MF, Kuo SC*, Lauderdale TLY, Chen TL. In vivo and in vitro efficacy of minocycline-based combination therapy for minocycline-resistant *Acinetobacter baumannii*. *Antimicrob Agents Chemother* 2016;60:4047-54. (IF: 4.415)
 50. ^{2,5}Yen HW, Yang WC, Tarng DC, Yang CY, Chuang CL, Huang LJ, Lin PY, Wang CC, Li SY*. Daptomycin antibiotic lock therapy for hemodialysis patients with Gram-positive bloodstream infections following use of tunneled, cuffed hemodialysis catheters: Retrospective single center analysis. *Hemodial Int* 2016;20:315-20. (IF: 1.495)

Nephrology

1. ²Chan SY[#], Ou SM[#], Chen YT*, Shih CJ*. Effects of DPP-4 inhibitors on cardiovascular outcomes in patients with type 2 diabetes and end-stage renal disease. *Int J Cardiol* 2016;218:170-5. (IF: 4.638)
2. ^{3,5}Chao PW[#], Chu H[#], Chen YT, Shih YN, Kuo SC, Li SY, Ou SM*, Shih CJ*. Long-term outcomes in critically ill septic patients who survived cardiopulmonary resuscitation. *Crit Care Med* 2016;44:1067-74. (IF: 7.422)
3. ²Chen CF, Lin CC*. Neutrophil gelatinase-associated lipocalin: Still a good predictive marker of acute kidney injury in severe septic patients? *J Chin Med Assoc* 2016;79:411-2. (IF: 1.013)
4. ²Chen CF, Yang WC, Lin CC*. An update of the effect of far infrared therapy on arteriovenous access in end-stage renal disease patients. *J Vasc Access* 2016;17:293-8. (IF: 1.535)
5. ^{2,5}Chen FA[#], Chien CC[#], Chen YW, Wu YT, Lin CC*. Angiotensin converting-enzyme inhibitors, angiotensin receptor blockers, and calcium channel blockers are associated with prolonged vascular access patency in uremic patients undergoing hemodialysis. *PLoS One* 2016;11:e0166362. (IF: 3.057)
6. ²Chen JY, Jian DY, Lien CC, Lin YT, Ting CH, Chen LK, Hsu TC, Huang HM, Wu YT, Kuan TT, Chao YW, Wu LY, Huang SW, Juan CC*. Adipocytes play an etiological role in the podocytopathy of high-fat diet-fed rats. *J Endocrinol* 2016;231:109-20. (IF: 4.498)
7. ^{2,5}Chen TW, Chen CY*, Lin NC, King KL, Wu TH, Yang WC, Loong CC. How to improve the positive predictive value of urinary decoy cell surveillance for polyomavirus BK-associated nephropathy in kidney transplant patients. *Transplant Proc* 2016;48:924-8. (IF: 0.867)

8. ²Chen YH, Tarng DC, Chen HS*. Renal outcomes of pioglitazone compared with acarbose in diabetic patients: A randomized controlled study. *PLoS One* 2016;11:e0165750. (IF: 3.057)
9. ²Chen YW[#], Wu YT[#], Lin JS, Yang WC, Hsu YH, Lee KH, Ou SM, Chen YT, Shih CJ, Lee PC, Chan CH, Chung MY*, Lin CC*. Association of genetic polymorphisms of renin-angiotensin-aldosterone system-related genes with arterio-venous fistula malfunction in hemodialysis patients. *Int J Mol Sci* 2016;17:833. (IF: 3.257)
10. ²Chiu CC[#], Chen YT[#], Hsu CY, Chang CC, Huang CC, Leu HB, Li SY, Kuo SC, Huang PH*, Chen JW, Lin SJ*. Association between previous history of gout attack and risk of deep vein thrombosis - a nationwide population-based cohort study. *Sci Rep* 2016;6:26541. (IF: 5.228)
11. ⁵Chou CI, Shih CJ, Chen YT, Ou SM, Yang CY, Kuo SC, Chu DC*. Adverse effects of oral nonselective and cyclooxygenase-2-selective NSAIDs on hospitalization for acute kidney injury: A nested case-control cohort study. *Medicine* 2016;95:e2645. (IF: 2.133)
12. ⁵Chu H, Shih CJ, Ou SM, Chou KT, Lo YH, Chen YT*. Association of sleep apnoea with chronic kidney disease in a large cohort from Taiwan. *Respirology* 2016;21:754-60. (IF: 3.078)
13. ^{2,4}Fan WC[#], Liu CW[#], Ou SM, Huang CC, Li TH, Lee KC, Huang SF, Yang YY*, Hsieh YC, Hsieh SL, Hou MC, Lin HC*. TLR4/CD14 variants-related serologic and immunologic Dys-regulations predict severe sepsis in febrile de-compensated cirrhotic patients. *PLoS One* 2016;11:e0166458. (IF: 3.057)
14. ²Fan WC, Ou SM, Feng JY*, Hu YW, Yeh CM, Su VYF, Hu LY, Chien SH, Su WJ, Chen TJ, Liu CJ*. Increased risk of pulmonary tuberculosis in patients with gastroesophageal reflux disease. *Int J Tuberc Lung Dis* 2016;20:265-70. (IF: 2.148)
15. ^{2,4}Hsu CY, Su YW, Chen YT, Tsai SH*, Chang CC, Li SY, Huang PH, Chen JW, Lin SJ. Association between use of oral-antidiabetic drugs and the risk of aortic aneurysm: A nested case-control analysis. *Cardiovasc Diabetol* 2016;15:125. (IF: 4.534)
16. ⁵Hung SC, Kuo KL, Huang HL, Lin CC, Tsai TH, Wang CH, Chen JW, Lin SJ, Huang PH*, Tarng DC*. Indoxyl sulfate suppresses endothelial progenitor cell-mediated neovascularization. *Kidney Int* 2016;89:574-85. (IF: 7.683)
17. ^{2,5}Hung SC, Tarng DC*. Reversed association between aldosterone and mortality in hemodialysis patients: Role of volume overload. *Steroids* 2016;111:60-2. (IF: 2.513)
18. Lee HT[#], ²Wu TH[#], Lin CS, Lee CS, Wei YH, Tsai CY*, Chang DM*. The pathogenesis of systemic lupus erythematosus - From the viewpoint of oxidative stress and mitochondrial dysfunction. *Mitochondrion* 2016;30:1-7. (IF: 3.647)
19. ²Lee KH, Chen YT, Chung HJ, Liu JS, Hsu CC, Tarng DC*. Kidney disease progression in patients of upper tract urothelial carcinoma following unilateral radical nephroureterectomy. *Ren Fail* 2016;38:77-83. (IF: 0.875)
20. ²Lee KH, Tsai WJ, Chen YW, Yang WC, Lee CY, Ou SM, Chen YT, Chien CC, Lee PC, Chung MY^{#*}, Lin CC^{#*}. Genotype polymorphisms of genes regulating nitric oxide synthesis determine long-term arteriovenous fistula patency in male hemodialysis patients. *Ren Fail* 2016;38:228-37. (IF: 0.875)
21. ^{2,3}Li SY, Susztak K*. The long noncoding RNA Tug1 connects metabolic changes with kidney disease in podocytes. *J Clin Invest* 2016;126:4072-5. (IF: 12.575)
22. ^{2,5}Liu WS, Chan HL, Lai YT, Yang YH, Teng HW, Liu CK, Li SY, Yang CY, Liu TY*, Lin CC*. Shift from darbepoetin-alpha to continuous erythropoietin receptor activator decreases serum aluminium concentration in patients on hemodialysis. *Environ Toxicol Pharmacol* 2016;45:108-14. (IF: 2.187)
23. ^{2,5}Liu WS, Chu DC, Chan HL, Li SY, Liu CK, Yang CY, Chen YW, Lee PC, Lai YT, Lin CC*. Fixed dose of long-acting erythropoietic stimulating agents at higher frequency

- improves appetite, reduces inflammation and corrects anaemia in patients on haemodialysis. *Clin Exp Pharmacol Physiol* 2016;43:875-82. (IF: 2.004)
24. ^{2,5}Lu TM*, Hsu CP, Chang CF, Lin CC, Lee TS, Lin SJ, Chan WL. Asymmetric dimethylarginine predicts the risk of contrast-induced acute kidney injury in patients undergoing cardiac catheterization. *Atherosclerosis* 2016;254():161-6. (IF:3.942)
 25. ²Ou SM#, Chen YT#, Hung SC, Shih CJ, Lin CH, Chiang CK, Tarng DC*. Association of estimated glomerular filtration rate with all-cause and cardiovascular mortality: the role of malnutrition-inflammation-cachexia syndrome. *J Cachexia Sarcopenia Muscle* 2016;7:144-51. (IF: 7.883)
 26. ²Ou SM#, Chu H#, Chao PW, Lee YJ, Kuo SC, Chen TJ, Tseng CM, Shih CJ, Chen YT*. Long-term mortality and major adverse cardiovascular events in sepsis survivors a nationwide population-based study. *Am J Respir Crit Care Med* 2016;194:209-17. (IF: 13.118)
 27. ²Ou SM, Shih CJ, Chen YT*. The methodology of assessing long-term mortality and cardiovascular risks in survivors of sepsis. Reply. *Am J Respir Crit Care Med* 2016;194:246. (IF: 13.118)
 28. ⁵Pan HC, Wu PC, Wu VC, Yang YF, Huang TM, Shiao CC, Chen TC, Tarng DC, Lin JH, Yang WS, Sun CY, Lin CY, Chu TS, Wu MS, Wu KD, Chen YC*, Huang CC*. A nationwide survey of clinical characteristics, management, and outcomes of acute kidney injury (AKI) - patients with and without preexisting chronic kidney disease have different prognoses. *Medicine* 2016;95:e4987. (IF: 13.118)
 29. ⁵Shiao CC, Wu PC, Wu VC*, Lin JH, Pan HC, Yang YF, Lai TS, Huang TM, Wu CH, Yang WS, Wu CJ, Kao CC, Sun CY, Huang CT, Lee KH, Lin CY, Chen TC, Hu FC, Liou HH, Lu KC, Chien KL, Wang JJ, Kan WC, Kuo FC, Lin HYH, Chen CM, You ZH, Tsai JP, Weng CJ, Chen HY, Chang CF, Hsu WD, Wu MS*, Huang CC*, Wu KD*. Nationwide epidemiology and prognosis of dialysis-requiring acute kidney injury (NEP-AKI-D) study: Design and methods. *Nephrology* 2016;21:758-64. (IF: 1.796)
 30. ^{3,5}Shih CJ#, Chen HT#, Chao PW, Kuo SC, Li SY, Yang CY, Tarng DC, Ou SM*, Chen YT*. Angiotensin-converting enzyme inhibitors, angiotensin II receptor blockers and the risk of major adverse cardiac events in patients with diabetes and prior stroke: a nationwide study. *J Hypertens* 2016;34:567-75. (IF: 5.062)
 31. ⁵Shih CJ#, Chen HT#, Kuo SC, Li SY, Lai PH, Chen SC, Ou SM*, Chen YT*. Comparative effectiveness of angiotensin-converting-enzyme inhibitors and angiotensin II receptor blockers in patients with type 2 diabetes and retinopathy. *Can Med Assoc J* 2016;188 :E148-57. (IF: 6.724)
 32. ^{2,5}Shih CJ, Chen HT, Kuo SC, Ou SM, Chen YT*. Cardiovascular outcomes of dipeptidyl peptidase-4 inhibitors in elderly patients with type 2 diabetes: A Nationwide Study. *J Am Med Dir Assoc* 2016;17:59-64. (IF: 6.616)
 33. ^{2,5}Shih CJ, Chen YT, Ou SM, Lin CH, Tarng DC*, Taiwan Geriatric Kidney Disease (TGKD) Research Group. Observed blood pressure and mortality among people aged 65 years and older: A community-based cohort study. *J Am Med Dir Assoc* 2016;17:654-62. (IF: 6.616)
 34. ^{2,5}Shih CJ, Lee YJ, Lo YH, Kuo SC, Ou SM*, Chen YT*. Association between use of dipeptidyl peptidase-4 inhibitors and the risk of acute kidney injury: A nested case-control study. *Mayo Clin Proc* 2016;91:867-72. (IF:5.92)
 35. ^{2,3}Shih CJ#, Ou SM#, Chao PW, Kuo SC, Lee YJ, Yang CY, Tarng DC, Lin CC, Huang PH, Li SY*, Chen YT*. Risks of death and stroke in patients undergoing hemodialysis with new-onset atrial fibrillation a competing-risk analysis of a nationwide cohort. *Circulation* 2016;133:265-72. (IF: 17.202)
 36. ^{2,5}Su VYF#, Chang YS#, Hu YW, Hung MH, Ou SM, Lee FY, Chou KT, Yang KY, Perng

- DW, Chen TJ, Liu CJ*. Carvedilol, bisoprolol, and metoprolol use in patients with coexistent heart failure and chronic obstructive pulmonary disease. *Medicine* 2016;95:e2427. (IF: 2.133)
37. ²Tarng DC*, Tseng WC, Lee PY, Chiou SH, Hsieh SL. Induced pluripotent stem cell-derived conditioned medium attenuates acute kidney injury by downregulating the oxidative stress-related pathway in ischemia-reperfusion rats. *Cell Transplant* 2016;25:517-30. (IF: 3.427)
 38. ^{2,3,5}Tsai HY, Lin CP, Huang PH*, Li SY, Chen JS, Lin FY, Chen JW, Lin SJ*. Coenzyme Q10 attenuates high glucose-induced endothelial progenitor cell dysfunction through AMP-activated protein kinase pathways. *J Diabetes Res* 2016:6384759. (IF: 2.431)
 39. ⁵Tseng WC, Chuang CW, Yang MH, Pan CC, Tarng DC*. Krüppel-like factor 4 is a novel prognostic predictor for urothelial carcinoma of bladder and it regulates TWIST1-mediated epithelial-mesenchymal transition. *Urol Oncol-Semin Ori* 2016;34:485.e15-485.e24. (IF: 2.921)
 40. ^{2,5}Wang S#, Meng XM#, ²Ng YY#, Ma FY, Zhou S, Zhang Y, Yang C, Huang XR, Xiao J, Wang YY, Ka SM, Tang YJ, Chung ACK, To KF, Nikolic-Paterson DJ, Lan HY. TGF-beta/Smad3 signalling regulates the transition of bone marrow-derived macrophages into myofibroblasts during tissue fibrosis. *Oncotarget* 2016;7:8809-22. (IF: 5.008)
 41. ^{2,5}Weng SC, Tarng DC*. Interaction between protein-energy wasting and geriatric nutritional risk index in elderly patients on dialysis. *J Chin Med Assoc* 2016;79:299-300. (IF: 1.013)
 42. ^{2,4}Wu CC, Hsieh MY, Hung SC, Kuo KL, Tsai TH, Lai CL, Chen JW, Lin SJ, Huang PH, Tarng DC*. Serum indoxyl sulfate associates with postangioplasty thrombosis of dialysis grafts. *J Am Soc Nephrol* 2016;27:1254-64. (IF: 8.491)
 43. ⁵Wu CK, Leu JG, Yang AH, Tarng DC, Tung HY, Chiang SS*. Simultaneous occurrence of fibrillary glomerulonephritis and renal lesions in nonmalignant monoclonal IgM gammopathy. *BMC Nephrol* 2016;17:17. (IF: 2.289)
 44. ⁵Wu CL, Tsai CC, Kor CT, Tarng DC, Lian IB, Yang TH, Chiu PF*, Chang CC*. Stroke and risks of development and progression of kidney diseases and end-stage renal disease: A nationwide population-based cohort study. *PLoS One* 2016;11:e0158533. (IF: 3.057)
 45. ²Wu TH#, Lee HT#, Lai CC, Yang AH, Loong CC, Wang HK, Yu CL, Tsai CY*. Suppressor of cytokine signaling (SOCS) 1 is down-regulated in renal transplant recipients with rejection. *Transpl Immunol* 2016;38:54-9. (IF: 1.317)
 46. ^{2,3,5}Wu WC#, Chen YT#, Chen PH, Su CW, Huang WM, Yang TC, Li SY, Chen TJ, Lin HC, Lee FY, Hou MC*. Low air temperature increases the risk of oesophageal variceal bleeding: A population and hospital-based case-crossover study in Taiwan. *Liver Int* 2016;36:856-64. (IF: 4.47)
 47. ^{1,2,3}Yen HW, Yang WC, Tarng DC, Yang CY, Chuang CL, Huang LJ, Lin PY, Wang CC, Li SY*. Daptomycin antibiotic lock therapy for hemodialysis patients with Gram-positive bloodstream infections following use of tunneled, cuffed hemodialysis catheters: Retrospective single center analysis. *Hemodial Int* 2016;20:315-20. (IF: 1.495)

Hematology and Oncology

1. ^{2,4}Chang TY, Chao TF, Liu CJ, Chen SJ*, Chung FP, Liao JN, Tuan TC, Chen TJ, Chen SA. The association between influenza infection, vaccination, and atrial fibrillation: A nationwide case-control study. *Heart Rhythm* 2016;13:1189-94. (IF:4.391)
2. ^{2,4}Chao TF, Lip GY, Liu CJ, Tuan TC, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chen TJ, Chiang CE*, Chen SA*. Validation of a Modified CHA2DS2-VASc Score for

- Stroke Risk Stratification in Asian Patients With Atrial Fibrillation: A Nationwide Cohort Study. *Stroke* 2016;47:2462-9. (IF: 5.787)
3. ^{2,4}Chao TF, Liu CJ, Liao JN, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Chung FP, Chen TJ, Lip GYH, Chen SA*. Use of Oral Anticoagulants for Stroke Prevention in Patients With Atrial Fibrillation Who Have a History of Intracranial Hemorrhage. *Circulation* 2016;133:1540-7. (IF: 17.202)
 4. ^{2,4}Chao TF*, Liu CJ, Liao JN, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Tuan TC, Chung FP, Chen TJ, Lip GYH, Chen SA. Response by Chao et al to Letters Regarding Article, "Use of oral anticoagulants for stroke prevention in patients with atrial fibrillation who have a history of intracranial hemorrhage". *Circulation* 2016;134(11):E230-1. (IF:17.202)
 5. ^{2,4}Chao TF, Liu CJ, Tuan TC, Chen SJ, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chen TJ, Chiang CE*, Chen SA*. Comparisons of CHADS(2) and CHA(2)DS(2)- VASc scores for stroke risk stratification in atrial fibrillation: Which scoring system should be used for Asians? *Heart Rhythm* 2016;13:46-53. (IF: 4.391)
 6. ^{2,4}Chao TF, Liu CJ, Tuan TC, Wang KL, Lin YJ, Chang SL, Lo LW, Hu YF, Chen TJ, Chiang CE, Hsieh MH*, Lip GYH, Chen SA. Impact on Outcomes of Changing Treatment Guideline Recommendations for Stroke Prevention in Atrial Fibrillation: A Nationwide Cohort Study. *Mayo Clin Proc* 2016;91:567-74. (IF:5.920)
 7. ^{2,5}Chao TI, Tai, WT, Hung MH, Tsai MH, Chen MH, Chang MJ, Shiau CW, Chen KF*. A combination of sorafenib and SC-43 is a synergistic SHP-1 agonist duo to advance hepatocellular carcinoma therapy. *Cancer Lett* 2016;371: 205-13. (IF: 5.992)
 8. ²Chen SC, Liu CJ, Hu YW, Yeh CM, Hu LY, Wang YP, Hung YP, Tzeng CH, Chiou TJ, Chen TJ, Teng CJ*. Second primary malignancy risk among patients with gastric cancer: a nationwide population-based study in Taiwan. *Gastric Cancer* 2016;19:490-7. (IF: 4.404)
 9. ^{2,5}Chen YC, Fang WL, Wang RF, Liu CA, Yang MH, Lo SS, Wu CW, Li AFY, Shyr YM, Huang KH*. Clinicopathological Variation of Lauren Classification in Gastric Cancer. *Pathol Oncol Res* 2016;22:197-202. (IF: 1.940)
 10. ^{2,5}Chiang CL, Hu YW, Wu CH, Chen YT, Liu CJ, Luo YH, Chen YM, Chen TJ, Su KC, Chou KT*. Spectrum of cancer risk among Taiwanese with chronic obstructive pulmonary disease. *Int J Clin Oncol* 2016;21:1014-20. (IF: 1.806)
 11. ^{2,5}Chiang KC, Sun CC, Chen MH, Huang CY, Hsu JT, Yeh TS, Chen LW, Kuo SF, Juang HH*, Takano M, Kittaka A, Chen TC, Yeh CN*, Pang JHS*. MART-10, the new brand of 1 alpha,25(OH)(2)D-3 analog, is a potent anti- angiogenic agent in vivo and in vitro. *J Steroid Biochem* 2016;155(Pt A):26-34. (IF: 3.985)
 12. ^{2,4}Chou AY, Liu CJ, Chao TF*, Wang KL, Tuan TC, Chen TJ, Chen SA. Presence of diabetic microvascular complications does not incrementally increase risk of ischemic stroke in diabetic patients with atrial fibrillation: A nationwide cohort study. *Medicine* 2016; 95:e3992. (IF: 2.133)
 13. ^{2,5}Chou YS, Yen CC*, Chen WM, Lin YC, Wen YS, Ke WT, Wang JY, Liu CY, Yang MH, Chen TH, Liu CL. Cytotoxic mechanism of PLK1 inhibitor GSK461364 against osteosarcoma: mitotic arrest, apoptosis, cellular senescence, and synergistic effect with paclitaxel. *Int J Oncol* 2016;48:1187-94. (IF: 3.018)
 14. ^{2,5}Fan LC, Teng HW, Shiau CW, Tai WT, Hung MH, Yang SH, Jiang JK, Chen KF*. Regorafenib (Stivarga) pharmacologically targets epithelial-mesenchymal transition in colorectal cancer. *Oncotarget* 2016;7(39):64136-47. (IF:5.008)
 15. ^{2,5}Fan NW, Chung YC, Liu YC, Liu CJL, Kuo YS, Lin PY*. Long-Term Topical Ganciclovir and Corticosteroids Preserve Corneal Endothelial Function in Cytomegalovirus Corneal Endothelitis. *Cornea* 2016 MAY ;35 (5):596-601. (IF: 1.833)
 16. ^{2,4}Fan WC, Ou SM, Feng JY*, Hu YW, Yeh CM, Su VYF, Hu LY, Chien SH, Su WJ, Chen TJ, Liu CJ*. Increased risk of pulmonary tuberculosis in patients with gastroesophageal

- reflux disease. *Int J Tuberc Lung D* 2016;20:265-70. (IF: 2.148)
17. ^{2,5}Fang WL, Huang KH, Lan YT, Lin CH, Chang SC*, Chen MH, Chao Y, Lin WC, Lo SS, Li AFY, Wu CW, Chiou SH, Shyr YM*. Mutations in PI3K/AKT pathway genes and amplifications of PIK3CA are associated with patterns of recurrence in gastric cancers. *Oncotarget* 2016;7:6201-20. (IF: 5.008)
 18. ²Hsiao LT, Wang HY, Yang CF, Chiou TJ, Gau JP, Yu YB, Liu HL, Chang WC, Chen PM, Tzeng CH, Chan YJ, Yang MH, Liu JH, Huang YH*. Human cytokine genetic variants associated with HBsAg reverse seroconversion in rituximab-treated non-hodgkin lymphoma patients. *Medicine* 2016;95:e3064. (IF: 2.133)
 19. ^{2,5}Huang CH, Chang PMH, Hsu CW, Huang CYF, Ng KL*. Drug repositioning for non-small cell lung cancer by using machine learning algorithms and topological graph theory. *BMC Bioinformatics* 2016;17 Suppl 1:2. (IF:2.435)
 20. ^{2,5}Hung MH, Chen YL, Chu PY, Shih CT, Yu HC, Tai WT, Shiau CW, Chen KF*. Upregulation of the oncoprotein SET determines poor clinical outcomes in hepatocellular carcinoma and shows therapeutic potential. *Oncogene* 2016;35(37):4891-902. (IF:7.932)
 21. ^{2,4}Hung MH, Liu CJ, Teng CJ, Hu YW, Yeh CM, Chen SC, Chien SH, Hung YP, Shen CC, Chen TJ, Tzeng CH, Liu CY*. Risk of Second Non-Breast Primary Cancer in Male and Female Breast Cancer Patients: A Population-Based Cohort Study. *PLoS One* 2016;11:e0148597. (IF: 3.057)
 22. ^{2,4}Hung MH, Wang CY, Chen YL, Chu PY, Hsiao YJ, Tai WT, Chao TT, Yu HC, Shiau CW*, Chen KF*. SET antagonist enhances the chemosensitivity of non-small cell lung cancer cells by reactivating protein phosphatase 2A. *Oncotarget* 2016;7:638-55. (IF: 5.008)
 23. ^{2,5}Hung Y, Chao TF, Liu CJ, Tuan TC, Lin YJ, Chang SL, Lo LW, Hu YF, Liao JN, Chung FP, Lin WY, Lin WS, Cheng SM, Chen TJ, Lip GYH, Chen SA*. Is an oral anticoagulant necessary for young atrial fibrillation patients with a CHA(2)DS(2)-VASc Score of 1 (Men) or 2 (Women)?. *J Am Heart Assoc* 2016;5(10):e003839. (IF:5.117)
 24. ^{2,5}Lee PC, Yeh CM, Hu YW, Chen CC, Liu CJ*, Su CW*, Huo TI, Huang YH, Chao Y, Chen TJ, Lin HC, Wu JC. Antiplatelet Therapy is Associated with a Better Prognosis for Patients with Hepatitis B Virus-Related Hepatocellular Carcinoma after Liver Resection. *Ann Surg Oncol* 2016;23(Suppl 5):874-83. (IF: 3.655)
 25. ²Lee YT, Chen YY, Wu CY, Chen HM, Tzeng CH, Chiou TJ*. Enterovesical fistula caused by regressive change of non-Hodgkin's lymphoma: A case report. *Oncol Lett* 2016;12:331-3. (IF: 1.482)
 26. ^{2,5}Liang SY*, Chao TC, Tseng LM, Tsay SL, Lin KC, Tung HH. Symptom- Management Self-efficacy Mediates the Effects of Symptom Distress on the Quality of Life Among Taiwanese Oncology Outpatients With Breast Cancer. *Cancer Nurs* 2016;39:67-73. (IF: 2.017)
 27. ²Liu YC, Chien SH, Fan NW, Hu MH, Gau JP*, Liu CJ, Yu YB, Hsiao LT, Chiou TJ, Tzeng CH, Chen PM, Liu JH. Prognostic factors on the graft-versus-host disease-free and relapse-free survival after adult allogeneic hematopoietic stem cell transplantation. *Stem Cells Int* 2016;2016:5143071. (IF: 3.687)
 28. ²Liu YC, Chien SH, Fan NW, Hu MH, Gau JP*, Liu CJ, Yu YB, Liu CY, Hsiao LT, Liu JH, Chiou TJ, Chen PM, Tzeng CH. Incidence and risk factors of probable and proven invasive fungal infection in adult patients receiving allogeneic hematopoietic stem cell transplantation. *J Microbiol Immunol* 2016;49:567-74. (IF: 2.955)
 29. ²Liu YC, Gau JP, Lin PY, Liu CJL, Liu CJ, Liu JH, Fan NW*. Conjunctival Acute Graft-versus-Host Disease in Adult Patients Receiving Allogeneic Hematopoietic Stem Cell Transplantation: A Cohort Study. *PLoS One* 2016;11(11):e0167129. (IF:3.057)
 30. ²Lu HJ, Lin JK, Chen WS, Jiang JK, Yang SH, Lan YT, Lin CC, Chang SC, Teng HW*. Primary tumor location is an important predictive factor for wild-type KRAS metastatic colon cancer treated with cetuximab as front-line bio-therapy. *Asia-Pac J Clin Oncol*

- 2016;12(3):207-15. (IF:1.722)
31. ^{2,5}Su VYF, Chang YS, Hu, YW, Hung MH, Ou SM, Lee FY, Chou KT, Yang KY, Perng DW, Chen TJ, Liu CJ*. Carvedilol, Bisoprolol, and Metoprolol use in patients with coexistent heart failure and chronic obstructive pulmonary disease. *Medicine* 2016; 95:e2427. (IF: 2.133)
 32. ^{2,5}Tai WT, Chen YL, Chu PY, Chen LJ, Hung MH, Shiao CW, Huang JW, Tsai MH, Chen KF*. Protein tyrosine phosphatase 1B dephosphorylates PITX1 and regulates p120RasGAP in hepatocellular carcinoma. *Hepatology* 2016;63:1528-43. (IF: 11.711)
 33. ^{2,5}Teng CJ, Hu YW, Chen SC, Yeh CM, Chiang HL, Chen TJ, Liu CJ*. Use of radioactive iodine for thyroid cancer and risk for second primary malignancy: A nationwide population-based study. *JNCI-J Natl Cancer I* 2016;108:djv314. (IF: 11.37)
 34. ^{2,5}Teng CJ, Hu YW, Yeh CM, Chen TJ, Liu, CJ*. Cancer risk in patients with empyema: A nationwide population-based study. *Medicine* 2016;95:e2934. (IF: 2.133)
 35. ^{2,5}Teng CJ, Huon LK, Hu YW, Yeh CM, Chien SH, Chen SC*, Liu CJ*. Secondary Solid Organ Neoplasm in Patients with Acute Lymphoblastic Leukemia: A Nationwide Population-Based Study in Taiwan. *PLoS One* 2016;11:e0152909. (IF: 3.057)
 36. ²Wu CY, Chiou TJ, Liu CY, Lin FC, Lin JS, Hung MH, Hsiao LT, Yen CC, Gau JP, Yen HJ, Hung GY, Hsu HC, Tzeng CH, Liu JH, Yu YB*. Decision-tree algorithm for optimized hematopoietic progenitor cell-based predictions in peripheral blood stem cell mobilization. *Transfusion* 2016;56:2042-51. (IF: 3.042)

Allergy, Immunology and Rheumatology

1. ^{2,5}Chang CC, Chang YS, Chen WS, Chen YH, Chen JH*. Effects of annual influenza vaccination on morbidity and mortality in patients with systemic lupus erythematosus: A nationwide cohort study. *Sci Rep* 2016;6:37817. (IF:5.228)
2. ^{2,5}Chien EJ*, Hsu CH, Chang VHJ, Lin EPY, Kuo TPT, Chien CH, Lin HY. In human T cells mifepristone antagonizes glucocorticoid non-genomic rapid responses in terms of Na⁺/H⁺-exchange 1 activity, but not ezrin/radixin/moesin phosphorylation. *Steroids* 2016;111:29-36. (IF:2.513)
3. ^{2,5}Chen CH, Chen HA, Liao HT, Liu CH, Tsai CY, Chou CT*. Suppressors of cytokine signaling in ankylosing spondylitis and their associations with disease severity, acute-phase reactants and serum cytokines. *Clin Exp Rheumatol* 2016 34:100-5. (IF: 2.495)
4. ⁵Chen CL, Lee CC, Liu FL, Chen TC, Ahmed Ali AA, Chang DM*, Huang HS*. Design, synthesis and SARs of novel salicylanilides as potent inhibitors of RANKL-induced osteoclastogenesis and bone resorption. *Eur J Med Chem* 2016;117:70-84. (IF: 3.902)
5. ²Chen MH, Chen CK, Chou HP, Chen MH, Tsai CY*, Chang DM. Rituximab therapy in primary Sjögren's syndrome with interstitial lung disease. *Clin Exp Rheumatol* 2016;34:1077-84. (IF: 2.495)
6. ^{2,5}Chen MH, Weng JJ, Cheng CT, Wu RC, Huang SC, Wu CE, Chung YH, Liu CY, Chang MH, Chen MH, Chiang KC, Yeh TS, Su Y, Yeh CN*. ALDH1A3, the major aldehyde dehydrogenase isoform in human cholangiocarcinoma cells, affects prognosis and gemcitabine resistance in cholangiocarcinoma patients. *Clin Cancer Res* 2016;22:4225-35. (IF: 8.738)
7. ²Chen WS, Chang YS, Chang CC, Chang, DM, Chen,YH, Tsai, CY*, Chen JH*. Management and risk reduction of rheumatoid arthritis in individuals with obstructive sleep apnea: A nationwide population-based study in Taiwan. *Sleep* 2016;39:1883-90. (IF: 4.793)
8. ^{2,5}Chou WC, Lin PH, Yeh YC, Shyr YM, Fang WL, Wang SE, Liu CY, Chang PM, Chen MH, Hung YP, Li CP, Chao Y*, Chen MH*. Genes involved in angiogenesis and mTOR

- pathways are frequently mutated in Asian patients with pancreatic neuroendocrine tumors. *Int J Biol Sci* 2016 Nov 25;12:1523-32. (IF: 3.982)
9. ^{2,5}Deng Y, Zhao J, Sakurai D, Sestak AL, Osadchiy V, Langefeld CD, Kaufman KM, Kelly JA, James JA, Petri MA, Bae SC, Alarcon-Riquelme ME, Alarcon GS, Anaya JM, Criswell LA, Freedman BI, Kamen DL, Gilkeson GS, Jacob CO, Merrill JT, Gaffney PM, Sivils KM, Niewold TB, Ramsey-Goldman R, Reveille JD, Scofield RH, Stevens AM, Boackle SA, Vila LM, Sohn IIW, Lee S, Chang DM, Song YW, Vyse TJ, Harley JB, Brown EE, Edberg JC, Kimberly RP, Cantor RM, Hahn BH, Grossman JM, Tsao BP*. Decreased SMG7 expression associates with lupus-risk variants and elevated antinuclear antibody production. *Ann Rheum Dis* 2016;75:2007-13. (IF:12.384)
 10. ^{1,5}Lee CC, Chen CL, Liu FL, Chiou CY, Chen TC, Wu CC, Sun WH, Chang DM*, Huang HS*. Development of 1-amino-4-(phenylamino) anthraquinone-2-sulfonate sodium derivatives as a new class of inhibitors of RANKL-induced osteoclastogenesis. *Arch Pharm (Weinheim)* 2016;349:342-55. (IF: 2.043)
 11. ^{2,5}Lee HT, Wu TH, Lin CS, Lee CS, Tsai CY*, Chang DM*. The pathogenesis of systemic lupus erythematosus - from the viewpoint of oxidative stress and mitochondrial dysfunction. *Mitochondrion* 2016;30:1-7. (IF: 3.647)
 12. ²Li TH, Huang CC, Yang YY*, Lee KC, Hsieh SL, Hsieh YC, Alan LA, Lin HC, Lee SD, Tsai CY. Thalidomide improves the intestinal mucosal injury and suppresses mesenteric angiogenesis and vasodilatation by down-regulating inflammasomes- related cascades in cirrhotic rats. *PLoS One* 2016;11:e0147212. doi: 10.1371/journal.pone.0147212. (IF: 3.057)
 13. ²Li TH, Lee PC, Lee KC, Hsieh YC, Tsai CY, Yang YY*, Huang SF, Tsai TH, Hsieh SL, Hou MC, Lin HC*, Lee SD. Down-regulation of common NFκB-iNOS pathway by chronic thalidomide treatment improves hepatopulmonary syndrome and muscle wasting in rats with biliary cirrhosis. *Sci Rep* 2016; 6:39405. doi: 10.1038/srep39405. (IF: 5.228)
 14. ^{2,5}Song IW, Chen HC, Lin YF, Yang JH, Chang CC, Chou CT, Lee MTM, Chou YC, Chen CH, Chen YT, Chen CH, Wu JY*. Identification of susceptibility gene associated with female primary Sjogren's syndrome in Han Chinese by genome-wide association study. *Hum Genet* 2016;135:1287-94. (IF:5.138)
 15. ^{2,5}Wu CC, Liu FL, Sytwu HK, Tsai CY, Chang DM*. CD146+ mesenchymal stem cells display greater therapeutic potential than CD146- cells for treating collagen-induced arthritis in mice. *Stem Cell Res Ther* 2016;7:1-13. doi: 10.1186/s13287-016-0285-4 (IF: 4.504)
 16. ^{2,4}Wu TH, Lee HT, Lai CC, Yang YH, Loong CC, Wang HK, Yu CL, Tsai CY*. Suppressor of cytokine signaling (SOCS) 1 is down-regulated in renal transplant recipients with rejection. *Transplant Immunol* 2016;38:54-9. doi: 10.1016/j.trim.2016.07.001. (IF: 1.317)
 17. ^{2,5}Yu KH, Lai JH, Hsu PN, Chen DY, Chen CJ, Lin HY*. Safety and efficacy of oral febuxostat for treatment of HLA-B*5801-negative gout: a randomized, open-label, multicentre, allopurinol-controlled study. *Scand J Rheumatol* 2016;45:304-11. (IF:2.307)

Clinical Toxicology and Occupational Medicine

1. ^{2,5}Chiu YH, Lai JI, Wang SH, How CK, Li LH, Kao WF*, Yang CC, Chen RJ. Early changes of the anemia phenomenon in male 100-km ultramarathoners (vol 78, pg 108, 2015). *J Chin Med Assoc* 2016;79(2):101. (IF:1.013)
2. ^{2,5}Mao YC, Liu PY, Lai WC, Huang ST, Hung DZ, Yang CC*. Bacteriology of *Naja atra* snakebite wound and its implications for antibiotic therapy. *Am J Trop Med Hyg* 2016;94:1129-35. (IF: 2.453)
3. ^{2,5}Yang CF, Yang CC, Liao HC, Huang LY, Chiang CC, Ho HC, Lai CJ, Chu TH, Yang TF,

- Hsu TR, Soong WJ, Niu DM*. Very early treatment for infantile-onset Pompe disease contribute to better outcomes. *J Pediatr* 2016;169:174-80. (IF: 3.890)
4. ^{2,5}Yen YF, Chuang PH, Yen MY, Lin SY, Chuang P, Yuan MJ, Ho BL, Chou P, Deng CY*. Association of body mass index with tuberculosis mortality: A population-based follow-up study. *Medicine (Baltimore)* 2016;95(1):e2300. (IF:2.133)
 5. ^{2,5}Yen YF, Jen I, Chen M, Chuang PH, Liu YL, Sharp GB, Chen YMA*. Association of cytomegalovirus end-organ disease with stroke in people living with HIV/AIDS: A nationwide population-based cohort study. *PLoS One* 2016;11(3):e0151684. (IF:3.057)
 6. ^{1,5}Yip L*, Deng JF. On the toxicity of ibogaine. Letter to the editor. *Clinical Toxicol* 2016;54:605. (IF: 2.886)

Transfusion Medicine

1. ^{2,4}Chen SC, Liu CJ, Hu YW, Yeh CM, Hu LY, Wang YP, Hung YP, Tzeng CH, Chiou TJ, Chen TJ, Teng CJ*. Second primary malignancy risk among patients with gastric cancer: A nationwide population-based study in Taiwan. *Gastric Cancer* 2016;19:490-7. (IF:4.404)
2. ^{2,5}Chiu WC, Chiou TJ, Chung MJ, Chiang AN. β 2-glycoprotein I inhibits vascular endothelial growth factor-induced angiogenesis by suppressing the phosphorylation of extracellular signal-regulated kinase 1/2, Akt, and endothelial nitric oxide synthase. *PLoS One* 2016;11:e0161950. (IF:3.057)
3. ^{2,4}Hsiao LT, Wang HY, Yang CF, Chiou TJ, Gau JP, Yu YB, Liu HL, Chang WC, Chen PM, Tzeng CH, Chan YJ, Yang MH, Liu JH, Huang YH*. Human cytokine genetic variants associated with HBsAg reverse seroconversion in rituximab-treated non-hodgkin lymphoma patients. *Medicine* 2016;95:e3064. (IF: 2.133)
4. ^{2,4}Lee YT, Chen YY, Wu CY, Chen HM, Tzeng CH, Chiou TJ*. Enterovesical fistula caused by regressive change of non-Hodgkin's lymphoma: A case report. *Oncol Lett* 2016;12:331-3. (IF: 1.482)
5. ^{2,4}Liu YC, Chien SH, Fan NW, Hu MH, Gau JP*, Liu CJ, Yu YB, Hsiao LT, Chiou TJ, Tzeng CH, Chen PM, Liu JH. Prognostic factors on the graft-versus-host disease-free and relapse-free survival after adult allogeneic hematopoietic stem cell transplantation. *Stem Cells Int* 2016;2016:5143071. (IF: 3.68)
6. ^{2,4}Wu CY, Chiou TJ, Liu CY, Lin FC, Lin JS, Hung MH, Hsiao LT, Yen CC, Gau JP, Yen HJ, Hung GY, Hsu HC, Tzeng CH, Liu JH, Yu YB*). Decision-tree algorithm for optimized hematopoietic progenitor cell-based predictions in peripheral blood stem cell mobilization. *Transfusion* 2016;56:2042-51. (IF: 3.042)

General Medicine

1. ²Chuang CL*. Fluid management in acute kidney injury. *Contrib Nephrol* 2016;187: 84-93. (IF: 2.438)
2. ^{2,4}Fan WC, Liu WC, Ou SM, Huang CC, Li TH, Lee KC, Huang SF, Yang YY*, Hsieh YC, Hsieh SL, Hou MC, Lin HC.* TLR4/CD14 variants-related serologic and immunologic dys-regulations predict severe sepsis in febrile de-compensated cirrhotic patients. *PLoS One* 2016;11:e0166458. (IF:4.411)
3. ^{2,4}Ho HL, Hsu SJ, Lee FY, Huang HC*, Hsin IF, Hou MC, Lee SD. Role of cyclooxygenase isoforms in encephalopathy of cirrhotic rats. *J Chin Med Assoc* 2016;79:583-8. (IF: 1.013)
4. ^{2,4}Hsin IF, Lee JY, Huo TI, Lee FY, Huang HC*, Hsu SJ, Wang SS, Ho HL, Lin HC, Lee SD. 2'-Hydroxyflavanone ameliorates mesenteric angiogenesis and portal-systemic collaterals in rats with liver fibrosis. *J Gastroenterol Hepatol* 2016;31:1045-51. (IF: 3.322)

5. ^{2,4}Hsu SJ, Lin TY, Wang SS, Chuang CL, Lee FY, Huang HC*, Hsin IF, Lee JY, Lin HC, Lee SD. Endothelin receptor blockers reduce shunting and angiogenesis in cirrhotic rats. *Eur J Clin Invest* 2016;46:572-80. (IF:2.687)
6. ^{2,4}Lee KC, Hsieh YC, Yang YY*, Chan CC, Huang YH, Lin HC. Aliskiren reduces hepatic steatosis and epididymal fat mass and increases skeletal muscle insulin sensitivity in high-fat diet-fed mice. *Sci Rep* 2016; 6:18899. (IF:5.228)
7. ^{2,3}Lee WS#, Erdelyi K#, Matyas C#, Mukhopadhyay P, Varga ZV, Liaudet L, Haskó G, Čiháková D, Mechoulam R, Pacher P*. Cannabidiol limits T cell-mediated chronic autoimmune myocarditis: Implications to autoimmune disorders and organ transplantation. *Mol Med* 2016;22:136-46. (IF: 3.53)
8. ^{2,4}Li TH, Huang CC, Yang YY*, Lee KC, Hsieh SL, Hsieh YC, Alan L, Lin HC, Lee SD, Tsai CY. Thalidomide improves the intestinal mucosal injury and suppresses mesenteric angiogenesis and vasodilatation by down-regulating inflammasomes- related cascades in cirrhotic rats. *PLoS One* 2016;11:e0147212 (IF:4.411)
9. ^{2,4}Li TH, Lee PC, Lee KC, Hsieh YC, Tsai CY, Yang YY*, Huang SF, Tsai TH, Hsieh SL, Hou MC, Lin HC*, Lee SD. Down-regulation of common NFκB-iNOS pathway by chronic Thalidomide treatment improves hepatopulmonary syndrome and muscle wasting in rats with biliary cirrhosis. *Sci Rep* 2016;6:39405 (IF:5.228)
10. ^{2,5}Lin GM*, Wu CF, Liu PY, Han CL. Modified low-density lipoprotein may moderate the association of baseline hs-CRP with incident cardiac events in the Asian populations. *J Cardiol* 2016;68:178-9. (IF: 2.405)
11. ^{2,4}Luo JC*, Peng YL, Chen TS, Huo TI, Hou MC, Huang HC, Lin HC, Lee FY. Clopidogrel inhibits angiogenesis of gastric ulcer healing via downregulation of vascular endothelial growth factor receptor 2. *J Formos Med Assoc* 2016;115:764-72. (IF: 2.018)
12. ^{2,4}Yen HW, Yang WC, Tarng DC, Yang CY, Chuang CL, Huang LJ, Lin PY, Wang CC, Li SY*. Daptomycin antibiotic lock therapy for hemodialysis patients with Gram-positive bloodstream infections following use of tunneled, cuffed hemodialysis catheters: Retrospective single center analysis. *Hemodial Int* 2016;20:315-20. (IF: 1.495)

Endoscopy Center For Diagnosis and Treatment

1. ^{2,5}Chang SC, Lin PC, Lin JK, Lin CH, Yang SH, Liang WY, Chen WS, Jiang JK*. Mutation Spectra of Common Cancer-Associated Genes in Different Phenotypes of Colorectal Carcinoma Without Distant Metastasis. *Ann Surg Oncol* 2016;23:849-55. (IF:3.655)
2. ^{2,4}Chen SC, Liu CJ, Hu YW, Yeh CM, Hu LY, Wang YP, Hung YP, Tzeng CH, Chiou TJ, Chen TJ, Teng CJ. Second primary malignancy risk among patients with gastric cancer: a nationwide population-based study in Taiwan. *Gastric Cancer* 2016;19:490-7. (IF:4.404)
3. ^{2,4}Fan WC, Liu CW, Ou SM, Huang CC, Li TH, Lee KC, Huang SF, Yang YY*, Hsieh YC, Hsieh SL, Hou MC, Lin HC*. TLR4/CD14 variants-related serologic and immunologic dys-regulations predict severe sepsis in febrile de-compensated cirrhotic patients. *PLoS One* 2016;11:e0166458. (IF:3.057)
4. ²Ho HL, Hsu SJ, Lee FY, Huang HC*, Hsin IF, Hou MC, Lee SD. Role of cyclooxygenase isoforms in encephalopathy of cirrhotic rats. *J Chin Med Assoc* 2016; 79:583-8. (IF:1.013)
5. ²Hsieh WY, Chen PH, Hou MC*. A duodenal tumor that causes partial obstruction. *Gastroenterology* 2016;150:e9-e10. (IF:18.187)
6. ²Hsin IF, Lee JY, Huo TI, Lee FY*, Huang HC*, Hsu SJ, Wang SS, Ho HL, Lin HC, Lee SD. 2'-Hydroxyflavanone ameliorates mesenteric angiogenesis and portal-systemic collaterals in rats with liver fibrosis. *J Gastroenterol Hepatol* 2016;31:1045-51. (IF:3.322)
7. ³Hsin IF, Montano E, Seki E*. Finding a new role for NEMO: A key player in preventing

- hepatocyte apoptosis and liver tumorigenesis by inhibiting RIPK1. *Hepatology* 2016; 64:295-7. (IF:11.711)
8. ²Hsu SJ, Lin TY, Wang SS, Chuang CL, Lee FY*, Huang HC*, Hsin IF, Lee JY, Lin HC, Lee SD. Endothelin receptor blockers reduce shunting and angiogenesis in cirrhotic rats. *Eur J Clin Invest* 2016;46:572-80. (IF:2.687)
 9. ^{2,5}Lee WP*, Hou MC, Lan KH, Li CP, Chao Y, Lin HC, Lee SD. Helicobacter pylori-induced chronic inflammation causes telomere shortening of gastric mucosa by promoting PARP-1-mediated non-homologous end joining of DNA. *Arch Biochem Biophys* 2016;606:90-8. (IF:2.807)
 10. ^{2,4}Li TH, Lee PC, Lee KC, Hsieh YC, Tsai CY, Yang YY*, Huang SF, Tsai TH, Hsieh SL, Hou MC, Lin HC*, Lee SD. Down-regulation of common NFκB-iNOS pathway by chronic Thalidomide treatment improves hepatopulmonary syndrome and muscle wasting in rats with biliary cirrhosis. *Sci Rep* 2016;6:39405. (IF:5.228)
 11. ^{2,5}Liou JY, Ting CK, Hou MC, Tsou MY*. A response surface model exploration of dosing strategies in gastrointestinal endoscopies using midazolam and opioids. *Medicine (Baltimore)* 2016;95:e3520. (IF:2.133)
 12. ²Luo JC*, Peng YL, Chen TS, Huo TI, Hou MC, Huang HC, Lin HC, Lee FY. Clopidogrel inhibits angiogenesis of gastric ulcer healing via downregulation of vascular endothelial growth factor receptor 2. *J Formos Med Assoc* 2016;115:764-72. (IF:2.018)
 13. ^{2,5}Tsai CF, Chu CJ, Wang YP, Liu PY, Huang YH, Lin HC, Lee FY, Lu CL*. Increased serum interleukin-6, not minimal hepatic encephalopathy, predicts poor sleep quality in nonalcoholic cirrhotic patients. *Aliment Pharmacol Ther* 2016;44:836-45. (IF:6.320)
 14. ^{2,5}Wu WC, Chen YT, Chen PH, Su CW, Huang WM, Yang TC, Li SY, Chen TJ, Lin HC, Lee FY, Hou MC*. Low air temperature increases the risk of oesophageal variceal bleeding: a population and hospital-based case-crossover study in Taiwan. *Liver Int* 2016;36:856-64. (IF:4.470)

Hospitalist Ward

1. ²Chang TY, Chao TF, Liu CJ, Chen S*J, Chung FP, Liao JN, Tuan TC, Chen TJ, Chen SA. The association between influenza infection, vaccination, and atrial fibrillation: A nationwide case-control study. *Heart Rhythm* 2016; 13:1189-94 . (IF: 4.391)
2. ^{2,5}Wang S[#], Meng XM[#], ²Ng YY[#], Ma FY, Zhou S, Zhang Y, Yang C, Huang XR, Xiao J, Wang YY, Ka SM, Tang YJ, Chung ACK, To KF, Nikolic-Paterson DJ, Lan HY. TGF-beta/Smad3 signalling regulates the transition of bone marrow-derived macrophages into myofibroblasts during tissue fibrosis. *Oncotarget* 2016;7:8809-22. (IF: 5.008)
3. ²Wu PF, Chuang C, Su CF, Lin YT*, Chan YJ, Wang FD, Chuang YC, Siu LK, Fung CP. High minimum inhibitory concentration of imipenem as a predictor of fatal outcome in patients with carbapenem non-susceptible *Klebsiella pneumoniae*. *Sci Rep* 2016;6:32665. (IF: 5.228)
4. ²Young SH, Luo JC*. Will saliva test be a good method to detect Helicobacter pylori in H. pylori-infected patients? *J Chin Med Assoc* 2016;79:351-2. (IF:1.013)