



Available online at www.sciencedirect.com

ScienceDirect

Journal of the Chinese Medical Association 84 (2021) XVII–XXIII



www.jcma-online.com

Title Index

A

- A PRISMA-compliant meta-analysis of apolipoprotein C3 polymorphisms and nonalcoholic fatty liver disease 84:923
- A bibliometric analysis of top 100 most-cited articles in dentistry with author(s) affiliated with Taiwan institutes 84:799
- A comparison of prognostic performance of perioperative inflammation markers in surgical resection for hepatocellular carcinoma 84:614
- A digital photograph study evaluating facial taperness and square face perception of Taiwanese females 84:314
- A novel low-profile external skeletal fixator for type IIIB open tibial fractures: A biomechanical and clinical pilot study 84:528
- A systematic review of the methodology of sonographic assessment of upper limb activities-associated carpal tunnel syndrome 84:212
- Accurate diagnosis of endoscopic mucosal healing in ulcerative colitis using deep learning and machine learning 84:678
- Add-on therapy of interfascial hydrodissection to trigger point injection for myofascial pain? 84:453
- Adherence to healthy lifestyle improved clinical outcomes in coronary artery disease patients after coronary intervention 84:596
- Amylin, bariatric surgery, and type 2 diabetes mellitus 84:983
- Anesthesia services in Taiwan: A nationwide population-based study 84:713
- Angioplasty and stenting for symptomatic stenosis of the left subclavian artery complicated with aortic dissection 84:273
- Animal models of dry eye: Their strengths and limitations for studying human dry eye disease 84:459
- Aortic regurgitation in Marfan syndrome patients who underwent prophylactic surgery: A single-center experience 84:540
- Application of hyaluronic acid in patients with interstitial cystitis 84:341
- Application of masticatory control in dental treatment for elderly individuals 84:125
- Are functional outcomes and reoperation rates really better than those of cementless stems in displaced femoral neck fractures? An updated systematic review and meta-analysis of randomized controlled trials in current-generation stem designs 84:969
- Association between body mass index and clinical outcomes in out-of-hospital cardiac arrest survivors treated with targeted temperature management 84:504
- Association between gastrointestinal symptoms and depression among older adults in Taiwan: A cross-sectional study 84:331
- Association of insulin resistance and leptin receptor gene polymorphism in type 2 diabetes mellitus 84:383
- Association of multiple preventive therapies postdischarge and long-term health outcomes after acute myocardial infarction 84:1084

B

- Biomechanical comparisons of different diagonal screw designs in a novel embedded calcaneal slide plate 84:1038
- Blood pressure management and renal protection: Revisiting hypertensive nephropathy 84:911

C

- Can 3D artificial intelligence models outshine 2D ones in the detection of intracranial metastatic tumors on magnetic resonance images? 84:956
- Can the simple parameter of peripheral hematological examination predict the outcome in patients with septic acute kidney injury? 84:336
- Caregivers' willingness to pay for Alzheimer's disease medications in Taiwan 84:446
- Change of plasma amylin after bariatric surgery challenged by oral glucose is associated with remission of type 2 diabetes mellitus 84:1001
- Characterization of Androgen Receptor Complex Associated Protein (ARCAP) in hepatocellular carcinoma and liver 84:1100
- Clinical manifestation and disease progression in COVID-19 infection 84:3
- Clinical significance of olfactory dysfunction in patients of COVID-19 84:682
- Combination of pembrolizumab and lenvatinib is a potential treatment option for heavily pretreated recurrent and metastatic head and neck cancer 84:361
- Comparison of the iCare, Tono-Pen, non-contact airpuff, and Goldmann applanation tonometers in eyes with corneal edema after penetrating keratoplasty 84:320
- Comprehensive analysis of gene expression and DNA methylation for preeclampsia progression 84:410
- Concordance analysis of intrapartum cardiotocography between physicians and artificial intelligence-based technique using modified one-dimensional fully convolutional networks 84:158
- Correlations between bladder wall thickness and clinical manifestations in female patients with detrusor underactivity and detrusor overactivity—with—detrusor underactivity 84:937

D

- Deep learning for abdominal ultrasound: A computer-aided diagnostic system for the severity of fatty liver 84:842
- Deep proteogenomic investigations elucidate the NRF2 antioxidant mechanism as a major driving mechanism of lung adenocarcinoma in Asia 84:766
- Desflurane protects against liver ischemia/reperfusion injury via regulating miR-135b-5p 84:38
- Development and optimization of heavy metal lead biosensors in biomedical and environmental applications 84:745
- Diagnostic significance of circulating miR-485-5p in patients with lupus nephritis and its predictive value evaluation for the clinical outcomes 84:491
- Differences in end-of-life care and outcomes in palliative consultation-eligible patients with and without do-not-resuscitate orders: A propensity score-matched study 84:633
- Differences in intestinal microbiota profiling after upper and lower gastrointestinal surgery 84:354
- Differentiation of clinical patterns and survival outcomes of hepatocellular carcinoma on hepatitis B and nonalcoholic fatty liver disease 84:606
- Disposable protective barrier enclosure prevent aerosol contamination during aerosol-generating procedures 84:119
- Does COVID-19 vaccination cause excess deaths? 84:811
- Does rotation during catheter withdrawal in embryo transfer increase pregnancy rates? 84:1135
- Does the combination of hysterectomy and general anesthesia increase the risk of subsequent development of dementia? 84:1

E

- Early clinical exposure improves medical students' recognition of the need for professionalism and interprofessional collaboration 84:778
- Early full weight-bearing in patients with isolated displaced lateral malleolar fracture after rigid internal fixation with locking plates 84:438
- Effect of dexamethasone intravitreal implant for refractory and treatment-naive diabetic macular edema in Taiwanese patients 84:326
- Effects of dipeptidyl peptidase-4 inhibition on portal hypertensive and cirrhotic rats 84:1092
- Efficacy of intratracheal budesonide-surfactant combined therapy in surfactant-insufficient rat lungs with lipopolysaccharide insult 84:783
- Endoscopic management of malignant gastric outlet obstruction 84:346
- Endovascular aortic repair is a cost-effective option for in-hospital patients with abdominal aortic aneurysm 84:890
- Endovascular management of symptomatic stenosis of supra-aortic arteries in patients with Takayasu arteritis 84:303

Erratum: Association between gastrointestinal symptoms and depression among older adults in Taiwan: A cross-sectional study	84:555
Establishing diagnostic algorithms for SARS-CoV-2 nucleic acid testing in clinical practice	84:1120
Etiology and risk factors of intracranial hemorrhage and ischemic stroke in young adults	84:930
Evaluating the biocompatibility and biological performance of FePt-decorated nano-epoxy nanoparticles in mesenchymal stem cells	84:1109
Evaluation of the diagnostic accuracy of COVID-19 antigen tests: A systematic review and meta-analysis	84:1028
Evaluation of the relationship between central serous chorioretinopathy and liver cirrhosis: A nationwide, population-based study	84:655
Experience of resources management on coronavirus disease 2019 epidemic at a tertiary medical center in Northern Taiwan	84:545
F	
Fabrication of hyaluronic acid-gold nanoparticles with chitosan to modulate neural differentiation of mesenchymal stem cells	84:1007
Factors associated with the dosing of edoxaban for stroke prevention in patients with atrial fibrillation from South Korea and Taiwan: 1-year data from the Global ETNA-AF Program	84:485
Factors associated with treatment outcomes after intravesical hyaluronic acid therapy in women with refractory interstitial cystitis: A prospective, multicenter study	84:418
Factors influencing locoregional recurrence and distant metastasis in Asian patients with cutaneous melanoma after surgery: A retrospective analysis in a tertiary hospital in Taiwan	84:870
Fecal microbiota profile in patients with inflammatory bowel disease in Taiwan	84:580
Frontier review of the roles of exosomes in osteoarthritis	84:754
G	
Generation of osimertinib-resistant cells from epidermal growth factor receptor L858R/T790M mutant non-small cell lung carcinoma cell line	84:248
Genetic variations of three important antioxidative enzymes SOD2, CAT, and GPX1 in nonalcoholic steatohepatitis	84:14
Genotype distribution, clinical characteristics, and racial differences observed in chronic hepatitis C patients in Pingtung, Taiwan	84:255
Goiter disease in traditional Chinese medicine: Modern insight into ancient wisdom	84:577
Group-based trajectory analysis of postoperative pain and outcomes after liver cancer surgery	84:95
Growth hormone control and cardiovascular function in patients with acromegaly	84:165
Gut symptoms in the depressed elderly: The interactions between emotion and gastrointestinal neuroendocrinology	84:455
H	
Hemorrhagic pericardial tamponade in a peritoneal dialysis patient	84:733
Hepatoma upregulated protein and Ki-67 expression in resectable hepatocellular carcinoma	84:623
Hepatotoxicity, efficacy and completion rate between 3 months of isoniazid plus rifampine and 9 months of isoniazid in treating latent tuberculosis infection: A systematic review and meta-analysis	84:993
Highlight of severe acute respiratory syndrome coronavirus-2 vaccine development against COVID-19 pandemic	84:9
I	
Identification of a <i>de novo</i> TSC2 variant in a Han-Chinese family with tuberous sclerosis complex	84:46
Identifying major predictors of lower-extremity amputation in patients with diabetic foot ulcers	84:285
Image-enhanced endoscopy for detection of second primary esophageal neoplasms in patients with hypopharyngeal cancer: Prevalence, risk factors, and characteristics	84:963
Immunotherapy for hepatocellular carcinoma: The challenge of biomarker studies	84:121
Impact of screening COVID-19 on orthopedic trauma patients at the emergency department: A consecutive series from a level I trauma center	84:423
Impact of the COVID-19 pandemic on the use of advance care planning services within the veterans administration system in Taiwan	84:197

Impact of the extent of negative lymph nodes in gastric adenocarcinoma undergoing primary surgical resection: An institutional report	84:428
In-kind donations to healthcare facilities during COVID-19: Experiences from a large medical center in northern Taiwan	84:704
Increased incidence of neurogenic bladder after radical hysterectomy for cervical cancer: A nationwide population-based cohort study	84:942
Increased risk for central serous chorioretinopathy in nephrotic syndrome patients: A population-based cohort study	84:1060
Influent factors of surgical decompression for ulnar nerve neuropathy in Guyon's canal	84:885
Interleukin-2 receptor alpha as a biomarker for nonalcoholic fatty liver disease diagnosis	84:261
Iodine nutritional status of lactating women in northern Taiwan in 2019	84:400
Is it possible to increase detection rate of esophageal precancer or cancer lesions in the high-risk population?	84:1075
Is it possible to use the serum levels of alpha 1-antitrypsin as a serum biomarker to distinguish endometriosis and endometriosis-associated epithelial ovarian cancers?	84:985
Is modified embryo transfer technique related to an increased pregnancy rate?	84:1073
Is one-minute difference in operation time meaningful?	84:561
Is the lower serum level of vitamin E associated with pregnant women with allergic rhinitis?	84:739
Is there any useful surrogate to evaluate metabolic fatty liver disease?	84:344
K	
Kisspeptin in female reproduction	84:559
Kisspeptin in male reproduction	84:667
Knowledge, attitude, and barriers regarding prescribing long-term opioids among Taiwan physicians treating officially registered patients with chronic noncancer pain	84:227
L	
Long-term imaging follow-up to evaluate restenosis in patients with carotid stenosis after angioplasty and stenting	84:87
M	
Mandibular advancement devices shorten desaturation duration in patients at high risk for obstructive sleep apnea syndrome during intravenous propofol sedation in the decubitus position	84:221
Maternal weight gain and birth weight	84:741
Metabolic effects of cross-sex hormone therapy in transgender individuals in Taiwan	84:267
MiR-194-5p serves as a potential biomarker and regulates the proliferation and apoptosis of hippocampus neuron in children with temporal lobe epilepsy	84:510
Micro-RNA-183-5p acts as a potential diagnostic biomarker for atherosclerosis and regulates the growth of vascular smooth muscle cell	84:33
Modifications of intravitreal injections in response to the COVID-19 pandemic	84:827
Morphine produces better thermal analgesia in young Huntington mice and are associated with less neuroinflammation in spinal cord	84:73
N	
Nanodiamond-based microRNA delivery system promotes pluripotent stem cells toward myocardiogenic reprogramming	84:177
Neonatal hyperoxia induces gut dysbiosis and behavioral changes in adolescent mice	84:290
Nonalcoholic fatty liver disease and hepatocellular carcinoma: Distinct links	84:737
O	
Omeprazole vs famotidine for the prevention of gastroduodenal injury in high-risk users of low-dose aspirin: A randomized controlled trial	84:19
Outcome comparison between vaginoscopy and standard hysteroscopy: A retrospective cohort study	84:536
Outstanding research paper awards of the <i>Journal of the Chinese Medical Association</i> in 2020	84:1071
Overactive bladder syndrome in nulliparous women	84:809
Overactive bladder syndrome is associated with detrusor overactivity and abnormal voiding pattern in nulliparous women	84:865
Overview of the molecular mechanisms of migration and invasion in glioblastoma multiforme	84:669

P

- Pandemic analysis of infection and death correlated with genomic open reading frame 10 mutation in severe acute respiratory syndrome coronavirus 2 victims 84:478
- Pandemic aspect of dexamethasone: Molecular mechanisms and clinical application 84:245
- Patient satisfaction with dabigatran and warfarin for stroke prevention in atrial fibrillation: Taiwan PASSION study 84:375
- Persistent liver inflammation in chronic hepatitis C patients with advanced fibrosis after direct-acting antivirals induced sustained virological response 84:472
- Physician decision support system for idiopathic sudden sensorineural hearing loss patients 84:101
- Polymorphism of rs6426749 at 1p36.12 is associated with the risk of osteoarthritis in Taiwanese female population 84:523
- Potential of circulating immune cells as biomarkers of nivolumab treatment efficacy for advanced hepatocellular carcinoma 84:144
- Potential role of transcutaneous carbon dioxide monitoring in nonintubated video-assisted thoracic surgery 84:242
- Pre-existing chronic kidney disease and hypertension increased the risk of cardiotoxicity among colorectal cancer patients treated with anticancer drugs 84:877
- Predictive factors for disease recurrence in patients with locally advanced renal cell carcinoma treated with curative surgery 84:405
- Predictors of delayed extubation following lung resection: Focusing on preoperative pulmonary function and incentive spirometry 84:368
- Prevention of eyelid malposition by three-step supporting technique in the transcutaneous lower blepharoplasty 84:191
- Printing a static progressive orthosis for hand rehabilitation 84:795
- Prognostic factors of advanced gastric cancer 84:557

Q

- Quantitative CT angiography predicts large artery occlusion types and successful thrombectomy in acute ischemic stroke 84:61

R

- Recent progress of biomarkers in oral cancers 84:987
- Reply to “Can the simple parameter of peripheral hematological examination predict the outcome in patients with septic acute kidney injury?” 84:338
- Reply to “Was capsule penetration of locally advanced renal cell carcinoma associated with recurrence in patients undergoing curative surgery?” 84:665
- Reply to “The use of serum level of microRNA-485-5P in prediction of renal function in lupus nephritis patients” 84:900
- Research on veterans: A PubMed-based bibliometric analysis from 1989 to 2018 84:114
- Role of kisspeptin on cell proliferation and steroidogenesis in luteal cells in vitro and in vivo 84:389
- Role of the kisspeptin/*KISS1* receptor system in the testicular development of mice 84:203
- Role-play of real patients improves the clinical performance of medical students 84:183
- Roles and mechanisms of circulating CEACAM1 in the cirrhosis-related intestinal hyperpermeability: in vitro approach 84:851

S

- Serum levels of alpha1-antitrypsin isoforms in patients with ovarian clear cell carcinoma: An exploratory study 84:1048
- Short-term effect of atropine on higher-order aberrations in myopic children 84:441
- Sialylated autoantibodies involved in disease activity of rheumatoid arthritis 84:123
- Simple and less cost but not effective 84:901
- Single-cell RNA sequencing in human lung cancer: Applications, challenges, and pathway towards personalized therapy 84:563
- Suppressive effects of an apoptotic mimicry prepared from jumbo-flying squid-skin phospholipids on the osteoclastogenesis in receptor activator of nuclear factor kappa B ligand/macrophage colony-stimulating factor-induced RAW 264.7 cells 84:51
- Surgical and survival outcomes after robotic and open pancreaticoduodenectomy with positive margins 84:698

Synergistic therapeutic effect of low-dose bevacizumab with cisplatin-based chemotherapy for advanced or recurrent cervical cancer	84:1139
Systematic review and meta-analysis of the effectiveness and safety of hydroxychloroquine in treating COVID-19 patients	84:233
T	
TRIM72 mediates lung epithelial cell death upon hyperoxia exposure	84:79
Taipei Veterans General Hospital secure open-source telemedicine system—TeleCARE	84:743
Temporal association of maternal weight gain with early-term and preterm birth and low birth weight babies	84:722
Tendon repair with intercalated partial extensor carpi radialis longus tendon graft for chronic extensor pollicis longus tendon rupture	84:728
The application of a 70° endoscope in performing transcanal middle ear surgery	84:309
The association between hepatitis C virus infection and renal function	84:757
The association of transporter ABCC2 (MRP2) genetic variation and drug-induced hyperbilirubinemia	84:129
The biological function and diagnostic value of miR-762 in nasopharyngeal carcinoma	84:498
The causal-effect of bed rest and post-dural puncture headache in patients receiving diagnostic lumbar puncture: A prospective cohort study	84:791
The clinical manifestations and interval changes of reverse-transcriptase quantitative polymerase chain reactions among different specimens of coronavirus disease 2019 patients	84:151
The clinical significance of esophagogastric varices in patients with advanced pancreatic cancer	84:917
The differences in nurses' willingness to discuss palliative care with patients and their family members	84:280
The efficacy of periarticular injection intraoperatively for mini-open rotator cuff repair: A comparative study	84:640
The elastic stable intramedullary nails as an alternative treatment for adult humeral shaft fractures	84:644
The evolution of guideline-directed medical therapy among decompensated HFREF patients in sacubitril/valsartan era: Medical expenses and clinical effectiveness	84:588
The fertility preservation decision-making and testicular sperm retrieval outcome in older adolescents with nonmosaic Klinefelter syndrome and azoospermia	84:1023
The impact of COVID-19 in pregnancy: Part I. Clinical presentations and untoward outcomes of pregnant women with COVID-19	84:813
The impact of COVID-19 in pregnancy: Part II. Vaccination to pregnant women	84:903
The impact of bystander cardiopulmonary resuscitation on patients with out-of-hospital cardiac arrests	84:1078
The precaution strategy toward the COVID-19 pandemic in the operating room of a tertiary hospital in Taiwan	84:171
The predictors of sepsis-related acute kidney injury	84:243
The risk of stroke after acute myocardial infarction in patients with and without atrial fibrillation: A nationwide cohort study	84:1126
The role of albumin–bilirubin grade in determining the outcomes of patients with very early-stage hepatocellular carcinoma	84:136
The role of micronutrient and immunomodulation effect in the vaccine era of COVID-19	84:821
The role of patient records in research: A bibliometric analysis of publications from an academic medical center in Taiwan	84:718
The symmetry indices of malar mounds for zygomatic bone fracture management based on a computed tomographic model	84:709
The use of serum level of microRNA-485-5P in prediction of renal function in lupus nephritis patients	84:736
Trans sexualism	84:457
Translation and validation of the traditional Chinese version of the Constipation Severity Instrument	84:299
Transthoracic echocardiography monitoring during atrial septal defect and ventricular septal defect device closures using a three-dimensional printed transducer holder	84:550
Treatment of hyperprolactinemia: A single-institute experience	84:1019
Treatment patterns and survival in patients with small cell lung cancer in Taiwan	84:772
Treatment with angiotensin receptor neprilysin inhibitor for Taiwan heart failure patients: Rationale and baseline characteristics of the TAROT-HF study	84:833

U

- Ultrasound-guided dextrose solution perimysium dissection for posterior shoulder myofascial pain **84:650**
Use of modified-NUTRIC score to assess nutritional risk in surgical intensive care unit **84:860**
Using multiple-steps bioinformatic analysis to predict the potential
microRNA targets by cardiogenic HoxA11 **84:68**
Using percutaneous parapedic screw vertebroplasty to treat transpedicle screw loosening **84:517**

V

- Varied impacts on outpatient services among departments and divisions in the early phase
of the COVID-19 pandemic: Implications for personnel mobilization and preparatory training **84:951**
Virtual reality informative aids increase residents' atrial fibrillation ablation
procedures-related knowledge and patients' satisfaction
Virtual reality-based preprocedural education increases preparedness and satisfaction of
patients about the catheter ablation of atrial fibrillation **84:690**
Vitamin D in gynecological diseases **84:1054**

W

- Was capsule penetration of locally advanced renal cell carcinoma associated with
recurrence in patients undergoing curative surgery? **84:664**
Well tolerability and highly effective treatment response for hepatitis C virus-human
immunodeficiency virus-coinfected patients treated by all-oral direct-acting antivirals **84:465**

X

- XEN45 Gel Stent implantation in eyes with primary open angle glaucoma: A study from
a single hospital in Taiwan **84:108**