



Available online at www.sciencedirect.com

ScienceDirect

Journal of the Chinese Medical Association 85 (2022) XVIII–XXIV



www.jcma-online.com

Title Index

- 2021 Taiwan Stroke Society Guidelines of blood pressure control for ischemic stroke prevention **85:651**
- A**
- A *Houttuynia cordata*-based Chinese herbal formula improved symptoms of allergic rhinitis during the COVID-19 pandemic **85:717**
- A clinical study of artery of Percheron infarction **85:1098**
- A disposable envelope for video-assisted intubating stylet during tracheal intubation in COVID-19 pandemic **85:136**
- A major outbreak of the COVID-19 on the *Diamond Princess* cruise ship: Estimation of the basic reproduction number **85:1145**
- A new protective barrier to reduce the aerosol dispersion in dental clinics during Omicron Covid-19 pandemic **85:808**
- A novel diagnostic tool for hyaline vascular Castleman disease versus lymphoma based on contrast-enhanced computed tomography in neck mass **85:935**
- A novel homemade simulator for training and assessing competency of totally implantable venous access port implantation via venous cutdown **85:259**
- A predictive model incorporating inflammation markers for high-grade surgical complications following liver resection for hepatocellular carcinoma **85:845**
- A prospective, randomized study assessing different modalities for flushing totally implanted vascular access device in children with malignancy **85:114**
- A single-center, cross-sectional study of cross-professional faculties' perception to virtual class under different scenarios: A stepwise approach **85:759**
- Abandon ifosfamide-based regimen and use paclitaxel-carboplatin regimen for the treatment of uterine carcinosarcoma **85:649**
- Agreement of infrared ear temperature with nasopharyngeal temperature and diagnostic performance on hypothermia in general anesthetized patients **85:1093**
- Ameliorative effect of taxifolin on gentamicin-induced ototoxicity via down-regulation of apoptotic pathways in mouse cochlear UB/OC-2 cells **85:617**
- Antibiotics use and worse outcome: A possibility of misinterpretation **85:1163**
- Applicability of the Greulich and Pyle bone age standards to Taiwanese children: A Taipei experience **85:767**
- Application of dual-layer spectral detector computed tomography to evaluate the expression of Ki-67 in colorectal cancer **85:610**
- Application of hyperglycemia/diabetes-derived polygenic risk scores on the risk of poor outcomes after an ischemic stroke **85:81**
- Association of paraoxonase 1 activity and insulin resistance models in type 2 diabetes mellitus: Cross-sectional study **85:77**
- Association of thyroid hormones and thyroid-stimulating hormone with mortality in adults admitted to the intensive care unit: A systematic review and meta-analysis **85:443**
- Associations of high anti-CMV IgG titer with renal function decline and allograft rejection in kidney transplant patients **85:183**
- Autophagy reprogramming stem cell pluripotency and multiple-lineage differentiation **85:667**

XVIII

www.ejcma.org

C

- Candidemia in hospitalized cirrhotic patients with bloodstream infection: A retrospective analysis and brief summary of published studies 85:295
- Causative organisms and antimicrobial susceptibility in jaundiced infants with significant bacteriuria 85:514
- Cementless primary or revision stem in revision hip arthroplasty for aseptic stem loosening with Paprosky type I/II femoral defect? 85:1068
- Changes in intraocular pressure after pharmacological pupil dilatation in an elderly Chinese population in Taiwan: The Shihpai eye study 85:1024
- Chlorhexidine in the treatment of microsporidial stromal keratitis and the effect of host immunity: A case series and literature review 85:532
- Classification and citation analysis of the 100 top-cited articles on adult spinal deformity since 2011: A bibliometric analysis 85:401
- Clinical applications and consideration of interventions of electrotherapy for orthopedic and neurological rehabilitation 85:24
- Clinical characteristics and outcomes of drug-induced liver injury in Taiwan: With emphasis on the impact of chronic hepatitis B infection 85:286
- Clinical manifestation and current therapeutics in X-juvenile retinoschisis 85:276
- Clinical outcomes and metastatic behavior between de novo versus recurrent HER2-positive metastatic breast cancer: A 17-year single-institution cohort study at Taipei Veterans General Hospital 85:88
- Clinical outcomes of Eustachian tube dysfunction in chronic rhinosinusitis following endoscopic sinus surgery 85:782
- Clinical significance of the neural response telemetric thresholds in Mandarin-speaking cochlear implant patients 85:478
- Clinicopathologic characteristics of incidental thyroid carcinoma in euthyroid patients receiving total thyroidectomy for multinodular goiter: A retrospective cohort study 85:839
- Clinicopathological characteristics and treatment outcomes of luminal B1 breast cancer in Taiwan 85:190
- Cochlear implant mapping strategy to solve difficulty in speech recognition 85:874
- Combination therapy of sorafenib and drug-eluting bead transarterial chemoembolization for advanced hepatocellular carcinoma with and without hepatic arteriovenous shunt 85:491
- Combined lipid goal attainment in patients with type 2 diabetes and dyslipidemia: A head-to-head comparative trial of statins 85:831
- Combining sinus plain film and sinus ultrasound as a screening tool for maxillary fungal sinusitis 85:375
- Comparing paclitaxel-platinum with ifosfamide-platinum as the front-line chemotherapy for patients with advanced-stage uterine carcinosarcoma 85:204
- Comparison of a home sleep test with in-laboratory polysomnography in the diagnosis of obstructive sleep apnea syndrome 85:788
- Comparison of clinical outcomes of LASIK, Trans-PRK, and SMILE for correction of myopia 85:145
- Comparison of prognoses between cirrhotic and noncirrhotic patients with hepatocellular carcinoma and esophageal varices undergoing surgical resection 85:679
- Comparison of single platelet-rich plasma injection with hyaluronic acid injection for partial-thickness rotator cuff tears 85:723
- Complications of free-flap procedures for phalloplasty in female-to-male transgender surgery: 25-year experience a single medical center 85:341
- Consensus statement and recommendations on the treatment of COVID-19: 2021 update 85:5
- Correlations among the Mandarin Voice Handicap Index, its shortened version, and the Voice-Related Quality of Life Measure for laryngectomees 85:944

D

- Detection of circulating tumor cells as therapeutic markers in patients with penile squamous cell carcinoma: A preliminary study 85:95
- Diabetes associated with hypertension exacerbated oxidative stress-mediated inflammation, apoptosis and autophagy leading to erectile dysfunction in rats 85:346
- Diagnostic values of supine and erect abdominal radiographs for patients with acute abdomen: which is better for decision making? 85:709
- Different genders should be considered for the extraglycemic benefits of oral antidiabetic drugs 85:959
- Differential prognoses among male and female patients with hepatocellular carcinoma 85:554
- Dipeptidyl peptidase-4 inhibitors and osteoporosis 85:889

Dipeptidyl peptidase-4 inhibitors attenuates osteoporosis in patients with diabetes: A nationwide, retrospective, matched-cohort study in Taiwan	85:747
Does the combination of hysterectomy and general anesthesia increase the risk of subsequent development of dementia?	84:1
Dose-response relationship between epidural bupivacaine dose and mortality risk after surgical resection of nonsmall-cell lung cancer	85:952
Dynamic changes in signal-averaged P wave after catheter ablation of atrial fibrillation	85:549
E	
Effect of epidural analgesia on long-term outcomes after curative surgery for pancreatic cancer: A single-center cohort study in Taiwan	85:124
Effect of socioeconomic status on survival in patients on the Diabetes Shared Care Program: Finding from a Taiwan nationwide cohort	85:311
Effects of aggressive predilatation, sizing, and postdilatation strategy for coronary bioresorbable vascular scaffolds implantation	85:543
Effects of nerve-sparing procedures on surgical margins after robot-assisted radical prostatectomy	85:1131
Effects of polyallylamine-coated nanoparticles on the optical and photochemical properties of rose bengal	85:901
Efficacy evaluation of Chinese herbal medicine, VGH-BPH1, for patients with benign prostatic hyperplasia: A randomized, double-blind, placebo-controlled, and crossover study	85:639
Efficacy of cetuximab-containing regimens in the treatment of recurrent/metastatic head and neck cancer after progression to immune checkpoint inhibitors	85:687
Electrocardiographic abnormalities in a patient with pre-excitation and acute myocardial infarction undergoing percutaneous coronary intervention and ablation	85:804
Encourage women to receive COVID-19 vaccination before, during and after pregnancy	85:737
Endoscopic transcanal transtympanic myringoplasty vs. endoscopic transcanal tympanoplasty: 1-year follow-up study	85:1017
Erratum	
“Animal models of dry eye: Their strengths and limitations for studying human dry eye disease”: Erratum	85:1106
“Diabetes associated with hypertension exacerbated oxidative stress–mediated inflammation, apoptosis and autophagy leading to erectile dysfunction in rats”: Erratum	85:1165
“Evaluating the biocompatibility and biological performance of FePt-decorated nano-epoxy nanoparticles in mesenchymal stem cells”: Erratum	85:1033
“Molecular target therapeutics of EGF-TKI and downstream signaling pathways in non-small cell lung cancers”: Erratum	85:961
Erratum	85:736
Erratum	85:263
Evaluation of a remote telemedicine platform using a novel handheld fundus camera: Physician and patient perceptions from real-world experience	85:793
Experience of adult cochlear implantation at a tertiary hospital	85:469
F	
Factors associated with burden among male caregivers for people with dementia	85:462
Factors associated with postoperative respiratory conditions and critical outcomes on pediatric liver transplantation: A single-center experience	85:369
Factors influencing surgeon decision-making by measuring waiting time for pediatric ventilation tube insertions	85:699
Flow diverter manages very small aneurysm of the internal carotid artery	85:754
Flow-diverter stent to manage intracranial aneurysms: A single center experience	85:358
G	
Gene coexpression network analysis identifies hubs in hepatitis B virus–associated hepatocellular carcinoma	85:972
Glycemic control and outcome of cancer patients	85:265
Glycemic control was associated with nonprostate cancer and overall mortalities in diabetic patients with prostate cancer	85:331
Group-based trajectory analysis of postoperative pain in epidural analgesia for video-assisted thoroscopic surgery and risk factors of rebound pain	85:216

H

- Hepatitis D virus dual infection increased the risk of hepatocellular carcinoma compared with hepatitis B virus mono infection: A meta-analysis 85:30
- Holistic care for obstructive sleep apnea (OSA) with an emphasis on restoring nasal breathing: A review and perspective 85:672
- Home-based noninvasive pelvic floor muscle training device to assist women in performing Kegel exercise in the management of stress urinary incontinence 85:484
- Hospital-acquired infections in patients hospitalized with COVID-19: First report from Taiwan 85:922

I

- Iatrogenic retroperitoneal hematoma as an access-site complication of neurointervention 85:774
- Identification of early response to hypertonic dextrose prolotherapy markers in knee osteoarthritis patients by an inflammation-related cytokine array 85:525
- Identification of plasma hsa_circ_0000190 and 0001649 as biomarkers for predicting the recurrence and treatment response of patients with oral squamous cell carcinoma 85:431
- Immature sword bean pods (*Canavalia gladiata*) inhibit adipogenesis in C3H10T1/2 cells and mice with high-fat diet-induced obesity 85:67
- Implantation of monocusp valve prolongs the duration of chest tube drainage in children with tetralogy of fallot after corrective surgery 85:364
- Improved symptoms and signs of refractory interstitial cystitis in women after intravesical Nanofat plus platelet-rich plasma grafting: A pilot study 85:730
- Increased antibiotic exposure in early life is associated with adverse outcomes in very low birth weight infants 85:939
- Increased nasality of connected speech in patients underwent modified Lothrop procedure for refractory chronic rhinosinusitis: Cross-sectional and prospective study 85:1154
- Inferiorly based nasolabial flap for reconstruction of full-thickness medium-sized lower lip and commissural defects following ablative cancer surgery 85:1083
- Influencing factors for tracheostomy in patients with acute traumatic C3–C5 spinal cord injury and acute respiratory failure 85:167
- Investigation of clinical predictors of survival in idiopathic pulmonary fibrosis patients: A cohort study in Taiwan 85:578
- Is antibiotic exposure associated with an increased risk of developing necrotizing enterocolitis and bronchopulmonary dysplasia in very low birth weight infants? 85:1160
- Is it real of lower incidence of vitamin D deficiency in T2DM patients? 85:958
- Is ultrasound valuable for the diagnosis of women with abnormal detrusor activity? 85:3

L

- Late capsular blockage syndrome: Clinical and anterior segment optical coherence tomography characteristics 85:799
- Liver-directed stereotactic body radiotherapy can be reliably delivered to selected patients without internal fiducial markers—A case series 85:1028
- Low-dose ferrous bisglycinate chelate supplementation in chronic kidney disease and hemodialysis patients 85:566
- Lycopene treatment improves intrahepatic fibrosis and attenuates pathological angiogenesis in biliary cirrhotic rats 85:414

M

- Magnolol reduces myocardial injury induced by renal ischemia and reperfusion 85:584
- Management of acute lower gastrointestinal bleeding by pharmaco-induced vasospasm embolization therapy 85:233
- Management of metastatic renal cell carcinoma following prior vascular endothelial growth factor-targeted therapy: A real-world retrospective study from Taiwan 85:438
- Maternal outcome of selective feticide due to fetal anomaly in late trimester: A retrospective 10 years' experience in Taiwan 85:212
- Medical school grades may predict future clinical competence 85:909
- Molecular target therapeutics of EGF-TKI and downstream signaling pathways in non-small cell lung cancers 85:409

Morphometric and ultrasonographic determinants of difficult laryngoscopy in obese patients: A prospective observational study	85:571
N	
Nanoliposomal irinotecan with 5-fluorouracil and folinic acid in metastatic pancreatic cancer after previous gemcitabine-based therapy: A real-world experience	85:42
Network meta-analysis and trial sequential analysis for atrial fibrillation patients receiving PCI or with ACS	85:59
Neurogenic bladder in patients with cervical cancer after treatment	85:1
Neutrophil-to-lymphocyte ratio in predicting neurologic outcome of patients with acute ischemic stroke treated with intravenous thrombolytics	85:102
New strategies accelerate the path to overcome refractory interstitial cystitis	85:665
Novel airway-cartilage combined model for medialization laryngoplasty and laryngotracheal reconstruction surgery planning	85:1076
Number of cerebral microbleeds after intracranial/extracranial stenting and dual antiplatelet therapy	85:704
Nutrition support for acute kidney injury 2020-consensus of the Taiwan AKI task force	85:252
O	
One-year outcomes of the treat-and-extend regimen using aflibercept for the treatment of diabetic macular edema	85:246
Optimal depth of electromyographic endotracheal tube: A novel approach using video laryngoscopy	85:1000
Outcomes of patients with malignant esophagogastric junction obstruction receiving metallic stents: A single-center experience	85:160
Outstanding research paper awards of the <i>Journal of the Chinese Medical Association</i> in 2021	85:887
Overnight orthokeratology-associated <i>Acanthamoeba</i> keratitis at a tertiary referral hospital in Taiwan: A retrospective case-control study	85:381
P	
PER3 plays anticancer roles in the oncogenesis and progression of breast cancer via regulating MEK/ERK signaling pathway	85:1051
Pancreatic head sparing surgery for solid pseudopapillary tumor in patients with agenesis of the dorsal pancreas	85:981
Parathyroidectomy for dialysis patients in the era of calcimimetics: The surgeons' point of view	85:279
Patella cryo-free technique with recycled frozen autograft reconstruction preserves extensor mechanism for proximal tibial malignancy	85:453
Patients with periodontitis are at a higher risk of stroke: A Taiwanese cohort study	85:1006
Pelvic adhesion: A challenge of all gynecologic surgeries	85:813
Percutaneous direct puncture and embolization of vascularly inaccessible abdominal visceral pseudoaneurysms: A single-center experience and literature review	85:240
Pharmacological consideration of COVID-19 infection and vaccines in pregnancy	85:537
Potentiality of impulse oscillometry to evaluate bronchodilator reversibility in untreated adult patients with newly diagnosed asthma	85:859
Predictability of the preoperative lateral fulcrum radiograph of success in one-level vertebroplasty to treat painful osteoporotic vertebral fracture	85:129
Predictive and prognostic factors for outcome of microvascular decompression in trigeminal neuralgia	85:198
Prepare the psychiatric inpatient unit for COVID-19 pandemic	85:739
Prevalence of opioid prescriptions in Taiwan (2008–2018)	85:603
Prognostic significance of the blood urea nitrogen to creatinine ratio in in-hospital cardiac arrest after targeted temperature management	85:987
Prognostic value of neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio on low-grade appendiceal mucinous neoplasm: A single tertiary hospital experience	85:693
Prolonged sitting time links to subclinical atherosclerosis	85:51
Prompt diagnosis of a wild-type transthyretin cardiac amyloidosis: Role of multimodality imaging	85:1101
Pulmonary arterial hypertension in the elderly population	85:18
Q	
Quality care in ST-segment elevation myocardial infarction	85:268

R

- Real-world effectiveness and safety of golimumab in rheumatoid arthritis treatment:
 A two-center study in Taiwan 85:175
- Repeated loco-regional therapies for hepatocellular carcinoma is associated with inferior
 outcome after living donor liver transplantation in cirrhotic patients 85:317
- Reply to “Is it real of lower incidence of vitamin D deficiency in T2DM patients?” 85:960
- Reply to: “Antibiotics use and worse outcome: A possibility of mis-interpretation” 85:1164
- Reply to: “Is antibiotic exposure associated with an increased risk of developing necrotizing
 enterocolitis and bronchopulmonary dysplasia in very low birth weight infants?” 85:1162
- Risk factors and predictive markers for early and late-onset neonatal bacteremic sepsis in
 preterm and term infants 85:507
- Risk factors for mortality in systemic lupus erythematosus patients: Analysis of adult and
 pediatric cohorts in Taiwan 85:1044
- Risk factors for ocular neovascularization after central retinal artery occlusion 85:880
- Risk factors for pneumothorax and pulmonary hemorrhage following computed
 tomography-guided transthoracic core-needle biopsy of subpleural lung lesions 85:500
- Risk factors of recurrent carotid blowout syndrome and strategy of endovascular management 85:109

S

- SARS-CoV-2 vaccination in patients with inflammatory bowel disease:
 A systemic review and meta-analysis 85:421
- SARS-CoV-2 vaccines in children and adolescents: Can immunization prevent hospitalization? 85:891
- Safety and importance of colonoscopy in nonagenarians 85:304
- Selective feticide in late trimester: Misinterpretation 85:137
- Serum level and clinical significance of vitamin E in pregnant women with allergic rhinitis 85:597
- Serum parabens and its correlations with immunologic and cellular markers in Southern
 Taiwan industrialized city systemic lupus erythematosus patients 85:993
- Single pulley double-strand anchor suture fixation of the coronoid process in terrible triad
 of the elbow injury 85:222
- Sofosbuvir-based antiviral therapy provided highly treatment efficacy, safety, and good
 tolerability for Taiwanese chronic hepatitis C patients with decompensated cirrhosis 85:152
- Sofosbuvir-based direct-acting antivirals for patients with decompensated
 hepatitis C virus-related cirrhosis 85:647
- Suppression of vacuolar-type ATPase and induction of endoplasmic reticulum stress by
 proton pump inhibitors 85:915
- Surgical outcome of benign cases with pelvic adhesions undergoing robotic total hysterectomy 85:853

T

- Technological innovation and clinical application of direct percutaneous computed
 tomography-guided enterostomy vs other enterostomy techniques 85:1011
- Temporal fluctuations of cardiovascular parameters after intravitreal injections 85:1088
- The clinical impacts of molecular subtyping by multigene assay on hormone
 receptor-positive breast cancers 85:324
- The comparison of different BCG strains in the intravesical treatment of non-muscle invasive
 urothelial carcinoma of urinary bladder-A real-world practice 85:928
- The correlation between VitD3 levels and the disease activity of childhood-onset
 systemic lupus erythematosus 85:627
- The effect of Mitomycin-C in neoadjuvant concurrent chemoradiotherapy for rectal cancer 85:1120
- The effective distance and cooling rate of liquid nitrogen-based adjunctive cryotherapy
 for bone tumors ex vivo 85:866
- The effects of acupuncture and related techniques on patients with rheumatoid arthritis:
 A systematic review and meta-analysis 85:388
- The feasibility and safety of stepwise protocol in cardiopulmonary exercise testing-exercise
 stress echocardiography for subjects with heart failure 85:815
- The influence of low-level viremia on CD4⁺ cell count in human immunodeficiency
 virus-infected patients 85:1126
- The moderating effect of personality traits on acute tinnitus sensation in idiopathic
 sudden sensorineural hearing loss 85:633

The requirements of nucleic acid test for COVID-19 during public health emergency: Current regulatory in Taiwan, Singapore, and the United States	85:1038
The risk of insomnia after surgical operation: A longitudinal, population-based, case-crossover study	85:519
The risk of variceal bleeding during endoscopic retrograde cholangiopancreatography	85:896
The study of cancer cell in stromal environment through induced pluripotent stem cell–derived mesenchymal stem cells	85:821
The timing of intravenous oxytocin administration is crucial to minimize perioperative blood loss during first-trimester suction curettage for missed abortion	85:1061
Tissue selecting technique for adult women with low rectovaginal fistula	85:120
To do one and to get more: Part I. Diabetes and bone	85:965
To do one and to get more: Part II. Diabetes and metabolic dysfunction-associated fatty liver diseases	85:1109
Total knee replacement for patients with severe hemophilic arthropathy in Taiwan: A nationwide population-based retrospective study	85:228
U	
Use of expert consensus to improve the diagnosis and management of type 1 diabetes mellitus	85:741
Using big data of genetics, health claims, and brain imaging to challenge the categorical classification in mental illness	85:139
V	
Validation of the clinical applicability of the brief self-administered waterless empirical taste test during the era of COVID-19	85:1136
Vitamin D and systemic lupus erythematosus	85:811
W	
When more can lose more: Comments to the long-term use of prophylactic antibiotics for very low birth weight infant resulting in the adverse outcomes	85:1107
Winners of the 2021 honor awards for excellence at the annual meeting of the <i>Chinese Medical Association-Taipei</i> : Part I	85:963
Winners of the 2021 honor awards for excellence at the annual meeting of the <i>Chinese Medical Association-Taipei</i> : Part II	85:1035